L. A

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CRIGINAL

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33583	API No. 15 - 099-23927-00-00 0\
Name: Admiral Bay (USA) Inc.	County: Labette
Address: 7060B South Tucson Way	NW_SE_SE_NE_Sec. 35 Twp. 33 S. R. 18 East West
City/State/Zip: Centennial, CO 80112	2018' feet from S / (circle one) Line of Section
Purchaser: Southern Star	560' feet from E / W (circle one) Line of Section
Operator Contact Person: Karla Peterson	Footages Calculated from Nearest Outside Section Corner:
Phone: (_303) _350-1255	(circle one) NE SE NW SW
Contractor: Name: HAT Drilling	Lease Name: O'Brien Well #: 8-35
License: 33734	Field Name: Mound Valley
Wellsite Geologist: Greg Bratton	Producing Formation: Summit, Excello
Designate Type of Completion:	Elevation: Ground: 843' Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 891' Plug Back Total Depth:
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20' Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
•	, , , , , , , , , , , , , , , , , , , ,
Operator:	feet depth to w/sx cmt.
Original Comp. Date: 7/26/06 Original Total Depth: 891	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug Back Plug Back Total Depth	Dewatering method used air dry
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
2/19/0 6 12-17-077/21/06 2/26/06 -12/17/07	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells	
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature:	KCC Office Use ONLY
Title: PARSON Date: 4/1/18	Letter of Confidentiality Received
Subscribed and sworn to before me this 7th day of April 1	If Denied, Yes Date:
$20 08$. γ	Wireline Log Received RECEIVED KANSAS CORPORATION COMMI
Notary Public: Ling M ming	• 12
5-22-08	UIC Distribution APR 1 8 2008
Date Commission Expires:	ONSERVATION DIVISION
March 1	OF COLORS

Side Two

Operator Name: Admiral Bay (USA) Inc.				Lease Name: O'Brien			Well #: 8-35			
Sec. 35 Twp. 3	33 S. R. 18	_ 🗸 Eas	t West	County	Labet	e	- 11 - 11 - 11 - 11 - 11 - 11 - 11 - 1			
tested, time tool ope temperature, fluid re	show important tops on and closed, flowin covery, and flow rate as surveyed. Attach	ng and shu es if gas to	t-in pressures surface test,	, whether sh along with fi	ut-in pre	ssure reached:	static level, hydr	ostatic pressu	ests giving interval res, bottom hole ed. Attach copy of all	
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey		Y	Yes No			og Formatio	Sample			
		Yes No			Name	Name		Тор	Datum	
Cores Taken Yes V No		′es ✓ No		Excello			305'	538'		
Electric Log Run		Y	′es ✓ No		Rive	ton		777'	66'	
(Submit Copy) List All E. Logs Run:			•			ssippian		789'	54'	
· ·	•									
High Resolution Co Gamma Ray/Neutr Dual Induction LL3 Mud Log		y Neutron	Log							
		Repo		RECORD conductor, sur	✓ Ne	w Used	ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing We		Weig Lbs./	ght Setting		Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	9 5/8"	8 5/8"		20 LBS		20'	Portland			
Production	6 3/4"	4 1/2"		9.5 LB		898'	Thickset	100	Kol & Flo seal; gel	
			ADDITIONAL	L CEMENTIN	IG / SQU	EEZE RECORD				
Purpose: Perforate Protect Casing	Depth Top Bottom	Type of Cement		#Sacks Used		Type and Percent Additives				
Plug Back TD Plug Off Zone						·	· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot			ID - Bridge Plu				ture, Shot, Cemen		rd	
Specify Footage of Each Interval Perforated						(Amount and Kind of Material Used) Depth				
4 274-280'; 303-308'					1050# 20/40; 307.5 bbls water; 450 gal. 7.5% HCL 274-280; 303-308					
	,									
TUBING RECORD	ING RECORD Size Set At Packer At					Liner Run Yes No				
Date of First, Resumero	d Production, SWD or E	inhr.	Producing Met] Flowing	Pumpin		t 🔲 Othe	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	Bb	ls. G	ias-Oil Ratio	Gravity	
		1		1					ļ	
Disposition of Gas	METHOD OF C	COMPLETIC	N			Production Interv	al	VAL	RECEIVED SAS CORPORATION COA	