For KCC Use: Effective Date: 2-/-2009 District # 3 SGA? Ves No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: 1 31 2009 | Spot Description: | |
|---|--|--------------------------------------|
| month day year | sw - sw - sw - nw Sec. 29 Twp. 22 S. R. 16 XE |]w/ |
| OPERATOR: License# 31488 | (Q/Q/Q/Q) 2,440 feet from NN / S Line of Se | tion |
| Name: mark george | 170 feet from E / X W Line of Sec | tion |
| Address 1: 817 c street | Is SECTION: Regular Irregular? | |
| Address 2: | (Note: Locate well on the Section Plat on reverse side) | |
| City: leroy State: ks Zip: 66857 + | County: coffey | |
| Contact Person: mark george Phone: 620 363 0250 | Lease Name: beard Well #. 12 | |
| | Field Name: necisho fallis - leroy | |
| CONTRACTOR: License# 32642 | Is this a Prorated / Spaced Field? | No |
| Name: nick brown | Target Formation(s): Stante | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 170 | |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation:feet M | !SL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: | No 🖊 |
| Disposal Wildcat Cable | Public water supply well within one mile: | No |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: 100 | |
| Other: | Depth to bottom of usable water: | |
| It OWWO: old well information as follows: | Surface Pipe by Alternate: I I I I I | |
| | Length of Sunacs ripe Flatined to be set. | · |
| Operator: | Length of Conductor Pipe (if any): | |
| Well Name: | Projected Total Depth: 1100 | |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: squirrel | -113.64 |
| Directional, Deviated or Horizontal wellbore? | Water Source for Drilling Operations: Well Farm Pond Other: other | |
| If Yes, true vertical depth; | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR | |
| KCC DKT #; | Will Cores be taken? | No |
| | If Yes, proposed zone: | |
| | DECE | JEG |
| | RECE | ACT. |
| AFFI | IDAVIT KANSAS CORPORAT | |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug | IDAVIT KANSAS CORPORAT Iging of this well will comply with K.S.A. 55 et. seq. | ON COMMISSION |
| | DAVIT KANSAS CORPORAT | ON COMMISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | DAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 2 | ON COMMISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on the approxed notice of | IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 2 Education of this well will comply with K.S.A. 55 et. seq. | on commission 2009 n division |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent in the property of the approved notice of intent to drill shall be posted on each of the intent intent in the property of the approved notice of intent to drill shall be posted on each of the intent inte | IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 2 Editlling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT | on commission 2009 n division |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be not shall be set by through all unconsolidated materials plus a minimum of 20 feet into the | IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 2 Startling rig; Identifying comment to the top; in all cases surface pipe shall be set WICHIT underlying formation. | on commission 2009 n division |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. | IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 2 (drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT underlying formation. ct office on plug length and placement is necessary prior to plugging; | on commission 2009 n division |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> set be the second of the second | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. | on commission 2009 n division |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing | on commission 2009 n division |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drilling of the approved notice of intent to drill shall be posted on each of the drilling of the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the s | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT underlying formation. ct office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. | on commission 2009 n division |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT underlying formation. ct office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. | on commission 2009 n division |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office will unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge if the appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the district of the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements. | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT underlying formation. ct office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing olugged. In all cases, NOTIFY district office prior to any cementing. | on commission 2009 n division |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the second of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition of the second of the second of the second of the district of the well is dry hole, an agreement between the operator and the district of the well is either plugge for the appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before casing order #13 must be completed within 30 days of the spud date or the well shall be proprieted to the best of the statements made herein are true and correct to the best of the spud date. | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: OWNER | ON COMMISSION 2009 N DIVISION A, KS |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the set of the state of the | drilling rig; conservation c | on commission 2009 n division |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s | drilling rig; conservation c | ON COMMISSION 2009 N DIVISION A, KS |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s | drilling rig; conservation c | ON COMMISSION 2009 IN DIVISION A, KS |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall be used in the shall be used in the shall be the shall be completed in the shall be completed of the shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the shall be placed in the shall be placed in the statements made herein are true and correct to the best of the shall be placed. For KCC Use ONLY API # 15 - O31 - 22405-DO-OO Conductor pipe required feet | drilling rig; conservation c | ON COMMISSION 2009 N DIVISION A, KS |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th | drilling rig; conservation c | ON COMMISSION 2009 N DIVISION A, KS |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th | drilling rig; conservation c | ON COMMISSION 2009 IN DIVISION A, KS |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office will unconsolidated materials plus a minimum of 20 feet into the set by the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either by set by the district office will be notified before well is either by set by | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: OWNER Title: OWNER File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please | ON COMMISSION 2009 N DIVISION A, KS |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the set of through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distripation of the set of the well is dry hole, an agreement between the operator and the distripation of the well is dry hole, an agreement between the operator and the distripation of the well is either plugge of the spudding of the set of the plugge of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged of the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the well shall be plugged or the spuddate or the shall be plugged or the spuddate or the shall be plugged or the spuddate or the shall be plugged | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Wher Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. | ON COMMISSION 2009 N DIVISION A, KS |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be proportially appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the detailed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by that the statements made herein are true and correct to the best of the spud date or the well shall be plusted by the statements made herein are true and correct to the best of the spud date or the well shall be plusted by the statements are true and correct to the best of the spud date or the well shall be plusted by the statements are true and correct to the best of the spud date or the well shall be plusted by the statements are true and correct to the best of the spud date or the well shall be plusted by the statement of the shall be posted by the shal | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHIT underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: OWNER Title: OWNER File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please | ON COMMISSION 2009 N DIVISION A, KS |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 031-22405-0000 | |
|--|--|
| Operator: mark george | Location of Well: County: coffey |
| Lease: beard | |
| Weil Number: 12 | 170 feet from E / X W Line of Section |
| Field: neosho falls - leroy | Sec. 29 Twp. 22 S. R. 16 X E W |
| Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: sw - sw - sw - nw | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

| | • | | • | i | | | |
|-----------------------------|--|---|---|----------|--|----------|---|
| | | | • | | 7 | | |
| | | • | | i | • | • | • |
| | | • | | : | • | • | - |
| | | • | | , | • | - | • |
| | | • | | | | • | • |
| | | | | 1 | : | • | |
| | | • | | | • | • | • |
| | | • | | 1 | • | • | • |
| | | | | 1 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | 1 | | | |
| | - | • | | 1 | • | • | • |
| | • | | • | 1 | • | | • |
| | • | • | • | 1 | • | • | • |
| | • | • | • | 1 | • | | • |
| | | | • | ! | • | | |
| | | | • | ! | • | | |
| | | | • | | • | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | ! | | | |
| | | | | 1 | • | : | |
| | | | | 1 | | | |
| | | | | i | | _ | |
| | | | - | 1 | | I : | |
| | | | | : | - | - | |
| | | | | 1 | | I . | |
| | | : | | • | | Ī : | |
| | | | | | : | • | |
| | | - | - | { | • | - | • |
| | | | | 1 | | | |
| | | | | | | | |
| | | | | 1 | | | |
| | | | | | | | |
| | | | • | | • | | |
| | | • | • | | • | | |
| | | | | | • | | |
| , | | | • | | • | | |
| | | | | | • | | |
| | | | | | | | |
| , | | | | | | | |
| | | | - | | | <u>.</u> | |
| | | | • | | • | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| : | | | : | | | | |
| | | : | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | The section of the se | | |
| | | | | | ************************************** | | |
| : | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| رو | | | | | | | |
| ~~~ | | | | | | | |
| ~~ _{\$} | · · · · · · · · · · · · · · · · · · · | | | | | | |
| ~~ _{\$} | ······································ | | | | | | |
| \sim | En | | | | | | |
| $\mathcal{A}_{\mathcal{S}}$ | | | | | | | |
| ~~ _≤ | 50 | | | | | | |
| | Eo | | | | | | |
| \sim_{\leq} | ٤, | | | | | | |
| $\mathcal{A}_{\mathcal{S}}$ | F0 | | | | | | |
| $\mathcal{J}_{\mathcal{S}}$ | ۶6 | | | | | | |
| \sim_{\leq} | ٤0 | | | | | | |
| -7 _≤ | F6 | | | | | | |
| ر ا | 50 | | | | | | |
| -7 _≤ | <i>E</i> 0 | | | | | | |
| -7 _≤ | F0 | | | | | | |
| -7 _≤ | ⁽⁵ 60 | | | | | | |
| -7 _≤ | 50 | | | | | | |
| -7 _≤ | 50 | | | | | | |
| -7≤ | 560 | | | | | | |
| | 50 | | | | | | |
| -7 _≤ | F0 | | | | | | |
| | 50 | | | | | | |
| | ⁵ 60 | | | | | | |
| | 50 | | | | | | |
| | 50 | | | | | | |
| ~≤ | £0 | | | | | | |
| ~ | 50 | | | | | | |
| \d | 50 | | | | | | |
| ~ | F0 | | | | | | |
| | 560 | | | | | | |
| <i>کړچ</i> ا | 50 • | | | | | | |
| | 50 | | | | | | |
| ~~ | £0 | | | | | | |
| \dagger | 56 | | | | | | |
| \ \ | 50 • | | | | | | |

RECEIVELY
KANSAS CORPORATION COMMISSION

JAN 2 6 2009

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

/>0

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section. 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: mark george | License Number: 31488 | | | | | |
|--|----------------------------|---|--------------------------|--|--|--|
| Operator Address: 817 c street | | leroy | ks 66857 | | | |
| Contact Person: mark george | Phone Number: 620 363 0250 | | | | | |
| Lease Name & Well No.: beard 12 | Pit Location (QQQQ): | | | | | |
| Type of Pit: Pit is: | | sw sw sw nw | _ | | | |
| Emergency Pit Burn Pit Proposed | Existing | Sec. 29 Twp. 22 R. 16 | East West | | | |
| Settling Pit Drilling Pit If Existing, date con | structed: | 2,440 Feet from North / | | | | |
| Workover Pit Haul-Off Pit Pit capacity: | | 170 Feet from East / West Line of Section | | | | |
| (If WP Supply API No. or Year Drilled) | (bbls) | coffey | County | | | |
| Is the pit located in a Sensitive Ground Water Area? Yes | No | Chloride concentration: | | | | |
| Lad Lar | | (For Emergency Pits and S | | | | |
| Is the bottom below ground level? Artificial Liner? Yes No | 0 | How is the pit lined if a plastic liner is clay silt | not used? | | | |
| Pit dimensions (all but working pits): 30 Length (feel | t)8 | Width (feet) | N/A: Steel Pits | | | |
| Depth from ground level to deep | pest point: | 4 (feet) | No Pit | | | |
| | | | | | | |
| | | Depth to shallowest fresh waterfeet. Source of information: | | | | |
| na feet Depth of water well feet | measu | red well owner electr | ic log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | - | over and Haul-Off Pits ONLY: | ic log KDWR | | | |
| | | lai utilized in drilling/workover: | | | | |
| } | | t procedure: empty and fill | | | | |
| Does the slope from the tank battery allow all spilled fluids to | | | | | | |
| flow into the pit? Yes No | Dhii pits must i | pe closed within 365 days of spud date | RECEIVED | | | |
| I hereby certify that the above statements are true and con | rrect to the besi | of my knowledge and belief. K | ANSAS CORPORATION COMMIS | | | |
| 1/22/09 | m | A 2rg & | JAN 2 5 2009 | | | |
| Date | <u> </u> | ignature of Applicant or Agent | CONSERVATION DIVISION | | | |
| KCC OF | FFICE USE O | NLY Steel Pit RF | AC [RFAS [| | | |
| Date Received: 1/24 09 Permit Number: | Perm | t Date: 109 Lease Inspec | ction: 🖳 Yes 🦳 No | | | |



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

January 27, 2009

Mark George 817 C Street Leroy, KS 66857

RE:

Drilling Pit Application Beard Lease Well No. 12 NW/4 Sec. 29-22S-16E Coffey County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File