For KCC Use: 2-1-2009 Effective Date: 2-1-2009 District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Soud Date: January 30, 2009	
Expected Spud Date: January 30, 2009	Spot Description: NW SW SE
month day year	NW_SW-SESec.28 Twp.30 S. R16 XE W
OPERATOR: License#	(Q/Q/Q/Q) feet from N/ S Line of Section
Name: AX&P, Inc.	2000 feet from FE / W Line of Section
Address 1: 20147 200 Rd	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Neodesha State: KSZip: 66.7457	County: Wilson
Contact Person: J J Hanke	Lease Name: Unit 1 - Wolfe Norwan #: WN #9
Phone: 620 325-5212	Field Name: Neodesha Field
CONTRACTOR: License# 33079	Is this a Prorated / Spaced Field?
Name: Patrick Tubbs	Target Formation(s): Neodesha Sd
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 180 +
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 780 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Death to bottom of fresh water: 100'+ Yes \(\frac{xt}{xt} \) No
Seismic ; # of Holes Other	
Other:	Depth to bottom of usable water: 150 + Surface Pipe by Alternate: X
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 351
	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: 870 1
Original Completion Date: Original Total Depth:	Formation at Total Depth: Neodesha Sd. /
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR
ТОО БКТ #.	Will Cores be taken?
	If Yes, proposed zone:RECEIVED
AFEI	DAVIT KANSAS CORPORATION COMM
The undersigned hereby affirms that the drilling, completion and eventual plug	
• • • • • • • • • • • • • • • • • • • •	
It is agreed that the following minimum requirements will be met:	ging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to soudding of well:	
Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION DIVISM
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of The minimum amount of surface pipe as specified below <i>shall be set</i> by 	conservation divising rig; According to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 	conservation divisity of conservation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set VICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set VICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	drilling rig; Victoriating cement to the top; in all cases surface pipe shall be set victoriating cement to the top; in all cases surface pipe shall be set victoriation. In the set office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig; NICHITA, KS v circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted to the statements made herein are true and correct to the behavior. 	drilling rig; NICHITA, KS v circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements are true and correct to the statements made herein are true and correct to the statements are true and correct to the statements are true and correct to the statements are true and correct to the statement	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set vicinitally compared to the top; in all cases surface pipe shall be set vicinitally compared to office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the bed Date: For KCC Use ONLY Signature of Operator or Agent: Sig	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set vicinitally compared to the top; in all cases surface pipe shall be set vicinitally compared to office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the bed Date: For KCC Use ONLY Signature of Operator or Agent: Sig	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set VICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by that the statements made herein are true and correct to the best paterns. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27758 - 0000	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set virculating cement to the top; in all cases surface pipe shall be set virculating formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge for the state of the stat	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set vinderlying formation. cot office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Remember to: File DMI Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the bediened. Signature of Operator or Agent: Signature of Operator o	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set vinderlying formation. cot office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Remember to: File DMI Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the best plate:	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set vicinity of circulating cement to the top; in all cases surface pipe shall be set vicinity of complete on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is to fine DMI Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the because of the conductor pipe required	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Remember to: File DMI Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the best plate:	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set VICHITA, KS underlying formation. cot office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Remember to: File DMI Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the because of the conductor pipe required	drilling rig; v circulating cement to the top; in all cases surface pipe shall be set vicinital, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27758-00-00 Operator: AX&P, Inc.	Location of Well: County: Wilson
Lease: Unit 1 - Wolfe North Well Number: WN#9 Field: Neodesha Field	700 feet from feet from feet from feet from feet from feet from Sec. N / S Line of Section feet from E / W Line of Section S. R.16
Number of Acres attributable to well: 2 • 5 QTR/QTR/QTR/QTR of acreage:NWSWSE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				I	4		
	:		:		:	:	:
	•	:				:	
	:	•	:		:	•	:
		:	;		;	:	;
i	:	•	:		•		•
	•	•	•		•	•	•
1							

	•		•				
	:	•	:		:	•	•
	:	:	:			:	:
	•			į		•	•
	:	:	:	1	:	•	:
i	•			i		:	
!				i			
					******	********	
i				ì			
	:	:	:	i .	:	:	:
1			•	ł	•		•
	:	•	:	į	:	•	:
I	;	:	:	i	:	;	:
I	:		:	I			•
!	;	:	:	!	:	•	;
				1			•
******					******	*******	
į .	•		•		•	•	•
1	:	:	:		;	:	:
1			•		•		•
1	:		:	ŧ	:	•	:
	•	:				:	:
	:	•	<u>:</u>		•	•	•
	•	•	•	_	•	•	•
1				Q .			
		•	2	8		:	:
		:	2	8		:	
			2	8		:	
			2	8			
			2	8			
			2	8			
			2	8			
			2	8			
			2	8			
			······	8			
			······	8			
			······	8	·····		
			······	8	•••••		
			······	8			
			·	8			
			·	8			
			·	8			
			·	8			
			·	8			
			·	8			
			·	8			
			·	8			
			·	8 			
			·	8			
			·	8			
			·	8 			
			·	8			
			·	8			
			·	8			
			·	8 			
			·	8			
			·	8			
			·	8 o			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: AX&P, Inc.	License Number: 3830		
	desha K	s 66757	
Contact Person: J Hanke	Phone Number: 620 325-5212		
Lease Name & Well No.: Unit 1 - Wolfe N.	Pit Location (QQQQ):		
Type of Pit: Pit is:	NW-SW_SE		
Emergency Pit Burn Pit Proposed	Existing	Sec. 28 Twp. 30 R. 16 X East West	
Settling Pit	constructed:	700 Feet from North / X South Line of Section	
Workover Pit Haul-Off Pit Pit capacity:	 -	2000 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	(bbis)	Willeson County	
Is the pit located in a Sensitive Ground Water Area? Yes	No	Chloride concentration: mg/l	
		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): _20 Length ((feet) 10	Width (feet) N/A: Steel Pits	
Depth from ground level to			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.	edures for periodic maintenance and determining ncluding any special monitoring.		
	:	check pit level daily	
Distance to nearest water well within one-mile of pit	owest fresh water 100'+ feet.		
1/2 mile feet Depth of water well feet	measu		
Emergency, Settling and Burn Pits ONLY:	Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:	al utilized in drilling/workover:fresh water		
Number of producing wells on lease:	rking pits to be utilized:One		
Barrels of fluid produced daily:	procedure: backfill w. topsoil		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No	be closed within 365 days of spud date. KANSAS CORPORATION CO		
I hereby certify that the above statements are true and	correct to the bes	st of my knowledge and belief. JAN 2 5 200	
1/21/09	CONSERVATION DIVIS		
Daye	<i></i>	organization Agent	
кc	OFFICE USE O	NLY Steel Pit RFAC X RFAS	
Date Received: १ विद्या (०९ Permit Number:	Perm	nit Date: 1 22 2 Lease Inspection: 12 Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT (FORM CDP-1)

Instructions

General Instructions.

- All Notices of Intent to Drill must include an Application for Surface Pit, even if steel pits will be used.
- Operators need to submit two copies of all CDP-1s.
- 3. Form must be typed.

Section 1: Operator Information.

- Operator Name. Enter the operator's full name as it appears on operator's license.
- 1b. License Number. Enter the operator's license number. To verify KCC operator license information check the Commission's website at http://www.kcc.state.ks.us/conservation/oil_license.cg or contact the Conservation Division's Licensing Department at (316) 337-6194.
- 1c. Operator Address. Enter the operator's mailing address.
- 1d. Contact Person. Enter the name of the individual who will be the operator's contact person for this Application for Surface Pit, should Conservation Division Staff need to contact the operator about the Application for Surface Pit. The contact person may be the operator or the operator's agent.
- Phone Number. Enter the phone number of the contact person, so that Conservation Division Staff may easily reach the contact person if necessary.

Section 2: Lease/Well/Pit Information.

- Lease Name & Well No. Enter the name of the lease, and if applicable the well number, at which the pit is or will be located.
- 2b. Type of Pit. Mark the appropriate box to indicate the type of pit. Note—if the pit is a workover pit, the operator must enter the API No. or Year Drilled of the well which is to be worked over.
- Proposed or Existing Pit. Operator should mark the appropriate box to indicate if the pit is proposed or already exists.
 - Existing Pits. The operator should provide the date pit was constructed.
 - Proposed and Existing Pits. The operator must provide the pit capacity.

2d. Pit Location.

- 2d(1). ¼ ¼ ¼ ¼ Section. The operator should list the location of the pit by ¼ ¼ ¼ ¼ Section.
- 2d(2). Sec., Twp., and R. The operator should enter the Section, Township and Range Number in which the pit is located, and should mark either the "East" or "West" box to indicate if the Range # is East or West.
- 2d(3). Footage Location. This is where the operator reports the location of the pit from the North or South section line and the East or West section line. Enter in the blank provide the number of feet the pit is or will be from the North or South section line and then mark the appropriate box for the measurement to indicate if the footage is from the North or South section line. Follow the same procedure with respect to the location of the pit from the East or West section line.
- County. Enter the county in which the pit is or will be located.
- 2e. Sensitive Groundwater Area. Mark the appropriate box as to whether or not the pit is located in a Sensitive Groundwater Area. Operators may find a listing of Sensitive Groundwater Areas in Table III of the Conservation Division's Rules and Regulations. The Commission's rules and regulations for the conservation of oil and gas, including Table III, are available in an Adobe pdf file from the Conservation Division's website at http://www.koc.state.ks.us/conservation/index.htm.
- 2f. Chloride Concentration (for emergency and settling pits only). Indicate the chloride concentration level of fluids which the pit is or will be used to contain. A sample should be taken from the salt water tank. This information is needed to determine the potential for contamination should the salt water tank discharge into the emergency pit.

- Below Ground Level. Mark the appropriate box to indicate whether the bottom of the pit is below ground level.
- 2h. Artificial Liner. Mark the appropriate box to indicate whether the pit is or will be constructed with an artificial liner.
- Other Liner. Explain how the pit is constructed if a plastic liner is not used.
- 2j. Pit Dimensions (all but working pits). For all but steel pits, enter the length, width, and depth (from ground level to the deepest point) in feet of the pit. If the pit is a steel pit, the operator only needs to mark the "steel pits" blank.

Section 3: Description of Liner.

If the pit is lined, enter a brief description of the liner material, thickness, and installation procedure.

Section 4: Description of Maintenance.

Enter a brief description of the procedures used for periodic maintenance and determining liner integrity, including any special monitoring.

Section 5: Distance to Nearest Water Well Within One Mile of Pit.

Enter the distance to the nearest water well within one mile of the pit location and the total depth of the water well. If there are not any water wells within a one-mile radius of the pit location, the space should be left blank. Water well information is available from the Kansas Geological Survey's website, at http://www.kgs.ku.edu/Magellan/WaterWell/index.html.

Section 6: Shallowest Freshwater Depth.

Enter the depth to the shallowest fresh water in the area of the pit and mark the appropriate box as the source of the freshwater information.

Section 7: Emergency, Settling, and Burn Pits ONLY.

Enter the formation from which wells on the lease are producing, the number of producing wells on the lease, and the number of barrels of fluids produced daily on the lease. The operator should also mark the appropriate box to indicate if the slope of the tank battery allows all spilled fluids to flow in the pit.

Section 8: Drilling, Workover, and Haul-Off Pits ONLY.

Enter the type of material utilized in the drilling or workover of the well, the number of working pits to be utilized, and the procedure to be used for abandoning the pits after work at the well is complete.

Section 9: Affidavit.

Date and sign the certification that the above statements are true and correct to the best of the signee's knowledge and belief.



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

January 27, 2009

AX & P Inc. 20147 200 Rd Neodesha, KS 66757

RE: Drilling Pit Application

Unit 1 Wolfe North Lease Well No. WN 9

SE/4 Sec. 28-30S-16E Wilson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File