State of Kansas

CARD MUST BE SIGNED

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

	-	10	0.0	(see rules of	on reverse side)			
Starting Date	7	18	.86		API Number 15- 167-22, 752-00-00			
	month	day	year	2.53	East			
OPERATOR: License #	6194				C-E/2 SE NW Sec. 32 Twp S, Rg X West			
Name ESP DEVELOPMEN					3300 Ft. from South Line of Section			
Address R. R. 1, Box	.18				Ft. from East Line of Section			
City/State/Zip Paradise	, Kansa:	s 67	658	,	(Note: Locate well on Section Plat on reverse side)			
Contact PersonLew	is Eule	rt			Nearest lease or unit boundary line330feet			
Phone 913/998-44					CountyRussell			
CONTRACTOR: License #		5929			Lease NameStielow "A" Well # .1			
Name DUKE DRIL	LING ÇO	., INC.			Ground surface elevation feet MSL			
City/State Great Bend	d, Kansa	aș	67530		Domestic well within 330 feet:yesX_no			
Well Drilled For:	W	ell Class:	Тур	e Equipment:	Municipal well within one mile:yes _X_no			
SWD	_	_ Infield	X	Mud Rotary	Depth to bottom of fresh water75			
Gas Inj	<u></u>	_ Pool Ext.		_ Air Rotary	Depth to bottom of usable water340			
OWWO Expl	<u>_X</u>	Wildcat		_ Cable	Surface pipe by Alternate: 1 2 X_			
If OWWO: old well info as f	ollows:				Surface pipe planned to be set 200			
Operator			• • • • • • •		Conductor pipe required			
Well Name			• • • • • •		Projected Total Depth35.00			
Comp Date	Old T	otal Depth	• • • • • •		Formation Arbuckle			
I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications. Date .Jüly 16, 1986. Signature of Operator or Agent Sally RyByers For KCC Use:								
Date . July 16, 1986	Signatur	Title Agent						
For KCC Use:				Salty R.	Visyers			
Conductor Pipe Required								
This Authorization Expires								
-			•					

Must be filed with the K.C.C. five (5) days prior to commencing well This card void if drilling not started within six (6) months of date received by K.C.C.

Important procedures to follow:

- 1. Notify District office before setting surface casing.
- 2. Set surface casing by circulating cement to the top.
- 3. File completion forms ACO-1 with K.C.C. within 90 days of well completion, following instructions on ACO-1, side 1, and including copies of wireline logs.
- 4. Notify District office 48 hours prior to old well workover or re-entry.
- Prior to filing Intent, prepare a proposed plugging plan in case well is D & A, then obtain approval of plan when calling district office prior to setting surface pipe.
- 6. Submit plugging report (CP-4) to K.C.C. after plugging is completed.
- Obtain an approved injection docket number before disposing of salt water.
- 8. Notify K.C.C. within 10 days when injection commences or terminates.
- 9. If an alternate 2 completion, cement in the production pipe from below any usable water to surface within 120 days of spud date.

5280 4950 4620 4290 3960 3630 3300 2970 2640 2310 1980 1650 1320 990 660 330

A Regular Section of Land 1 Mile = 5,280 Ft.

RECEIVED STATE CORPORATION COMMISSION 7-16-1986
JUL 1 6 1986

State Corporation Commission of Kansas Conservation Division 200 Colorado Derby Building Wichita, Kansas 67202 (316) 263-3238

State of Kansas NOTICE OF INTENTION TO DRILL

• /		•	(see rules o	n reverse side)
Starting Date	m	7 18 nonth day	86 year 2.'5 3	API Number 15— 167-22, 752-00-00
DED ATOD. I in		94		C-E/2 SE NW Sec. 32 Twp. 11 S, Rg. 14 X West
				3300 Sec Swp S, Rg X West
			• • • • • • • • • • • • • • • • • • • •	3300 Ft. from South Line of Section
Address Pa	radise. K		58	2970 Ft. from East Line of Section
				(Note: Locate well on Section Plat on reverse side)
				Nearest lease or unit boundary line330 feet
			• • • • • • • • • • • • • • • • • • • •	CountyRussell Lease NameStielow "A" Well # 1
			• • • • • • • • • • • • • • • • • • • •	
			7530	Ground surface elevation feet MSL
•	ا . رواانغاد . با به			Domestic well within 330 feet:yes _X no
Well Drilled For:		Well Class:	Type Equipment:	Municipal well within one mile:yes _X_no
	SWD		X Mud Rotary	Depth to bottom of fresh water75
		Pool Ext.	•	Depth to bottom of usable water340
	-	X Wildcat	Cable	Surface pipe by Alternate: 1 2 X
If OWWO: old wel				Surface pipe planned to be set 200
•			••••••	Conductor pipe required
				Projected Total Depth3500
				FormationArbuckle
DateJuly .16,	will comply 1986. Sign	£ O	or Agent Sally R	ually plugging hole to KCC specifications. Title. Agent
	iuma	Alt		7-2386 Pond KCC MVED - East
This plugging pro 5 p.m. workdays).				AL IF ABOVE IS D & All Twp. Sec. 14 X West time the district office is called prior to setting sorface casing (call 7 a.m. to
lst plug @Arb	uckle	fe	et depth with	25sxs of60/40 Pozmix, 6% gel
2nd plug @Anh	ydrite	fe	et depth with	25 sxs of" " "
3rd plug @ ^{Bas}	e Dakota	fe	et depth with	100 sxs of " " "
4th plug @ ^B as	e of Surfa	ace Casing $_{\mathbf{f}}$	et depth with	40 \$xs of" ""
šth plug @ 40.	• • • • • • • • • • •	fe	et depth with	10 sxs of""
(2) Rathole with	15.	sxs		(b) Mousehole with10sxs
			er plugged or produ	nent and the amount of cement to be used is necessary prior to plugging. ction casing is cemented in. 5 p.m. workdays)
District office use	only:			1
		22,75	2-00-00	3
surface casing of .		feet se	t with	eve et house 10
Alternate 1	or 2 s	surface pipe was u	ısed.	500 (2.30 (1))
Alternate 2 cemen	ting was con	apleted @	f	t. depth with sxs on
				And
. 30		,	, 6	Form C-1 12/85