KANSAS CORPORATION COMMISSION RECEIVED OIL & GAS CONSERVATION DIVISIONS CORPORATION COMMISSION

Form CP-1 September 2003

WELL PLUGGING APPLICATIONDEC 0 8 2008

Please TYPE Form and File ONE Copy

This Form must be Typed Form must be Signed All blanks must be Filled

		CONSERVATION DIVISION WICHITA, KS	·
API # 15 - 199-20140 - 00 -	(roommor rooms or one r	vell). This must be listed for wells drilled since 1967; if no API #	was issue
indicate original spud or completion date	·		
Well Operator: Citation Oil & Gas	GOrp (Owner / Company Name)	KCC License #: 3553	
Address: P O Box 690688		City: Houston	
State: Texas		Contact Phone: (281) 517 - 7186	
Lease: Arapahoe Mni+	X1 V	Sec. 6 Twp. 15 S. R. 42	ast √ Wes
<u>NW</u> - <u>SW</u> -	NW Spot Location / QQQQ C	ounty: Wallace	——————————————————————————————————————
3500 Feet (in exact footage		nearest outside section corner) Line of Section (Not Lease Line)	
4820 Feet (in exact footag		nearest outside section corner) Line of Section (Not Lease Line)	
	is Well D&A Cathodic	Water Supply Well	
SWD Docket #		Other:	
Conductor Casing Size:			Sack
Surface Casing Size: 8 5/8"		Cemented with: 350	Sacks
	Set at: 5296		Sack
List (ALL) Perforations and Bridgeplug S	•		Odok
	Sets.		-
3022' (□0. (□(0.	E2001 E1041		
Elevation: $3922'$ ($\bigcirc G.L./\bigcirc K.B.$)	D T.D.: 5300' PBTD: 5124'	Anhydrite Depth:(Stone Corral Formation)	
Condition of Well: Good	Poor Casing Leak	Junk in Hole	
Proposed Method of Plugging (attach a s	separate page if additional space is needed): F	lease see attached procedure.	······
• • • • • • • • • • • • • • • • • • • •			
Is Well Log attached to this application a	as required? Yes No Is ACO-1	filed? Yes No	
If not explain why?	· · · · · · · · · · · · · · · · · · ·		
Plugging of this Well will be done in a	accordance with K.S.A. 55-101 <u>et.</u> seg. and	the Rules and Regulations of the State Corporation Commis	ssion.
		ations: Mercedes Ponzio Permitting Assistant	
		Phone: (281) 517 - 7528	-··. <u>-</u>
Address: PO BOX 690688	•	City / State: Houston, TX 77269	
		•	
Plugging Contractor:	(Company Name)	KCC License #: (Contractor's)	
		Pnone: / /	
Proposed Date and Hour of Plugging (~ `
Payment of the Plugging Fee (K.A.R.	82-3-118) will be guaranteed by Operator of	or Agent	_ 5

Authorized Operator / Agent: _

CITATION OIL AND GAS CORPORATION WELLBORE DIAGRAM AND INFORMATION

Field:

Well Name:

Arapahoe Unit #113

Arapahoe Unit

Date:

PBTD @ 5238'

TD @ 5300'

03/31/08

Location: Sec. 6, T15S R42W

Surface:

County:

Wallace

State: Kansas

Sec. 6 T15S R42W

Wallas County, KS

Completed: Elevation: 4064' KB: 4078' API #: 050-610-6659

One 30' JT 2-3/8" OD TBG x 1' sub

TOC 605' (calculated assuming 50% excess)

8-5/8" 24# K-55 @ 686'

Cemented w/ 350 sx

TOC 600' (Caclulated)

Cement sleeve @ 1955'
cmt'd w/400 sx 60/40 poz

Casing Leak 4236-4296'

Sqz w/100 sx

TOC 4500' Calculated

CIBP @ 5124'- 07/09/2004

Morrow Perfs: 5154-64'

4-1/2" casing to 5296' Cmt'd with 150 sx RECEIVED KANSAS CORPORATION COMMISSION

DEC 0 8 2008

CONSERVATION DIVISION WICHITA, KS

CITATION OIL AND GAS CORPORATION WELLBORE DIAGRAM AND INFORMATION

Well Name:

9+ PPG Gelled fluid (~ 10 bbls)

Class A

9+ PPG Gelled fluid (~ 18.5 bbls)

30 sx

9+ PPG Gelled fluid

Arapahoe Unit #113

Date: County: 04/10/08 Wallace Field:

Arapahoe Unit

Location: Sec. 6, T15S R42W

Sec. 6 T15S R42W Wallas County, KS

State:

Kansas

10 sx Class 'A' in prod casing.

Surface:

Completed: Elevation: 4064' KB: 4078'

API #: 050-610-6659

Plug Top @ +/- 636'

Plug Bottom +/- 736'

Plug Top +/- 1905'

Plug Bottom +/- 2005'

PBTD @ 5238'

TD @ 5300'

Cement sleeve @ 1955'

8-5/8" 24# K-55 @ 686'

Cemented w/ 350 sx

cmt'd w/400 sx 60/40 poz

TOC 605' (calculated assuming 50% excess)

Casing Leak 4236-4296'

Sqz w/100 sx

TOC 4500' Calculated

CIBP @ 5124'- 07/09/2004

Morrow Perfs: 5154-64'

4-1/2" casing to 5296' Cmt'd with 150 sx

KECEIVEL KANSAS CORPORATION COMMISSION

DEC 0 8 2008

CONSERVATION DIVISION WICHITA, KS

AU #113 P&A PROCEDURE

- 1. Notify COGC and KCC offices 48 hours prior to beginning PA operations.
- 2. MI RU PU. ND wellhead and NU BOPE. Stand +/-2005' (66 jts) of tubing in derrick. TOOH w/ single 2-3/8" jt remaining in the hole.
- 3. Pressure test CIBP @ 5124' to 500# to check for casing integrity and leaks. (CIBP was set on 07/09/2004). If tests ok, move on to Step #4, otherwise contact Engineering for new procedure.
- 4. Mix & circulate 9+ PPG fluid (w/20 sx premium gel) f/bottom plug to 2000' (~ 50 bbls).
- 5. TIH w/tubing to +/-2005' (slowly when passing 1900'). RU cementers. Spot 30 sk Class 'A' balanced plug at +/-2005' (Calc TOC +/- 1905').
- 6. POOH to +/- 736' and WO cement. LD standing tbg onto trailer.
- 7. Mix and circulate 9+PPG gelled fluid f/1905' to 736' (~18.5 bbls)
- 8. RU cementers. Spot 30 sk Class 'A' balanced plug at 736' (calc TOC +/- 636'). POH laying down tubing. Circulate with 10 bbls of 9+PPG gelled fluid.
- 9. Run 3 jts tubing. Mix and pump 10 sk plug in production string. RDMOSU.
- 10. Cut off casing strings at least 5' below ground level and remove wellhead.
- 11. Cap casing string with steel plate. Clean location off. Reclaim location in accordance with COGCC specification.

RECEIVED KANSAS CORPORATION COMMISSION



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

CITATION OIL & GAS CORP. 8223 WILLOW PL S HOUSTON, TX 77070-5616 December 12, 2008

Re: ARAPAHOE UNIT #113 API 15-199-20140-00-00 6-15S-42W, 3500 FSL 4820 FEL WALLACE COUNTY, KANSAS

Dear Operator:

This letter is to notify you that the Conservation Division has received your plugging proposal, form CP-1, for the above well and has reviewed the proposal for completeness. The central office will now forward your CP-1 to the district office listed below for review of the proposed plugging method. Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113(b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit in accordance with K.A.R. 82-3-600.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well. This notice in no way constitutes authorization to plug the above well by persons not having legal rights of ownership or interest in the well.

This notice is void after June 10, 2009. The CP-1 filing does not bring the above well into compliance with K.A.R. 82-3-111 with regard to the Commission's temporary abandonment requirements.

Sincerely,

Steve Bond

Production Department Supervisor

District: #4 2301 E. 13th Hays, KS 67601 (785) 625-0550