

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999

Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33365
Name: Layne Energy Operating, LLC
Address: 1900 Shawnee Mission Parkway
City/State/Zip: Mission Woods, KS 66205
Purchaser: _____
Operator Contact Person: Victor H. Dyal
Phone: (913) 748-3960
Contractor: Name: Thornton Air Rotary
License: 33606

Wellsite Geologist: _____
Designate Type of Completion:
____ New Well ____ Re-Entry Workover
____ Oil ____ SWD ____ SIOW ____ Temp. Abd.
 Gas ____ ENHR ____ SIGW
____ Dry ____ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____

Well Name: _____
Original Comp. Date: 9/14/2006 Original Total Depth: 1439'
____ Deepening Re-perf. ____ Conv. to Enhr./SWD
____ Plug Back ____ Plug Back Total Depth _____
____ Commingled Docket No. _____
____ Dual Completion Docket No. _____
____ Other (SWD or Enhr.?) Docket No. _____

<u>2/16/2007</u>	<u>2/19/2007</u>
Spud Date or Recompletion Date	Date Reached TD Completion Date or Recompletion Date

API No. 15 - 125-31180-00-01
County: Montgomery
NE SW NW NE Sec. 31 Twp. 31 S. R. 15 East West
721 feet from S / (circle one) Line of Section
2031 feet from (circle one) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Volz Well #: 2-31
Field Name: Cherokee Basin Coal Area
Producing Formation: Cherokee Coals
Elevation: Ground: 907' Kelly Bushing: _____
Total Depth: 1439' Plug Back Total Depth: 1434.8'
Amount of Surface Pipe Set and Cemented at 20' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 1435'
feet depth to Surface w/ 145 sx cmt.

Drilling Fluid Management Plan WO NH 7-14-08
(Data must be collected from the Reserve Pit)
Chloride content N/A ppm Fluid volume _____ bbls
Dewatering method used N/A - Air Drilled
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Agent Date: 7-27-07
Subscribed and sworn to before me this 27 day of July
2007
Notary Public: MacLaughlin Darling
Date Commission Expires: 1/4/2009

MACLAUGHLIN DARLING
Notary Public - State of Kansas
My Appt. Expires 1/4/2009

KCC Office Use ONLY

Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
JUL 30 2007

CONSERVATION DIVISION
WICHITA, KS

Operator Name: Layne Energy Operating, LLC Lease Name: Volz Well #: 2-31
 Sec. 31 Twp. 31 S. R. 15 East West County: Montgomery

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Compensated Density Neutron Dual Induction	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:70%;">Name</td> <td style="width:15%;">Top</td> <td style="width:15%;">Datum</td> </tr> <tr> <td>Pawnee Lime</td> <td>862 GL</td> <td>45</td> </tr> <tr> <td>Excello Shale</td> <td>1010 GL</td> <td>-103</td> </tr> <tr> <td>V Shale</td> <td>1060 GL</td> <td>-153</td> </tr> <tr> <td>Mineral Coal</td> <td>1105 GL</td> <td>-198</td> </tr> <tr> <td>Mississippian</td> <td>1361 GL</td> <td>-454</td> </tr> </table>	Name	Top	Datum	Pawnee Lime	862 GL	45	Excello Shale	1010 GL	-103	V Shale	1060 GL	-153	Mineral Coal	1105 GL	-198	Mississippian	1361 GL	-454
Name	Top	Datum																	
Pawnee Lime	862 GL	45																	
Excello Shale	1010 GL	-103																	
V Shale	1060 GL	-153																	
Mineral Coal	1105 GL	-198																	
Mississippian	1361 GL	-454																	

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface	11"	8.625"	24	20'	Class A	4	Type 1 cement
Casing	6.75"	4.5"	10.5	1435'	Thick Set	145	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	See Attached		

TUBING RECORD		Size <u>2 3/8"</u>	Set At <u>1353'</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. <u>2/20/2007</u>		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. <u>0</u>	Gas Mcf <u>< 1</u>	Water Bbls. <u>102</u>	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 30 2007

CONSERVATION DIVISION
MONTGOMERY, KS

Operator Name: Layne Energy Operating, LLC.
Lease Name: Volz 2-31
 Sec. 31 Twp. 31S Rng. 15E, Montgomery County
API: 15-125-31180-00-01

Shots per Foot	Perforation Record	Acid, Fracture, Shot, Cement Squeeze Record	Depth
Initial Perforations			
4	Rowe 1315' - 1317'	3000 lbs 20/40 sand 229 bbls water 200 gals 15% HCl acid	1315' - 1317'
1st Recompletion Perforations			
4	Rowe 1241.5' - 1243'	1700 lbs 20/40 sand 203 bbls water 200 gals 15% HCl acid	1241.5' - 1243'

RECEIVED
 KANSAS CORPORATION COMMISSION

JUL 30 2007

CONSERVATION DIVISION
 WICHITA, KS