KANSAS CORPORATION COMMISSION ORIGINAL September 1999
OIL & GAS CONSERVATION DIVISION
Form Must Be Typed

CONSERVATION DIVISION S CLITTA KS

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #_ 33074	API No. 15 - 125-30648-00-00 01
Name: Dart Cherokee Basin Operating Co., LLC	County: Montgomery
Address: P O Box 177	C_NE_SW_Sec2 Twp35_SR14_
City/State/Zip: Mason MI 48854-0177	1980' FSL feet from S / N (circle one) Line of Section
Purchaser: Oneok	3300' FEL feet from E / W (circle one) Line of Section
Operator Contact Person: Beth Oswald	Footages Calculated from Nearest Outside Section Corner:
Phone: (517_) 244-8716	(circle one) NE SE NW SW
Contractor: Name: McPherson	Lease Name: Reitz Well #: C2-2
License: 5675	Field Name: Cherokee Basin Coal Gas Area
Wellsite Geologist: Bill Barks	Producing Formation: Penn Coals
Designate Type of Completion:	Elevation: Ground: 905' Kelly Bushing:
New Well Re-Entry ✓ Workover	Total Depth: 1748' Plug Back Total Depth: 1741'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 148 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: Dart Cherokee Basin Operating Co., LLC	feet depth tow/sx cmt.
Well Name: Reitz C2-2	
Original Comp. Date: 10-22-04 Original Total Depth: 1748'	Drilling Fluid Management Plan WD NH 7-14-08 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	
Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No	Dewatering method used
Dual Completion	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
0.40.00	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp. S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
	,
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells	
All requirements of the <u>stat</u> utes, rules and regulations promulgated to regulations.	ate the oil and gas industry have been fully complied with and the statements
and complete and corresponding without edge.	
Signature: 100000	KCC Office Use ONLY
Title: Engr Clerk / Date: 7-25-07	Letter of Confidentiality Attached
Subscribed and sworn to before me this 25 day of July	If Denied, Yes Date:
	Wireline Log Received
	Geologist Report Received
Notary Public Brandy R. allock	UIC Distribution RECEIVED KANSAS CORPORATION COMMISSION
Date Commission Expires: BRANDY R. ALLCO	The state of the s
Notary Public - Mic	chican i IUI 3 II /III/
Notary Public - Mic Jackson Coun My Commission Ext March 05, 2011	

		n Operating Co., LL0				. Well #: <u>C2-</u> 2	2
Sec. 2 Twp. 3	5 s. R. 14	✓ East West	County: Mon	tgomery		•	
tested, time tool open temperature, fluid reco	and closed, flowing very, and flow rates	nd base of formations pe and shut-in pressures, if gas to surface test, a nal geological well site r	whether shut-in pre long with final char	ssure reached s	static level, hydros	static pressure	s, bottom hole
Drill Stem Tests Taken (Attach Additional S	heets)	☐ Yes ✓ No	L	og Formatio	n (Top), Depth ar	nd Datum	✓ Sample
Samples Sent to Geole	ogical Survey	☐ Yes ✓ No	Name	е		Тор	Datum
Cores Taken		 Yes ✓ No	See	Attached	,		
Electric Log Run (Submit Copy)		✓ Yes No			•		
List All E. Logs Run:				•			
High Resolution C Dual Induction	ompensated De	ensity Neutron &			·	-	
		CASING F			on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surf	11"	8 5/8"	203.71 t.	148'	Class A	60	Additives
Prod	6 3/4"	4 1/2"	9.5#	1745'	50/50 Poz	230	
		· · · · · · · · · · · · · · · · · · ·			,		
	1	ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used		Type and Pe	rcent Additives	
Shots Per Foot		N RECORD - Bridge Plugs ootage of Each Interval Perfo			ure, Shot, Cement S ount and Kind of Mate		Depth
		,	See Attached				
			'				
	Size 2 3/8"	Set At 1703'	Packer At NA	Liner Run	Yes ✓ No	,	
Date of First, Resumed Pr 10	oduction, SWD or Enh	r. Producing Metho	d Flowing	✓ Pumping	Gas Lift	Other	(Explain)
Estimated Production Per 24 Hours	Oil BE NA	ols. Gas M	flcf Water	Bbls 50	s. Gas	S-Oil Ratio	Gravity NA
Disposition of Gas	METHOD OF CO	MPLETION		Production Interva	1 .		
Vented Sold	Used on Lease	Open Hole	Perf. Du	ally Comp.	Commingled		
(If vented, Sumi	: AGO-18.)	Other (Specify)		<u> </u>	RE KANSAS CORP	CEIVED ORATION COMMISSION

JUL 3 0 2007

Dart Cherokee Basin Operating Co LLC #33074 Reitz C2-2 API #15-125-30648-00-00 C NE SW Sec 2 T35S-R14E Attachment to ACO-1 Well Completion Form

Shots Per Foot Perforation Record		Acid, Fracture, Shot, Cement Squeeze Record		
4	1529.5'-1530.5'	300 gal 10% HCl, 1680# sd, 280 BBL fl		
6	1523' - 1525'	100 gal 15% HCl, 4030# sd, 170 BBL fl		
4	1303' - 1304'	100 gal 15% HCl, 2511# sd, 135 BBL fl	_	
6	1242' - 1243.5'	100 gal 15% HCl, 3020# sd, 145 BBL fl		
6	1162' - 1165'	150 gal 15% HCl, 7125# sd, 215 BBL fl		
6	1107' - 1109'	100 gal 15% HCl, 6030# sd, 260 BBL fl		

RECEIVED KANSAS CORPORATION COMMISSION

JUL 3 0 2007