

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL
Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 31191
Name: R&B Oil & Gas
Address: P.O. Box 195
City/State/Zip: Attica, Kansas 67009-0195
Purchaser: _____
Operator Contact Person: Randy Newberry
Phone: (620) 254-7251
Contractor: Name: Duke Drilling Co., Inc.
License: 5929
Wellsite Geologist: Tim Pierce
Designate Type of Completion: **RECEIVED**
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW **FEB 14 2006**
 Dry Other (Core, WSW, Expl., Cathodic, etc) **KCC WICHITA**
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
10-17-05 10-24-05 11-9-05
Spud. Date or 10-17-05 Date Reached TD 10-24-05 Completion Date or 11-9-05
Recompletion Date 10-17-05 Recompletion Date 11-9-05

API No. 15 - 155-21493-00-00
County: Reno County, Kansas
SW NE NW Sec. 14 Twp. 26 S. R. 9 East West
990 feet from S (N) (circle one) Line of Section
1650 feet from E (W) (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Jones "B" Well #: 2
Field Name: Lerado
Producing Formation: Hertha
Elevation: Ground: 1665' Kelly Bushing: 1672'
Total Depth: 4128' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 308 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.
ATI - Dig - 10/17/08
Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: 280 bbls
Dewatering method used Hauled Off
Location of fluid disposal if hauled offsite: _____
Operator Name: R & B Oil & Gas, Inc.
Lease Name: Nunemaker License No.: 31191
Quarter SE Sec. 10 Twp. 26 S. R. 9 East West
County: Reno Docket No.: 26,193

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Randy Newberry
Title: President Date: 2-4-06
Subscribed and sworn to before me this 10th day of February, 2006
Notary Public: Jane Swingle
Date Commission Expires: 1-6-07

JANE SWINGLE
Notary Public - State of Kansas
My Appt. Exp. 1-6-07

KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied: Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

JAN 12/80

Operator Name: R&B Gas Lease Name: Jones "B" Well #: 2
 Sec. 14 Twp. 26 S. R. 9 East West County: Reno County, Kansas

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
(Submit Copy)

List All E. Logs Run:
 Dual Induction
 Dual Compensated Porosity

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Hertha	3648	-1977

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24#	308'	60/40 Poz	250	3%cc 2%gel
Production	7-7/8"	5-1/2"	14#	3788'	ASC	150	5#KOL-Seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	3648 - 3658		

TUBING RECORD Size 2-3/8 Set At 3648 Packer At _____ Liner Run Yes No

Date of First, Resumerd Production, SWD or Enhr. 11-9-05 Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	0	140	1	140 - 0	

Disposition of Gas Vented Sold Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

ALLIED CEMENTING CO., INC. 22542

TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Mud at Bend

DATE <i>10-17-05</i>	SEC <i>14</i>	TWP <i>26</i>	RANGE <i>9w</i>	CALLED OUT <i>1:30pm</i>	ON LOCATION <i>4:30pm</i>	JOB START <i>5:00pm</i>	JOB FINISH <i>6:00pm</i>
LEASE <i>Jones</i>	WELL # <i>B-2</i>	LOCATION <i>Herado Church 3/4 N E 15</i>	COUNTY <i>Keno</i>	STATE <i>K.S.</i>			
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR *Duke Drilling Rig 2* OWNER _____

TYPE OF JOB *Surface*

HOLE SIZE *12 1/4* T.D. *310 #* CEMENT AMOUNT ORDERED *250 ^{lb} / 40 36cc 27 gel*

CASING SIZE *2 1/2* 8-5/8 DEPTH *308 #*

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. *15 #*

PERFS. _____

DISPLACEMENT *19.2*

EQUIPMENT

RECEIVED

PUMP TRUCK # *181* CEMENTER *Mike M* HELPER *Robert B.* FEB 14 2006

BULK TRUCK # *342* DRIVER *Don D.* **KCC WICHITA**

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # _____ DRIVER _____

REMARKS:

*Circulate Hole with Rig mud pump
Mix Cement + Release Plug Displace
Plug Down with water*

*Cement did Circulate To
Surface*

CHARGE TO: *R+B oil + Gas*
STREET _____
CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *John J. ...*

John J. ...
PRINTED NAME

HANDLING *263.44* @ *1.60* *420.80*
MILEAGE *263.44 06* *30* *473.40*
TOTAL *3043.20*

SERVICE

DEPTH OF JOB *308 #*
PUMP TRUCK CHARGE *670.00*
EXTRA FOOTAGE *108* @ *55* *594.00*
MILEAGE *30* @ *5.00* *150.00*
MANIFOLD _____ @ _____
_____ @ _____
_____ @ _____

TOTAL *879.40*

PLUG & FLOAT EQUIPMENT

1-8 1/2 wooden plug @ *55.00* *55.00*
_____ @ _____
_____ @ _____
_____ @ _____

TOTAL *55.00*

TAX _____
TOTAL CHARGE _____
DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., INC. 23233

MAIL TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Medicine Lodge

DATE <u>10-25-05</u>	SEC <u>14</u>	TWP <u>26S</u>	RANGE <u>9W</u>	CALLED OUT <u>7:00 AM</u>	ON LOCATION <u>8:30 AM</u>	JOB START <u>1:50 PM</u>	JOB FINISH <u>2:35 PM</u>
LEASE <u>Jones</u>	WELL # <u>B-2</u>	LOCATION <u>Leorado Church 1 1/2 E/S</u>		COUNTY <u>Reno</u>	STATE <u>Ks.</u>		

OLD OR NEW (Circle one)

CONTRACTOR Duke #2

TYPE OF JOB production

HOLE SIZE 7 7/8 T.D. 4150'

CASING SIZE 5 1/2 DEPTH 3779'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX 1500 MINIMUM -

MEAS. LINE SHOE JOINT 42.75

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT 92 Bbls 2% KCl

EQUIPMENT

OWNER R+B Oil + Gas

CEMENT

AMOUNT ORDERED 500 Gal Mud-clean

13 Gals Clapro 50 SX 60:40:4 + 4% SMS

100 SX ASC + 5% Kol-seal + .5% FI-160

COMMON <u>A</u>	<u>30 SX</u>	@	<u>8.70</u>	<u>261.00</u>
POZMIX	<u>20 SX</u>	@	<u>4.70</u>	<u>94.00</u>
GEL	<u>3 SX</u>	@	<u>14.00</u>	<u>42.00</u>
CHLORIDE		@		
ASC		@		
<u>SM5</u>	<u>17 #</u>	@	<u>1.60</u>	<u>27.20</u>
<u>ASC</u>	<u>100 SX</u>	@	<u>10.75</u>	<u>1075.00</u>
<u>Kol-seal</u>	<u>500 #</u>	@	<u>.60</u>	<u>300.00</u>
<u>FI-160</u>	<u>47 #</u>	@	<u>8.70</u>	<u>408.90</u>
<u>Mud-clean</u>	<u>500 Gals</u>	@	<u>1.00</u>	<u>500.00</u>
<u>Clapro</u>	<u>13 Gals</u>	@	<u>22.90</u>	<u>297.70</u>
		@		
		@		
HANDLING	<u>183</u>	@	<u>1.60</u>	<u>292.80</u>
MILEAGE	<u>193/30/06</u>			<u>329.40</u>
				TOTAL <u>3628.00</u>

PUMP TRUCK CEMENTER Carl Balding

368265 HELPER Dwayne W.

BULK TRUCK

389 DRIVER Thomas Domarow

BULK TRUCK

DRIVER

REMARKS:

Run 3779' 5 1/2" Csg. + Break Circulation
Drop ball for Triplex shoe + circulate 20 min.
Start Flush 20 Bbls 2% KCl 3 fresh 500 Gals
mud-clean + 3 fresh water. Pvg R+M w/ 25 SX
60:40:4 mix 25 SX 60:40:4 + 4% SMS scavenger
mix 100 SX ASC + 5% Kol-seal + .5% FI-160
Wash Pump + Lines + Release plug. Displace
with 92 Bbls 2% KCl. Land plug + float held

SERVICE

DEPTH OF JOB	<u>3779'</u>		
PUMP TRUCK CHARGE			<u>1320.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>30</u>	@	<u>5.00</u> <u>150.00</u>
MANIFOLD		@	
<u>Head Rental</u>		@	<u>75.00</u> <u>75.00</u>
		@	

CHARGE TO: R+B Oil + Gas

STREET _____ FEB 14 2006

CITY _____ STATE _____ ZIP _____

KCC WICHITA

PLUG & FLOAT EQUIPMENT

<u>1 - Triplex shoe</u>	@	<u>1300.00</u>	<u>1300.00</u>
<u>1 - Latch Down plug</u>	@	<u>350.00</u>	<u>350.00</u>
<u>1 - Port collar</u>	@	<u>1750.00</u>	<u>1750.00</u>
<u>1 - Basket</u>	@	<u>140.00</u>	<u>140.00</u>
<u>9 - Centralizers</u>	@	<u>50.00</u>	<u>450.00</u>

TOTAL 3990.00

TAX _____

ANY APPLICABLE TAX TOTAL CHARGE _____

WILL BE CHARGED
UPON INVOICING

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Tim Pierce

TIM PIERCE

PRINTED NAME

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.