SIDE ONE

API NO. 15- 065-20,890-00-01

STATE CORPORATION COMMISSION OF KANSAS OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM	CountyGraham
ACO-1 WELL HISTORY	<u>E</u>
DESCRIPTION OF WELL AND LEASE	<u>SESENW_</u> Sec <u>18_</u> Twp <u>9S_</u> Rge <u>23X_</u> W
Operator: License # 5135	Feet from S(N) (circle one) Line of Section
Name: John O. Farmer, Inc.	2310 Feet from E(W) (circle one) Line of Section
Address P.O. Box 352	Footages Calculated from Nearest Outside Section Corner: NE, SE (N) or SW (circle one)
City/State/ZipRussell, KS 67665	ne, se my or sw terrete one,
•	Lease Name Albertson Well # 1
Purchaser: Farmland Industries, Inc.	Field Name <u>Ernst Northwest</u>
i	XXXXXXXXX Formation Lansing "I" and "K"
Operator Contact Person:John O. Farmer III	(Injection)
Phone (913) 483-3144	Elevation: Ground 2373' KB 2378'
	Total Depth 3965' PBTD 3924'
Contractor: Name: POE WELL SERVICE + WESTER	n well service
License: 3/52 4 >	Amount of Surface Pipe Set and Cemented at Feet
Wellsite Geologist:	
	(PERFORATIONS) Yes No
Designate Type of Completion	If yes, show depth set 2030' w/450 sacks Feet
New Well Re-EntryX _ Workover	
. 4.	If Alternate II completion, cement circulated from
OilSWDSIOWTemp. Abd.	feet depth tow/sx cmt.
Gas XXX ENHR SIGW	
Dry Other (Core, WSW, Expl., Cathodic, etc.)	Drilling Fluid Management Plan REWORK \$7 11-18-97
If Workover/Re-Entry: old well info. as follows:	(Data must be collected from the Reserve Pit)
Operator:John O. Earmer, Inc.	Chloride contentppm _Fluid_volumebbls_
Well Name: Albertson #1 Producer	Dewatering method used
Comp. Date 12-30-76 Old Total Depth 39651	Dewater my method used
omp. bate <u>12 30 70</u> ota fotat beptil <u>3703</u>	Location of fluid disposal if hauled offsite:
Deepening Re-perfX Conv. to SWD	Location of Itula disposat if flauted offsite:
Plug Back PBTD	Operator Name
Commingled Docket No. E-23,923	Operator Name
Dual Completion Docket No	Longo Namo
XXX Other (SWD or (h)) Docket No. E-23, 923	Lease Name License No
Other (SWD of The) Docket No	Oughton See Tun C. Dog F./U
6-18-97 y × 7-11-97	Quarter Sec TwpS RngE/W
Date of Stage Date Reached TD Completion Date of	County Docket No
Date of START Date Reached TD Completion Date of WORKOVER	bocket No.
	be filed with the Kansas Corporation Commission, 200 Colorado
Derby Building, Wichita, Kansas 67202, within 120 days of the	
	ide two of this form will be held confidential for a period of
12 months if requested in writing and submitted with the form	
months). One copy of all wireline logs and geologist well re	
MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	Submit CP-111 form with all temporarily abandoned wells.
All requirements of the etatutes and segulations record	
with and the etatements benefit are semilate and regulations promutga	ated to regulate the oil and gas industry have been fully complied
with and the statements herein are complete and correct to the b	best of my knowledge. / $\sim 1-97$
1 1 4 0 1-	K a a costas um aux 2/2
Signature Lol. Falm IR	K.C.C. OFFICE USE ONLY
orginature (F	F Letter of Confidentiality Attached
Title President Date 7-30-97	C Wireline Log Received
Subscribed and sworn to before me this 30th day of July	Geologist Report Received
19 97 .	Distribution NGPA
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Notary Public Margoret a. Schult	KGS Plug Other (Specify)
Mafgaret A. Schulte	
Date Commission Expires A HOTARY PUBLIC - State of Kausas	Form ACO-1 (7-91)
MARGARET A SCHULTE	
My Appl Exp. 1-27-2001	·

SIDE TWO

Operator Name	John O. Farmer	, Inc.	Lease Name	Alber	tson	Well #	#1	
		T East	County		Graham	<u>-</u>		
Sec. <u>18</u> Twp. <u>9</u>	<u>S</u> Rge. <u>23</u> լչ	ק Uwest						
INSTRUCTIONS: Show interval tested, tim hydrostatic pressure if more space is nee	e tool open and cl s, bottom hole tem	osed, flowing and shaperature, fluid reco	nut-in pressure	s, whether sh	ut-in pressure	reached st	atic level,	
Drill Stem Tests Tak (Attach Additiona		Yes X No		og Formati	on (Top), Dept	h and Datum	Sample	
Samples Sent to Geol		☐ Yes 🗓 No	Name		То	р	Datum	
Cores Taken		Yes X No	 					
Electric Log Run (Submit Copy.)		Yes X No						
List All E.Logs Run:								
CASING RECORD Used								
		strings set-conduct						
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12-1/4"	8-5/8"	26#	2011	Common	150	Additives	
Production	7-7/8"	4-1/2"	10-1/2#	3964' 60/40 Pozmix 175 10% salt				
ADDITIONAL CEMENTING/SQUEEZE RECORD								
Purpose:	Depth			1			·	
Perforate X Protect Casing	Top Bottom 780'	Type of Cement 60/40 Pozmix	#Sacks Used 175	Type and Percent Additives 6% gel				
Plug Back TD	700	00/40 F0ZIIIX	175	0% get				
Plug Off Zone	450'	60/40 Pozmix	175	6% gel			<u> </u>	
PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record								
Shots Per Foot 4 SPF					ed) Depth 3871-75			
4 SPF 3908-13 (5') 1000 gals. 28% NE						3908-131		
TUBING RECORD Size Set At Packer At Liner Run								
Date of First, Resu	med Production, SV 7-18-97	D or (Inj.) Produ	ucing Method	Flowing	Pumping (Gas Lift LX	(Injection) Other (Explain)	
Estimated (Injection Per 24 Hours	on) Oil	Bbls. Gas		ater Bbl 320 BWPD	s. Gas	s-Oil Ratio	Gravity	
Disposition of Gas: METHOD OF COMPLETION Production Interv								
☐ Vented ☐ Sold	Used on Lease	Open Ho	le ^[X] Perf. [ן Dually Comp	. Comming	.ed .	3871-75	
(If vented, submit ACO-18.) ☐ ☐ ☐ Other (Specify)							3908-131	

ALLIEF CEMENTING (2), INC. 5489 the transfer of the party of REMIT TO P.O. BOX 31 SERVICE POINT: RUSSELL, KANSAS 67665 SE SE DATE 6 - 19-99 SEC. TWP. RANGE 23 6:00 Am 7:45 Am 8:00 Am 5:45 AM LEASE ALBERTO WELL # 1 LOCATION WAKERNY RESLINE 4W 2N G PAHAM KANS AS OLD OR NEW (Circle one) CONTRACTOR WESTERN Mell, SERVICE OWNER TYPE OF JOB CIRC Cement (Squeeze) (USE D 200 5x 4) CEMENT (Speed Size 8 58 Sueface T.D. 201 (Speed Size 8 50 Sx 4 Speed Size 8 Speed S 150 x Com. 370cc Rick P.) DEPTH 2 SK SAND TOOL KEINHARDT OIL TOOLS DEPTH 668 - 341

PRES. MAX

MINIMUM

COMMON

COMMON POZMIX MEAS, LINE TO SEE THE SHOE JOINT TO A SECOND GEL A Freez, Mysolian wind @ marks of their to the CEMENT LEFT IN CSG. Warren San Jan 1966 1964 CHLORIDE PERFS. ANERCURY - 780 EQUIPMENT And the second of the second o के कीले कार्यका राज में परन्य ए जाएगा या ए वा कि वा की के स्वर्ध के हैं। and the first and the first of the 创作的企业。在美国的扩张**的**和制度。中共和国和美国的企业的公司 PUMP TRUCK CEMENTER HANDLING # 177 HELPER WILL BULK TRUCK DRIVER Dawn MILEAGE BULK TRUCK

2/3 DRIVER O Scan

REMARKS:

SERVICE

BRIDGE Res 2100 Set form 0 2055 + Test Tools To # (Hup) Spot 2st Same Test DEPTH OF JOB

OLD SQUETE BETWEEN 1995 - ASS (Hup 2001) PUMP TRUCK CHARGE

Test @ 800 - 2055 (Usid) Set Packed @ 668 Paissand EXTRA FOOTAGE BALSING TO 300 (HUD) TOCK INJ LAIL OF SM MILEAGE

BALSING TO 300 (HUD) TOCK INJ LAIL OF SM MILEAGE

BOCK TO JOSK ON ANNOLOS. MILEO SOX (0) 32 PLUG

BOCK TO WAS 30 WAS 20 SK ON 32 PLUG

BOCK TOWN 30 SK ON STATE OF SQUEECED

2.700 AREQUEO. MILEO 100 K 60 - 75 SQUEECED CHARGETO LOUN O FARMER TAG FLOAT EQUIPMENT CHARGE TO JOHN O. FARMER TAG. Y STATE ZIP the things in the contract of the second section Company of the compan TAX Apper of Carlo dates and deposit To Allied Cementing Co., Inc. TOTAL CHARGE
DISCOUNT You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or A TEN OF THE PRINT contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side: SIGNATURE /

15-065-20890-0001