

For KCC Use:

Effective Date:

District # 3

SCA2 | Vec | X No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

025174

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

SGA? Yes No NOTICE OF II	NTENT TO DRILL All blanks must be Fi
wast be approved by Noo III	e (5) days prior to commencing well
Expected Spud Date: 1/10/2009	Spot Description:
month day year	NE NE Sec. 36 Twp. 24 S. R. 25 XE
5786	(0/0/0/0) 330 feet from N / S Line of Sec
OPERATOR: License#	330 feet from E / W Line of Sec
Address 1: PO BOX K	ls SECTION: ☐Regular ☐Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: MOUND CITY State: KS Zip: 66056 + 0299	County: Bourbon
Contact Person: Doug McGown	Lease Name: Bushman Well #: 3-36
Phone: 913-795-2258	Field Name: Unnamed
CONTRACTOR: License# 5786	Is this a Prorated / Spaced Field?
Name: McGown Drilling, Inc.	Target Formation(s): Burgess
Mall Class Type Forument	Nearest Lease or unit boundary line (in footage): 330
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 851 Estimated feet M
Oil Enh Rec Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 50
Seismic ; # of HolesOther	Depth to bottom of usable water: 100
Other:	Surface Pipe by Alternate: I IIIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 400
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:
	If Yes, proposed zone:
AF	If Yes, proposed zone:
	If Yes, proposed zone:
AF	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig;
AF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
AF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is a minimum of 20 feet into the district office will be the operator and the district office will be notified before well is either plug	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual pill is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the time well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pill is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of th	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the time that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district office will be notified before well is either plug that the production pipe shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district office will be notified before well is either plug that the production pipe shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set are underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug that the search of	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; and form below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent of the district office of intent of the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the analyse of the spud date or the well shall be completed within 30 days of the spud date or the well shall be seen that the district office will be notified before well is either plug of the spud date or the well shall be seen that the district office will be notified before well is either plug of the spud date or the well shall be seen that the district office will be notified before well is either plug of the spud date or the well shall be seen to specified before well is either plug of the spud date or the well shall be seen to specified before well is either plug of the spud date or the well shall be seen to specified before well is either plug of the spud date or the well shall be seen to specified before well is either plug of the spud date or the well shall be seen to specified before well is either plug of the spud date or the well shall be seen to specified before well is either plug of the spud date or the well shall be seen to specified before well is either plug of the spud date or the well shall be seen to specified before well is either plug of the spud date or the well shall be seen to specified before well is either plug of the spud date or the well shall be seen to specified before well is either plug of the specified before well is either plug of the specified before well is either plug	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the sequence of the sequence	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the sequence of the well shall be completed within 30 days of the spud date or the well shall be sequenced. Submitted Electronically For KCC Use ONLY API # 15 - 15-011-23494-00-00 Conductor pipe required of the plant	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set to underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district of the spud date or the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - 15-011-23494-00-00 Conductor pipe required 0 feet per ALT. I	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set to underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the sequence of the sequence of the sequence of the well is either plug of the sequence of the seq	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the sequence o	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 15-011-23494-00-00	
Operator: McGown Drilling, Inc.	Location of Well: County: Bourbon
Lease: Bushman	330 feet from N / S Line of Section
Well Number: 3-36	330 feet from X E / W Line of Section
Field: Unnamed	Sec. 36 Twp. 24 S. R. 25 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

025174

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: McGown Drilling, Inc.		License Number: 5786		
Operator Address: PO BOX K MOUND CITY KS 66056				
Contact Person: Doug McGown		Phone Number: 913-795-2258		
Lease Name & Well No.: Bushman 3-36		36	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NENE_</u>	
Emergency Pit Burn Pit	Proposed	Existing	Sec. <u>36</u> Twp. <u>24</u> R. <u>25</u> East West	
Settling Pit X Drilling Pit	If Existing, date constructed:		330 Feet from North / South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		330 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	50	(bbls)	Bourbon County	
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l	
			(For Emergancy Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used? Subsurface clay	
		40		
Pit dimensions (all but working pits): Length (feet) violatin (feet) N/A. Steel Pits				
Depth from ground level to deepest point: (reet)				
in the broken are a second and a second and a second are a second and a second are a second are a second are a			edures for periodic maintenance and determining ncluding any special monitoring.	
		!		
Distance to nearest water well within one-mile of pit Depth to shall Source of info		west fresh waterfeet.		
NAfeet _ Depth of water wellfeet meas				
Emergency, Settling and Burn Pits ONLY: Drilling,		<u>-</u> -	lling, Workover and Haul-Off Pits ONLY:	
Producing Formation: Type of mater		Type of materia	al utilized in drilling/workover: Fresh water / Mud	
Number of producing wells on lease: Number of wo		king pits to be utilized:1		
Barrels of fluid produced daily: Abandonment		procedure: Airout and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 01/04/2009 Permit Number: 15-011-23494-00-00 Permit Date: 01/05/2009 Lease Inspection: Yes X No				