For KCC Use: 2-7-09 Effective Date: _ District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	o (b) days pilot to sommonomy war
Expected Spud Date: February 9 2009	Spot Description: _long: -101.4645352; lat: 38-9486329
month day year	NW - NW - NW Sec. 15 Twp. 13 S. R. 37 DE W
34162 <	(C/C/C/C/C/C) 600 Feet from N / S Line of Section
OPERATOR: License#	410 feet from E / X W Line of Section
Address 1: 6100 S. Yale	Is SECTION: Regular Irregular?
Address 2: Suite 2010	
City: Tulsa State: OK Zip: 74136 +	(Note: Locate well on the Section Plat on reverse side) County: Logan
Contact Person: Danny Birdwell	Lease Name: Rita Well #: 1
Phone: 432.940.6680	Field Name: n/a
CONTRACTOR: License#TBD	Is this a Prorated / Spaced Field?
Name: TBD	Target Formation(s): Lansing Kansas City and Mississippi
	Nearest Lease or unit boundary line (in footage): 410
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3350 feet feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 150
Seismic ; # of Holes Other Other:	Depth to bottom of usable water: /850
	Curtage Dine by Alternate VI VIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1900
	Length of Conductor Pipe (if any): n/a
Operator: n/a Well Name: n/a	Projected Total Depth; 4800 feet
Original Completion Date: n/a Original Total Depth: n/a	Formation at Total Depth: Lansing Kansas city 3800; Mississippi 4600
Original Completion Date.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Walt Sounds for Driving Operations. Well Farm Pond Other:
If Yes, true vertical depth: ^{n/a}	Y DWR Permit #;
Bottom Hole Location: n/a	(Note: Apply for Permit with DWR)
KCC DKT #; n.a	
KCC DKT #: n.a	
KCC DKT #: n.a	Will Cores be taken? If Yes, proposed zone: RECEIVEL
	Will Cores be taken? Yes No If Yes, proposed zone:
	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMITTEE aging of this well will comply with K.S.A. 55 et. seg.
AFF	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMITTEE RECEIVEL
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMITTEE gging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the appropriate district of intent to drill shall be posted on each	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMITTEE SIGNING OF THIS WELL WILL COMPLY WITH K.S.A. 55 et. seq. JAN 3 0 2009 CONSERVATION DIVISIA
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken? If Yes, proposed zone: RECEIVEL: KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 drilling rig; by circulating cement to the top; in all cases surface pipe shall be sWICHITA KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVEL: KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 drilling rig; by circulating cement to the top; in all cases surface pipe shall be sWICHITA KS and an additional complete shall be sWICHITA KS.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMISS Grilling rig; Dy circulating cement to the top; in all cases surface pipe shall be sellichital ke anderlying formation. Prict office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMISS KANSAS CORPORATION DIVISION Grilling rig; by circulating cement to the top; in all cases surface pipe shall be set in the set of the control of t
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMISS KANSAS CORPORATION DIVISION Grilling rig; by circulating cement to the top; in all cases surface pipe shall be set in the set of the control of t
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMISS FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 Conservation Division by circulating cement to the top; in all cases surface pipe shall be self-chital keep a underlying formation. In this proposed zone: Conservation Division by circulating cement to the top; in all cases surface pipe shall be self-chital keep a underlying formation. In this proposed zone: Conservation Division by circulating cement to the top; in all cases surface pipe shall be self-chital keep and conservation casing is cemented in; and proposed zone: If Yes IN NO CONSERVATION DIVISION BY CONSERVATION BY CONSERVATION DIVISION BY CONSERVATION DIVISION BY CONSERVATION DIVISION BY CONSERVATION BY CONSE
AFF The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMISS Grilling rig; Dy circulating cement to the top; in all cases surface pipe shall be self-chita ks and or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cementer Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMING Georgian of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be set ICHITA Kes and underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMISS Grilling rig; Dy circulating cement to the top; in all cases surface pipe shall be self-chita ks and or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the broad statements.	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMISSING gging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be self-chita kes a underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Exemples to: Title: Ti
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the botate: O1/23/2009 Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMITTEE FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 CONSERVATION DIVISION To circulating cement to the top; in all cases surface pipe shall be self-child kee The underlying formation. In all cases in the constance within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Ti
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the b Date: O1/23/2009 Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMING Reging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be sell'CHITA KS et underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; diffrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the b Date: O1/23/2009	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMITTEE Reging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 Idrilling rig; by circulating cement to the top; in all cases surface pipe shall be set CHITA Kee a underlying formation. rict office on plug length and placement is necessary prior to plugging; ried or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the b Date: O1/23/2009	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMME RECIVEL KANSAS CORPORATION COMME CONSERVATION DIVISION By circulating cement to the top; in all cases surface pipe shall be sellichita ke a underlying formation. First office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the b Date: O1/23/2009	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMITTEE To giging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 Idrilling rig; By circulating cement to the top; in all cases surface pipe shall be self-CHITA Ke and carried or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit of ungripe report (CP-4) after plugging is completed (within 50 days):
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the b Date: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMINE Tille: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is call the set of th
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the b Date: Date:	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMINE FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 Idrilling rig; by circulating cement to the top; in all cases surface pipe shall be self-CHITA. Ke a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the botate: O1/23/2009	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMING FIDAVIT In gging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 Indrilling rig; In going comment to the top; in all cases surface pipe shall be set. In general comment to the top; in all cases surface pipe shall be set. In general comment to the top; in all cases surface pipe shall be set. In going formation. In the completion casing is ceremented in; In going form below any usable water to surface within 120 DAYS of spud date. In going form below any usable water to surface within 120 DAYS of spud date. In going form below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cerementing. In all cases, NOTIFY district office prior to any cerementing. In the completion Form ACO-1 within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: O1/23/2009	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMINE Togging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 Conservation Division by circulating cement to the top; in all cases surface pipe shall be sell children in a divided in the sell children in a divided in the sell children in the sell chil
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: O1/23/2009	Will Cores be taken? If Yes, proposed zone: RECEIVEL KANSAS CORPORATION COMMINE Griging of this well will comply with K.S.A. 55 et. seq. JAN 3 0 2009 Adrilling rig; By circulating cement to the top; in all cases surface pipe shall be set. File underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 109 - 20828 - 00 - 00 Operator: New Gulf Operating, LLC	Location of Well: County: Logan
Lease: Rita	600 feet from N / S Line of Section
Well Number: 1	410 feet from E / X W Line of Section
Field: n/a	Sec. <u>15 </u>
Number of Acres attributable to well: 40 QTR/QTR/QTR/QTR of acreage: NW - NW - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

JAN 3 0 2009

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

15-109-20828-00-02

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

· 			
Operator Name: New Gulf Operating, LLC		License Number: 34162	
Operator Address: 6100 S. Yale		Suit	e 2010 Tulsa OK 74136
Contact Person: Danny Birdwell			Phone Number: 432.940.6680
Lease Name & Well No.: Rita	1		Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>NWNWNW_</u>
Emergency Pit Burn Pit	Proposed	Existing	Sec. 15 Twp. 13 R. 37 East West
Settling Pit	If Existing, date co	onstructed:	600 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		410 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	it capacity.	(bbls)	Logan County
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	A 4416-45-11 (1-1-1-10-10)		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificíal Liner?	No	How is the pit lined if a plastic liner is not used? solids from drilling operation will self seal pit
Sit disease (all hat walden pite).	20 Length (fe	net) 120	
. ,	Length (fe	, , , , , , , , , , , , , , , , , , , ,	Vidith (feet) No Pit
If the pit is lined give a brief description of the		T	edures for periodic maintenance and determining
material, thickness and installation procedure			ncluding any special monitoring.
•			
/			
			20
Distance to nearest water well within one-mil	e of pit	Depth to shallo Source of info	west fresh water20feet. // mation:
4000		meası	ured well owner electric log X KDWR
Emergency, Settling and Burn Pits ONLY	:		over and Haul-Off Pits ONLY:
Producing Formation:		Type of materi	al utilized in drilling/workover: drilling mud
Number of producing wells on lease:			rking pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure: Pits are allowed to dry completely and backfilled when conditions allow
Does the slope from the tank battery allow all flow into the pit? Yes No	I spilled fluids to	Drill pits must	be closed within 365 days of spud date.
i hereby certify that the above state	ements are true and o	correct to the hes	RECEIVED t of my knowledge and belief KANSAS CORPORATION COMM
Thereby certify that the above state	ements are true and t	correct to the bes	JAN 3 0 2009
01/26/2008			1/6/
Date			ignature of Applicant or Agent WICHITA, KS
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
.1 .			- Dist
Date Received: 130 09 Permit Nun	nber:	Perm	it Date: 3/8/05 Lease Inspection: Yes 🗼 No