# For KCC Use:

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 2 16 2009	Spot Description:
month day year	NW SE NW SW Sec. 18 Twp. 19 S. R. 29 ☐ E WW
OPERATOR: License#	(2/2/20) 1.712 feet from N / X S Line of Section
Name: ABARTA Oil & Gas Co., Inc.	feet from E / W Line of Section
Address 1: 1000 Gamma Drive, Suite 400	Is SECTION: 🔀 Regular 🔲 Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Pittsburgh State: PA Zip: 15238 +	County: Lane
Contact Person: Ken Fleeman	Lease Name: Anchor Cattle Well #: 1
Phone: 412-963-6134	Field Name: Clark
CONTRACTOR: License#33905	Is this a Prorated / Spaced Field?
Name: Royal Drilling, Inc.	Target Formation(s): Altamont / Mississipian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 830
	Ground Surface Elevation: 2857 feet MSL
⊠Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable  Seismic: # of Hotes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water: 1200 1450
A to the comment of t	Surface Pipe by Alternate: 3 II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 330
Operator:	Length of Conductor Pipe (if any): 0
Well Name:	Projected Total Depth: 4802
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississipian
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
1 - A - A - A - A - A - A - A - A - A -	
KCC DKT #:	Will Cores be taken?
KCC DKT #:	
	Will Cores be taken?  If Yes, proposed zone:
AFE	Will Cores be taken?  If Yes, proposed zone:  RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB 1 8 2009
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  **RECENT**  Gring of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB 1 8 2009
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> in the state of the sta	Will Cores be taken?  If Yes, proposed zone:  **PECEIVED**  The Commission of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS FEB 1 5 2009  drilling rig; by circulating cement to the top; in all cases surface pipe **COMMISS FUNCTION DIVISION**
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB 1 6 2009  drilling rig; by circulating cement to the top; in all cases surface pipe CONSERVATION DIVISION WICHITA. KS  a underlying formation.  rict office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB (1.5. 2009)  drilling rig; by circulating cement to the top; in all cases surface pipe with the condense of the
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cementer.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  drilling rig; by circulating cement to the top; in all cases surface pipe  a underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  drilling rig; by circulating cement to the top; in all cases surface pipe  wichtta. KS  a underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB 16 2009  drilling rig; by circulating cement to the top; in all cases surface pipe COMMISS WICHITA. KS  a underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the spud date or the spud to the spud correct to the best of the spud date or the well shall be the statements made herein are true and correct to the best of the spud date or the well shall be the statements made herein are true and correct to the spud date or the well shall be the spud date or the well shall be the statements made herein are true and correct to the spud date or the well shall be the spud date or the spu	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB 16 2009  drilling rig; by circulating cement to the top; in all cases surface pipe GONSENATION DIVISION WICHITA. KS  a underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the spud date or the spud to the spud correct to the best of the spud date or the well shall be the statements made herein are true and correct to the best of the spud date or the well shall be the statements made herein are true and correct to the spud date or the well shall be the spud date or the well shall be the statements made herein are true and correct to the spud date or the well shall be the spud date or the spu	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB 16 2009  drilling rig; by circulating cement to the top; in all cases surface pipe GONSENATION DIVISION WICHITA. KS  a underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the formula.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB 16 2009  drilling rig; by circulating cement to the top; in all cases surface pipe CONSENATION DIVISION WICHITA. KS and underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Manager of Engineering  Title:
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the Date:  February 4, 2009  Signature of Operator or Agent	Will Cores be taken?  If Yes, proposed zone:  PEDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB 16 2009  drilling rig; by circulating cement to the top; in all cases surface pipe SOMSERVATION DIVISION WICHITA. KS  a underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Manager of Engineering  Title:
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the Date:  February 4, 2009  Signature of Operator or Agent	Will Cores be taken?  If Yes, proposed zone:  PECELVED  RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the 50 date:  February 4, 2009  Signature of Operator or Agent	Will Cores be taken?  If Yes, proposed zone:  PECELVED  RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the Date:  February 4, 2009  Signature of Operator or Agent February 4, 2009  For KCC Use ONLY  API # 15 - 101-22154-00-00  Conductor pipe required feet	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB 16 2009  drilling rig; by circulating cement to the top; in all cases surface pipe CONSENTATION DIVISION WICHITA KS  a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Manager of Engineering  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the 50 date:  February 4, 2009  Signature of Operator or Agent  For KCC Use ONLY  API # 15 - 101-22154-0000  Conductor pipe required feet per ALT. I	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  FEB 16 2009  drilling rig; by circulating cement to the top; in all cases surface pipe SONSENATION DIVISION WICHITA. KS and an additional plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Manager of Engineering  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the Date:  February 4, 2009  Signature of Operator or Agent Feet Minimum surface pipe required feet per ALT. II IIII	If Yes, proposed zone:  **PECEIVED**  **RECEIVED**  **Grand Commiss*  **Grand Commis
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the Date:  February 4, 2009  Signature of Operator or Agent  February 4, 2009  Signature of Operator or Agent  Feet Minimum surface pipe required  Approved by:  **LUK 2-6-2009**  **Total Completion and eventual plus in the completion	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  drilling rig: by circulating cement to the top; in all cases surface pipe SAMSERVATION DIVISION WICHITA. KS  a underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Manager of Engineering  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the Date:  February 4, 2009  Signature of Operator or Agent Feet Minimum surface pipe required feet per ALT. II IIII	Will Cores be taken?  If Yes, proposed zone:  PIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  drilling rig; by circulating cement to the top; in all cases surface pipe SANSERVATION DIVISION WICHITA. KS  e underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Manager of Engineering  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hote, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the Date:  February 4, 2009  Signature of Operator or Agent  For KCC Use ONLY  API # 15 - / 0 / - 2 2 / 5 4 - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Will Cores be taken?  If Yes, proposed zone:  PIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISS  drilling rig: by circulating cement to the top; in all cases surface pipe SOMSERVATION DIVISION witchita KS and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Manager of Engineering  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:  MECEVELY  RECEVELY  RECEVELY  RECEVELY  ANSAS CORPORATION DIVISOR  RECEVELY  RECEVELY  ANSAS CORPORATION COMMISS  PEB 16 2009  WICHITA KS  ANSAS CORPORATION COMMISS  PEB 20
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the Date:  February 4, 2009  Signature of Operator or Agent feet  Minimum surface pipe required feet  Minimum surface pipe required feet  Approved by:  ### 2-6-2009  This authorization expires:  2-6-2010	Will Cores be taken?  If Yes, proposed zone:  PIDAVIT  gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION DIVISION of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION DIVISION of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION DIVISION of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION of The KEC WILL COMMISSION of CORPORATION COMMISSION of CORPORATION COMMISSION of CORPORATION COMMISSION WILL COMPOSE TO THE COMP

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101-22154-00-00	
Operator: ABARTA Oil & Gas Co., Inc.	Location of Well County: Lane
Lease: Anchor Cattle	·
Well Number: 1	1,712 feet from N / X S Line of Section  830 feet from E / X W Line of Section
Field: Clark	Sec. <u>18</u> Twp. <u>19</u> S. R. <u>29</u> E X W
Number of Acres attributable to well:  QTP/QTR/QTR/QTR of acreage: NW - SE - NW - SW	Is Section: Regular or Irregular
	if Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show lootage to the nearest lease or unit boundary line.)

	· · · · · · · · · · · · · · · · · · ·			, — — —			
1 .				1.			
	•	: .	•	,	•	:	•
			•		•		•
1		:			•	•	:
1		:		1		:	:
		:				:	
				1 .	•	:	
							•
				1			
1				1			
					•••••		
				,			
		,	•	, .	•		•
			•		•		•
					•		•
			•		•		•
			•		•		•
1		•				•	•
1 .						•	:
		,				•	•
1							
1							
! .							
1 .				1		:	
1				1			
						i	•
				1			
[ -							
, .							•
i .				I			
					******		
ŀ				1			
1		•					
						•	•
						•	•
1 2						•	<u>:</u>
;						•	:
1 7						•	
1 .						•	I i
;						Ξ	
1						-	
			<del></del>				
			<del></del>			<u> </u>	
		! !				<u> </u>	<u></u> !
			<del></del>			:	
:			<del></del>			:	
:			<del></del>				
			<del></del>				
:			<del></del>				
الم رود و و							
.a.xi							
4.25							
₹3€							
836							
836						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
836			••••••				
·\$30	······					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
830	·····					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
·\$36	·······					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
836	•••••					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
·\$36	1						
-83ú	1						
·\$3Ú	•						
836							
₹3ú							
\$3ú							
<del>83</del> ú							
₹3ú′							
·\$3ú							
<del>83</del> ú							
₹3Ú							
·§3ú		2'		,			
₹3Ú		2.					
₹3Ú		2.1					
₹3ú		2.					
·\$36	17/	2.1					
836		2.1					
· §3ú		2					
₹3Ú		2.1					
·\$36		2					
₹3ú		2					
₹3Ú		2.					
·\$36		2.1					
836		2.1					
₹3ú		2.		,			

RECEIVE L KANSAS CORPORATION COMMISSION

FER 0 6 2009

CONSERVATION DIVISION WICHITALKS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: ABARTA Oil & Gas Co., Inc.	License Number: 33924					
Operator Address: 1000 Gamma Drive, Su	ite 400	Pittsburgh PA 15	5238			
Contact Person: Ken Fleeman	Phone Number: 412-963-6134					
Lease Name & Well No.: Anchor Cattle	Pit Location (QQQQ):					
Type of Pit: Pit is:		NW SE NW SW				
Emergency Pit Burn Pit Pro	posed Existing	Sec. 18 Twp. 19 R. 29 East Wes	it .			
Settling Pit Drilling Pit If Existing	date constructed:	1,712 Feet from North / South Line of Section  780 830 Feet from East / West Line of Section				
Workover Pit Haul-Off Pit Pit capaci						
(If WP Supply API No. or Year Drilled) 3,200	(bbls)	Lane				
Is the pit located in a Sensitive Ground Water Area?	es No	Chloride concentration:				
In the better below ground level?	200	(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No Artificial L  Ye	<u>(57</u>	How is the pit lined if a plastic liner is not used?  Clay Soil				
Pit dimensions (all but working pits): 70	ength (feet)70	Width (feet) N/A: Steel Pits				
Depth from ground le	vel to deepest point:					
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		edures for periodic maintenance and determining RECENTRICATION REC	ONCOMMIS			
		CONSERVATION				
Distance to nearest water well within one-mile of pit Depth to shallor		west fresh water 48 feet.				
Source of in		information:  easuredwell owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:						
Producing Formation: Type of materia		over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud				
, ,		rking pits to be utilized: 4				
Barrels of fluid produced daily: Abandonment		procedure: Fluid evaporation. Backfill with excavated soil.	$-\frac{1}{3}$			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		127				
I hereby certify that the above statements are tru	ie and correct to the bes	of my knowledge and belief.	4-00-00			
February 4, 2009 Date	Henre 12	O. Heene ignature of Applicant or Agent	Ŏ			
	KCC OFFICE USE O	NLY Steel Pit RFAC RFAS				
Date Received: 2/4/4 Permit Number:	Perm	t Date: ಶಿರ್ಡಂ Lease Inspection: Yes 🗶 N	10			