# For KCC Use: Effective Date: 2-/7-2009 District # SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Soud Date: February 20, 2009	Spot Description: 10'S & 120'W of
Expected Spud Date: February 20, 2009  month day year	
, , , ,	- C - N2 - Sec. 35 Twp. 17 S. R. 30 EXW
OPERATOR: License# 4767 V	feet from N / S Line of Section
Name: Ritchle Exploration, Inc.	lear from LE / NW Line of Section
Address 1: PO 783188	ls SECTION: XRegular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS Zip: 67278 + 31	88 County: Lane
Contact Person: Justin Clegg	Lease Name: Ehmke-Cramer Well #: 1
Phone: 316-691-9500	Field Name: Cramer
CONTRACTOR: License# 33575	Is this a Prorated / Spaced Field?
Name: WW Drilling, LLC	Target Formation(s): Mississippian
	Negroot Logge or unit houndary line (in footage): 540
Well Drilled For: Well Class: Type Equipment	Ground Surface Elevation: 2849.1 feet MSI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ; # of Holes Other	Depth to bottom of usable water: 1450
Other:	Depth to bottom of usable water: 770
If OWWO: old well information as follows:	Surface Pipe by Alternate: I XIII  Length of Surface Pipe Planned to be set: 200' min.
	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 4600'
Original Completion Date: Original Total Depth:	
Bi . di . d Budat d dallada atal mallinara	Water Source for Drilling Operations:  No Well Farm Pond Other:
	No Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
KCC DKT #:	─────────────────────────────────────
	If Yes, proposed zone:
Oil ibas Leases w/ pooling clauses submitted	AECER SU
•	
The undersigned hereby affirms that the drilling, completion and even	rentual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	FEB 1 2 2009
Notify the appropriate district office <i>prior</i> to spudding of well	
2. A copy of the approved notice of intent to drill <b>shall be</b> poste	d on each drilling rig:
3. The minimum amount of surface pipe as specified below sh	all be set by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 fe	eet into the underlying formation.
4. If the well is dry hole, an agreement between the operator as	
4. Hale well is dry note, an agreement between the operator at	nd the district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is ei	nd the district office on plug length and placement is necessary <b>prior to plugging;</b> ther plugged or production casing is cemented in;
<ol><li>The appropriate district office will be notified before well is ei</li><li>If an ALTERNATE II COMPLETION, production pipe shall be</li></ol>	nd the district office on plug length and placement is necessary <i>prior to plugging;</i> ther plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>The appropriate district office will be notified before well is ei</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin</li> </ol>	nd the district office on plug length and placement is necessary <i>prior to plugging;</i> ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The appropriate district office will be notified before well is ei</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we</li> </ol>	nd the district office on plug length and placement is necessary <i>prior to plugging;</i> ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing bell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>The appropriate district office will be notified before well is ei</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin</li> </ol>	nd the district office on plug length and placement is necessary <i>prior to plugging</i> ; ther plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. If go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing. It is to the best of my knowledge and belief.
<ol> <li>The appropriate district office will be notified before well is ei</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and corre</li> </ol>	nd the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; to cemented from below any usable water to surface within 120 DAYS of spud date. If go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing. It is to the best of my knowledge and belief.
<ol> <li>The appropriate district office will be notified before well is ei</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we</li> </ol>	nd the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. If go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief.  GIS Specialist  Title:
<ol> <li>The appropriate district office will be notified before well is ei</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and corre</li> </ol>	nd the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. If go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief.  GIS Specialist  Title:
5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we I hereby certify that the statements made herein are true and corre  Date:  February 11, 2009 Signature of Operator or Agent:  For KCC Use ONLY	nd the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. If go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief.  GIS Specialist  Title:
5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we I hereby certify that the statements made herein are true and corre  Date:  February 11, 2009 Signature of Operator or Agent:  For KCC Use ONLY	the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief.  GIS Specialist  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:
5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we I hereby certify that the statements made herein are true and corre  Date: February 11, 2009 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 101 - 22156 - 90-00	the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief.    GIS Specialist   Compute to:   Compute to
5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we I hereby certify that the statements made herein are true and corre  Date: February 11, 2009 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 101- 22 156-00-00  Conductor pipe required feet	the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief.  GIS Specialist  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we I hereby certify that the statements made herein are true and corre  Date: February 11, 2009 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 101 - 22 15 6 - 90 - 00  Conductor pipe required	the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. It coments to the CC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. It is to the best of my knowledge and belief.    GIS Specialist
5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we I hereby certify that the statements made herein are true and corre  Date: February 11, 2009 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 101- 22 15 6-00  Conductor pipe required	the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. It is to the best of ray knowledge and belief.  GIS Specialist  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we I hereby certify that the statements made herein are true and corre  Date: February 11, 2009 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 101- 22 15 6-00  Conductor pipe required	the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. It is to the best of my knowledge and belief.    GIS Specialist
5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we I hereby certify that the statements made herein are true and corre  Date: February 11, 2009 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 101 - 22 15 6 - 90 - 00  Conductor pipe required feet  Minimum surface pipe required feet per ALT	the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief.    GIS Specialist
5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we I hereby certify that the statements made herein are true and corre  Date: February 11, 2009 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 101 - 22156 - 90 - 00  Conductor pipe required 1000 feet Minimum surface pipe required 200 feet per ALT  Approved by: 12-209  This authorization expires: 2-12-2010	the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Ct to the best of ray knowledge and belief.    GIS Specialist
5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we I hereby certify that the statements made herein are true and corre  Date: February 11, 2009  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 101 - 22156 - 90 - 90  Conductor pipe required 1000 feet  Minimum surface pipe required 200 feet per ALT  Approved by: 12-209  This authorization expires: 2-12-2010	the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; ocemented from below any usable water to surface within 120 DAYS of spud date. It gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing bell shall be plugged. In all cases, NOTIFY district office prior to any cementing. It is to the best of my knowledge and belief.    GIS Specialist

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API NO. 15- 101-22156-00-00	
Operator: Ritchie Exploration, Inc.	Location of Well: County: Lane
Lease: Ehmke-Cramer	1,330 feet from N / S Line of Section
Well Number: 1	2,520 feet from E / W Line of Section
Field:	Sec. <u>35</u> Twp. <u>17</u> S. R. <u>30</u> E 🔀 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		: :	-		:		!
			×	•			
;			4		;		
	********					:	
			]`				
25	20F		\ \ \ \ \		:		
					;		
		:	DNITIZ	ED LEAGE		:	
:	•	:	:	:	;	:	:
	• :	:		:			
		<u>:</u>	<u> </u>	:			
:		:		:			
				:			
		********					
			,				
	•	·	1	ı .			-



NOTE: In all cases locate the spot of the proposed drilling locaton.

KANSAS CORPORATION COMMISSION

#### In plotting the proposed location of the well, you must show:

- FEB 1,2 2009

  1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 2 CONSERVATION DIVISION 4 sections, etc. WICHITA, KS
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Ritchie Exploration, Inc.			License Number: 4767					
Operator Address: PO 783188			Wichita KS 67278					
Contact Person: Justin Clegg		Phone Number: 316-691-9500						
Lease Name & Well No.: Ehmke-Cramer 1		Pit Location (QQQQ):						
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Sorilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drillied)	Pit is:  Proposed  If Existing, date co  Pit capacity:  10,686	Existing onstructed:	10'S _ 120'W _ C _ N/2  Sec. 35 _ Twp. 17 _ R. 30					
Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No	Area? Yes Artificial Liner?		Chloride concentration:  (For Emergen  How is the pit lined if a pit  Cottonseed Hulls / A	cy Pits and Settling astic liner is not	g Pits only)	mg/l		
Pit dimensions (all but working pits).	DO Length (fe		Width (feet) 6 (feet)		N/A: Steel	Pits		
If the pit is lined give a brief description of the material, thickness and installation procedure	<b>3</b> .	•	edures for periodic maintenence ncluding any special monito					
Source of		Source of info	Depth to shallowest fresh water					
			over and Haul-Off Pits O		y 1 4 1	TOWN		
Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:		Type of material utilized in drilling/workover: Fresh / Chemical Mud  Number of working pits to be utilized: 3  Abandonment procedure: Backfill						
		Drill pits must be closed within 365 days of spud date FEB 1.2 2009						
I hereby certify that the above state  February 11, 2009  Date	ements are true and o	correct to the bes		ef. ONSE V	RVATION DIV Vichita, Ks	VISION		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS								
Date Received: य्यार्थित 🥱 Permit Nun	nber:	Pern	nit <b>Date</b> : <u> </u>	_ease Inspection	ı: Yes	✓No		