

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: February 18, 2008	Spot Description:	
month day year	90' E . S/2 . SW . NW Sec. 5 Twp. 17 S. R. 12 EXV	N
4871 /	(crarara) 2,970 feet from N / S Line of Section	
OPERATOR: License#	750 feet from E / X W Line of Section	מה
Name: Curts Oil Operations	Is SECTION: Regular Irregular?	211
Address 1: P.O. Box 8	is Section. Maguiai Integuiai:	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Great Bend State: KS Zip: 67530 + 0008 Contact Person: Curtis Hitschmann	County: BARTON	_
Phone: 620.793.2540	Lease Name: KATHY Well #: 1	
Phone:	Field Name:	
CONTRACTOR: License# 4958	Is this a Prorated / Spaced Field?	5
Name: Mallard JV	Target Formation(s): ARBUCKLE	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330' SOUTH	
<u></u> , ,	Ground Surface Elevation: 1938 GL 1943' KB feet MS	L
⊠Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary	Water well within one-quarter mile:	مر 10
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	•
Disposal Wildcat Cable	Depth to bottom of fresh water: 350'	-
Seismic; # of Holes Other	Depth to bottom of usable water: 370'	
Other:	Surface Pipe by Alternate: 1	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 390'	
	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 3550'	_
Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE	_
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	_
If Yes, true vertical depth:	DWR Permit #:	_
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	lo
	If Yes, proposed zone:	_
	RECLINAL	
	IDAVIT KANSAS CORPORATION CO)MMISS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVIT Sequence Sequ	
	IDAVIT Sequence Sequ	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	IDAVIT KANSAS CORPORATION CO	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. FEB 13 200 Identify a conservation of this well will comply with K.S.A. 55 et. seq. FCB 13 200 CONSERVATION DIVISION OF THE CONSERVATION DIVISION DIVISIONA D	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. FEB 13 200 Identify a conservation of this well will comply with K.S.A. 55 et. seq. FCB 13 200 CONSERVATION DIVISION OF THE CONSERVATION DIVISION DIVISIONA D	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	riging of this well will comply with K.S.A. 55 et. seq. FEB 13 200 drilling rig; y circulating cement to the top; in all cases surface pipe shall better in the condition.	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	drilling rig; y circulating cement to the top; in all cases surface pipe shall better underlying formation. ict office on plug length and placement is necessary prior to plugging;	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	drilling rig; CONSERVATION DIVIS y circulating cement to the top; in all cases surface pipe shall be surface or plug length and placement is necessary prior to plugging; and or production casing is cemented in;	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE IL COMPLETION, production pipe shall be cemented.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be referred to the first or plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; y circulating cement to the top; in all cases surface pipe shall be see in the top or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be repetited or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig: y circulating cement to the top; in all cases surface pipe shall be see June or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be received or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be weet to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Agent KANSAS CORPORATION CO	SIO+
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction	drilling rig; y circulating cement to the top; in all cases surface pipe shall be see that or plug length and placement is necessary prior to plugging; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Agent Remember to:	9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete to the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY	drilling rig: y circulating cement to the top; in all cases surface pipe shall be see Little of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	SIO+
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the better than the statements of the complete of the complete of the complete of the complete of the statements of the complete of t	drilling rig; y circulating cement to the top; in all cases surface pipe shall be report to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	g SiOt
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the sum of the distriction of the specified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best constant. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 25312-OO-DO	drilling rig; y circulating cement to the top; in all cases surface pipe shall bease of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	SIO+
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the better than the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 2 5 3 1 2 - OO-DO Conductor pipe required feet	drilling rig; y circulating cement to the top; in all cases surface pipe shall beneration countries or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Agen	5 17
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 2 5 3 1 2 - OO-DO Conductor pipe required feet Minimum surface pipe required feet per ALT II III	drilling rig; y circulating cement to the top; in all cases surface pipe shall beneration countries or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Agen	5 17
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the complete of the c	drilling rig; y circulating cement to the top; in all cases surface pipe shall be seet underlying formation. Ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Ist office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Ist of my knowledge and belief. Submit Plut Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	g SiOt
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the production of	drilling rig; y circulating cement to the top; in all cases surface pipe shall beneration countries or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Agen	5 17
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best place. Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 2 5 3 12 - OO-OO Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall benefit and or plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	5 17 12
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the production of	drilling rig; y circulating cement to the top; in all cases surface pipe shall benefit and or plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	5 17

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 009-25312-00-00	Leasting of Walls County BARTON
Operator: Curts Oil Operations Lease: KATHY	Location of Well: County: BARTON 2,970 feet from N / X S Line of Section
Well Number: 1	750 feet from E / W Line of Section
Field:	Sec. <u>5</u> Twp. <u>17</u> S. R. <u>12</u> E 🔀 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: 90' E - S/2 - SW - NW	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1	:	:	•		:	•	:
!	:	7				:	
	•	•			:	:	
						•	
						•	•
i							
i ·			•		<u>:</u>	•	1
	:	•			:	:	
1		:		İ		:	
			•		•	•	
	•	•	:		:	:	
	:	•					
!					10110111		*********
				,,,,,,,,,,			
						-	•
	i		•		•	-	•
i		•	:		:	:	
	:	•	:		:	:	-
	į.	:					•
	•	•			:	•	:
	:	•	:		:	:	
750	•	•	-				
	,					,,	
	<u> </u>	_		i		•	-
3		-	•		•	-	:
7		•			:	:	:
1	0 -	: <i>'</i>			•	:	•
		- 3 4		'	•	•	•
1	. 1 -2	20	•	_	:	<u> </u>	:
1							
		:	. 5				,
		30	· {	ā	•	<u>- </u>	<u>,</u>
	<u> </u>	· · · · · · · · · · · · · · · · · · ·		ō		:	<u> </u>
	<u>· -1</u>	:	· {	j		<u>:</u> :	<u>. </u>
	<u></u>	; ;	<u> </u>	j	<i>,</i>	<u>:</u> <u>:</u>	· :
	<u></u>		{	ō		<u>:</u>	
	<u>l</u>		{	j		<u>:</u>	<u> </u>
	<u></u>		{	,			<u> </u>
			{	j		:	
			{	j			,
				·			
					,		
				j			
				,			
				j			

FATATORY OF COMMERCIAL KANSAS CORPORATOR TO COMMERCIAL
FEB 13 2009

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Curts Oil Operations			License Number: 4871		
Operator Address: P.O. Box 8			Great Bend KS	67530	
Contact Person: Curtis Hitschmann			Phone Number: 620.793.2540		
Lease Name & Well No.: KATHY 1			Pit Location (QQQQ):		
Type of Pit:	Pit is:		90' E _ S/2 _ SW _ NW		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 17 R. 12 East	West	
Settling Pit	If Existing, date co	onstructed:	2,970 Feet from North / South Line	_	
Workover Pit Haul-Off Pit	Dit conscitu		750 Feet from East / West Line	1	
(If WP Supply APi No. or Year Drilled)	Pit capacity:	(bbls)	BARTON	County	
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:	mg/l	
	<u></u>	<u> </u>	(For Emergency Pits and Settling Pits only)	· ·	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
			Native clays and bentonite		
Pit dimensions (all but working pits):	BO Length (fe	eet)80	Width (feet) N/A: Stee	l Pits	
Depth f	rom ground level to de	eepest point:	4 (feet) No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining necluding any special monitoring.		
,					
				1	
Distance to nearest water well within one-mil	e of pit	Depth to shallo	west fresh water85feet.	(
E070	·	Source of infor	mation:	5	
5270feet	135feet	measu		KDWR	
Emergency, Settling and Burn Pits ONLY		1	over and Haul-Off Pits ONLY:	1	
Producing Formation:		!	al utilized in drilling/workover: Fresh		
, -		of working pits to be utilized: 2 nment procedure: Evaporate and backfill			
Barrels of fluid produced daily:		Abandonment	procedure. Lyaporato aria pacitili		
Does the slope from the tank battery allow at flow into the pit? Yes No	I spilled fluids to	Drill pits must	be closed within 365 days of spud date. KANSASO	ORPORATOR D	
I hereby certify that the above stat	ements are true and	correct to the bes		-	
i notoby watery that the above black			ri e	EB 13 200	
2-12-09		Car	- Sichar Agent CONS	SERVATION DIVI WICHITA KS	
Date		S	ignature of Applicant or Agent	AMMADI) by K. M.	
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFA	s	
. l					
Date Received: 2/13/07 Permit Num	nber:	Perm	it Date: 💹 🗸 🗸 🧷 Lease Inspection: 🔃 Yes	. <u>↓</u> No	