

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33397  
Name: Running Foxes Petroleum Inc.  
Address: 7060 South Tucson Way  
City/State/Zip: Centennial, CO 80112  
Purchaser: \_\_\_\_\_  
Operator Contact Person: Steven Tedesco  
Phone: (303) 617-7242  
Contractor: Name: McGowan Drilling  
License: 5786  
Wellsite Geologist: Brian Walsh

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

<u>5/14/2007</u>	<u>5/17/2007</u>	<u>TBA</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 011-23203-0000  
County: Bourbon  
SW - SW - SE -    Sec. 36    Twp. 24    S.    R. 23     East  West  
250    feet from (S) / N (circle one) Line of Section  
2360    feet from (E) / W (circle one) Line of Section


Footages Calculated from Nearest Outside Section Corner:  
(circle one)    NE    SE    NW    SW  
Lease Name: Vogel    Well #: 15-36C  
Field Name: Vogel  
Producing Formation: Bartlesville  
Elevation: Ground: 854    Kelly Bushing: NA  
Total Depth: 482    Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 30    Feet  
Multiple Stage Cementing Collar Used?     Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit) *alt. II RGR 3/10/08*  
Chloride content \_\_\_\_\_ ppm    Fluid volume \_\_\_\_\_ bbls  
Dewatering method used air dry  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S.    R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: President    Date: 10/16/07  
Subscribed and sworn to before me this 16th day of October  
2007  
Notary Public: [Signature]  
Date Commission Expires: 5-22-08



**KCC Office Use ONLY**

Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

RECEIVED  
KANSAS CORPORATION COMMISSION  
OCT 18 2007

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Running Foxes Petroleum Inc. Lease Name: Vogel Well #: 15-36C  
 Sec. 36 Twp. 24 S. R. 23  East  West County: Bourbon

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>Gamma Ray, Sidewall Neutron, Dual Induction</b>	<input checked="" type="checkbox"/> Log    Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Excello</td> <td>140'</td> <td>714'</td> </tr> <tr> <td>Upper Bartlesville</td> <td>350'</td> <td>504'</td> </tr> <tr> <td>Mississippian</td> <td>482'</td> <td>372'</td> </tr> </table>	Name	Top	Datum	Excello	140'	714'	Upper Bartlesville	350'	504'	Mississippian	482'	372'
Name	Top	Datum											
Excello	140'	714'											
Upper Bartlesville	350'	504'											
Mississippian	482'	372'											

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24 LBS	37'	CLASS-A	10	NONE
Production	6 3/4"	4 1/2"	10.5 LBS	474'	CLASS-A	75	Kolseal/gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	Waiting on Completion		

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas      METHOD OF COMPLETION      Production Interval

Vented    Sold    Used on Lease     
  Open Hole    Perf.    Dually Comp.    Commingled  
*(If vented, Submit ACO-18.)*     
  Other (Specify) \_\_\_\_\_

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
**OCT 18 2007**  
 CONSERVATION DIVISION  
 WICHITA, KS

FED ID#  
 MC ID# 156212  
 Shop # 620 437-2661  
 Cellular # 620 437-7582  
 Office # 316 685-5908  
 Office Fax # 316-685-5928  
 Shop Address: 3613A Y Road  
 Madison, KS 66860

**Hurricane Truck Services, Inc**  
 P.O. Box 782228  
 Wichita, KS 67278-2228

**Cement and Acid  
 Service Ticket**  
 T 1866

DATE 5-18-07

COUNTY BOUCO CITY \_\_\_\_\_

CHARGE TO Running Foxes

ADDRESS \_\_\_\_\_ CITY \_\_\_\_\_ ST \_\_\_\_\_ ZIP \_\_\_\_\_

LEASE & WELL NO. VOGEL 15-36C CONTRACTOR \_\_\_\_\_

KIND OF JOB Longstring SEC. \_\_\_\_\_ TWP. \_\_\_\_\_ RNG. \_\_\_\_\_

DIR. TO LOC. 1<sup>st</sup> Job of 3 OLD  NEW

Quantity	MATERIAL USED	Serv. Charge	
			<u>700.00</u>
<u>75 sks</u>	<u>Regular - class A cement</u>		<u>804.75</u>
<u>140 lb</u>	<u>Geh 2%</u>		<u>25.20</u>
<u>70 lb</u>	<u>CACl<sub>2</sub> 1%</u>		<u>29.40</u>
<u>20 lb</u>	<u>Flocde 1/4" #1 SK</u>		<u>35.00</u>
<u>100 lb</u>	<del>REMO</del> <u>Geh Flush</u>		<u>18.00</u>
<u>3.62 Ton</u>	BULK TRK. MILES <u>at 90 miles</u>		<u>309.51</u>
<u>90 miles</u>	PUMP TRK. MILES		<u>247.50</u>
<u>1</u>	PLUGS <u>4 1/2" Top Rubber</u>		<u>35.00</u>
		<u>6.3%</u> SALES TAX	<u>59.68</u>
		TOTAL	<u>2264.04</u>

T.D. 482'  
 SIZE HOLE 6 3/4"  
 MAX. PRESS. \_\_\_\_\_  
 PLUG DEPTH \_\_\_\_\_  
 PLUG USED \_\_\_\_\_

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 DEC 14 2007  
 CONSERVATION DIVISION  
 WICHITA, KS

CSG. SET AT 474' VOLUME 7.5 Bbls  
 TBG SET AT \_\_\_\_\_ VOLUME \_\_\_\_\_  
 SIZE PIPE 4 1/2" - 10.5 lb  
 PKER DEPTH \_\_\_\_\_  
 TIME FINISHED 3:30 pm

REMARKS: Rig up to 4 1/2" casing, Break circulation with 10 Bbls water, Pumped 5 Bbl Geh Flush, 5 Bbl water spacer, 3 Bbl. Dye water, Mixed 75 sks Reg. cement w/ 2% Geh, 1% CACL<sub>2</sub>, 1/4 lb #1 SK of flocde w/ 14" #1 lb #1 SK (yield 1.36) shut down - wash out pump shoes - Release Plug Displace Plug with 7 1/2 Bbls water - Final Pumping at 300 PSI - Bumped Plug To 900 PSI wait 2 minutes - Release Pressure - Float Held - close casing to w/ 0 PSI - Good cement returns w/ 3 1/2 Bbl. Slurry

EQUIPMENT USED

NAME <u>Dan Kimbrell</u>	UNIT NO. <u>185</u>	NAME <u>Brandon</u>	UNIT NO. <u>#91</u>
<u>Brad Butler</u>	<u>"Thank you"</u>	witnessed by <u>Jay Rasmussen</u>	<u>Jay Rasmussen</u>
CEMENTER OR TREATER		OWNER'S REF.	