FORM MUST BE TYPED STATE CORPORATION COMMISSION OF KANSAS OIL & GAS CONSERVATION DIVISION	SIDE ONE 034350000 RIGINAL 6
WELL COMPLETION FORM	County Graham
ACO-1 WELL HISTORY DESCRIPTION OF WELL AND LEASE	E SW - SW - NW Sec 35 Twp 9 Rge 23 X W
OPERATOR: License # 5363	Feet from S(N)(circle one) Line of Section
Name: BEREXCO, Inc	Feet from EW (circle one) Line of Section
Address 100 N. Broadway Suite 970	Footages Calculated from Nearest Outside section Corner: NE, SE, (WV) or SW (circle one)
City/State/Zip Wichita, KS 67202	Lease Name Rice-UPR Well # 1
Purchaser: Central Crude Corporation	- Field Name Law
Operator Contact Person: Melvyn D. Abels	Producing Formation <u>L- KC</u>
Phone (316) 265-3311	Elevation: Ground: 2446 KB: 2451
Contractor: BEREXCO, Inc	Total Depth 4002 PBTD 3966
License: 5363 FROM CONF	Amount of Surface Pipe Set and Cemented at 191 Feet
Wellsite Geologist: N/A	Multiple Stage Cementing Collar Used? Yes X No
Designate Type of Completion	If yes, show depth setFeet
New Well X_Re-EntryWorkover	If Alternate II completion, cement circulated from
X Oil SWD SIOW Temp. Abd. Gas EHHR SIGW	Feet depth to w/sx. cmt.
Dry Other (Core, WSW, Expl., Cathodic, etc) If Workover/Re-Entry; oil well info as follows:	Drilling Fluid Management Plan Re-Entry 8-20-98
Operator: Champlin	(Data must be collected from the Reserve Pft)
Well Name: Clara E. Rice #1	Chloride Content 65000 ppm Fluid Volume 200 bbls
Comp. Date 06/10/51 Old Total Depth 4000	Dewatering method used Haul Water
Commingled Docket No. Dual Completion Docket No.	Operator Name BEREXCO
Other (SWD or Inj?) Docket No.	Lease Name Law B #4 SWD
06/08/97 07/11/97 08/09/97 Spud Date Date Reached TD Completion Date	NE Quarter Sec 34 Twp 9 Rge 23 EW
INSTRUCTIONS: An original and two copies of this form shall be file	County Graham Docket No.
Derby Building, Wichita, Kansas, 67202, within 120 days of the spud Rule 82-2-130, 82-3-106 and 82-3-107 apply. Information on side tw 12 months if requested in writing and submitted with the form (see ru months). One copy of all wireline logs and geologist well report shall MUST BE ATTACHED. Submit CP-4 with all plugged well. Submit	date, recompletion, workover or conversion of a well. to of this form will be held confidential for a period of the 82-3-107 for confidentiality in excess of 12 I be attached with this form. ALL CEMENTING TICKETS CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate with and the statements herein are complete and correct to the best of my known to the best of	
Signature Welcom ake	K.C.C. OFFICE USE ONLY
Title District Engineer Date	F Letter of Confidentiality Attached C Wireline Log Received
Subscribed and sworn to before me this 213t day of Augustian	CGeologist Report Received
Notary Public Lift any R. Reese	Distribution KCC SWD/Rep NGPA KGS Plug Other (Specify)
Date Commission Expires TIFFANY R. REESE	
NOTARY PUBLIC STATE OF KANSAS My Appt. Exp. 2-14-99	Form ACO-1 (7-91)

CONFIDENTIAL

0RIGINAL

SIDE TWO

Operator Name	BEREXCO, Inc				Leas	e Name Ric	e-UPR	Well #	1
Sec <u>35</u> Twp 9	Rge 23 X Wes				Cour	nty <u>Gra</u>	aham		
INSTRUCTIONS: Show interval tested, time tool hydrostatic pressure, bot if more space is needed.	open and closed, flowin ttom hole temperature, f	g and shut-in press	ure, whether :	shut-in pres	sure reach	ed static level,			
Drill Stem Tests Taken (Attach Additional S	Sheets.)	Yes	x	No	X	Log Formation	on (Top), Depth and	Datum	Sample
Samples Sent to Geological Survey Yes X No					Name Top Datum KC 3731RELEASED -1281				
Cores Taken		Yes	X	No	КС		373		
Electric Log Run (Submit Copy.)		X Yes		No		NU		•	1 1998
List All E. Logs Run: Halliburton Thermal Multigate Decay Cement Bond Log Computer Analyzed TMD Halliburton Thermal Multigate Decay Computer Some Confidence Confide							FIDENTIAL		
		Report all strings s	X	ASING REC New surface, int	Used	i			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs/Ft	Sett Dep	-	Type Of Cement	# Sacks Used		nd Percent ditives
Surface	12 1/4	8 5/8	NA	191		Common	135	UNK	
Production	7 7/8	5 1/2	NA NA	399	8	Common	200	UNK	
Purpose:	Depth		# 5	Sacks					
Perforate X Protect Casing	Top Bottom	Type of Ceme	ent	Used	Type and Percent Additives				e:
Plug Back TD	1045-Top	Common		150	Unknown				5 5.
Plug Off Zone Remedial							_	**************************************	
	PERFORATION RECO Specify Footage of Eac					cture, Shot, Ceme and Kind of Materi	nt Squeeze Record al Used)	\$ \frac{1}{2} \fra	Depth
2						1200 gallons 15% NEFE - 3734-3822			
2	3830-34, 3864-68, 3885-89				1500 gallons 15% NEFE 3830-89				3830-89
2	3902-08, 3918-32, 3945-47				2250 gallons 15% NEFE 3902-47				3902-47
TUBING RECORD	Size 2 7/8	Set At 3921	Packer At	3726	Liner Run	Ye	s X No		
Date of First, Resumed F 07/25				ing Method owing	X	Pumping	Gas Lift	Other (I	Explain)
Estimate Production	Oil	Bbls 1.5	Gas 0	MCF	Wate	er Bbls 190	Gas-Oil Ratio	Gr	avity 35°
Per 24 Hours		1.0	1 0	ME	THOD OF	COMPLETION	1		JJ
Disposition of Gas: Vented [(If vented, subr	Sold mit ACO-18.)	Used on Leas	se		en Hole er (Specify	X Perf	Dually Comp		ommingled oduction Interval 3734-3947

CONFIDENTIAL

ALLIEC CEMENTING CO., INC. 8150

DATE 7-3-97	SEC.	TWP	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH 3:30 pm
D	<u> </u>	MIN			1!30 pm	COUNTY	STATE
LEASE UPK	WELL#	1	LOCATION HIZ	e city les		Graham	160
OLD OR NEW (C	rcle one)			7			
CONTRACTOR	Rent	_		OWNER			
TYPE OF JOB	serepto	·		OWNER			
HOLE SIZE		T.D.		CEMENT			
CASING SIZE		DEP		AMOUNT (ORDERED ZO	06%	
TUBING SIZE		DEP	TH			CC on Sid	
DRILL PIPE		DEP	TH			estino 1 a	
TOOL		DEF	TH				
PRES. MAX			IIMUM			@	
MEAS. LINE		SHC	DE JOINT	_ POZMIX _		@	
CEMENT LEFT II	v CSG.			GEL	, tool	-@ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Mary Company
PERFS.				CHLORIDE		_ @	4
DISPLACEMENT		****			<u> </u>	@	4.
	EQU	JIPMENT		-	Official Gund		
				<u>u</u> 00	A # 11 V3	<u> </u>	
		$ER _ Y_{Q}$	ok			@	
# 153	HELPER		Verse	- HANDLING	<u>Z∞</u>	@ 1 oz	Z1000
BULK TRUCK		20		MILEAGE	ASED SON	54	43200
# Z82	DRIVER	<u> </u>	Latte	- RELE	ASED /		
BULK TRUCK #	DRIVER		•		• •	TOTAL	642°
<u>#</u>	DRIVER			- OCT	1 1998		
Represent t	Tuling T		Slow lead 20th Slow lead "Deld"	PUMP TRU	CK CHARGE		43000
Depresent 7	Tulling 7		Jale - Pressur	EXTRA FO		@	
harbird to	300 [#]		- Present		54	@ Z. ⁸⁵³	153 90
taling to 18	100 # Qu	OD - P2	elled 2 th			@	
Presumal to	legran to	700 le	aked - Backser	<u></u>		· @	_
ty 300#-lead	eed Reg	men	I taking to 700	- acked		@	
Pulled tub	es to t	محت	-				10790
	_					TOTAI	_ <u>583 %</u>
CHARGE TO:	Bereye	<u>ت</u>			•		
STREET	E to	23			FLOAT EQ	UIPMENT	
CITY Day	ST	TATE \2.	MSBSZIP 6760	٨			
	<u> </u>	1111	ACCIALATION AND AND AND AND AND AND AND AND AND AN			@	
1		/		,		@	
1		4 /1	(1)			@	
			Tr. Assistant all	1.			
To Allied Cemer			3 2 4 3 4 2 4 2 5 2 5 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			@	
	-		nenting equipmen	t			-
and furnish cem	-					TOTA	L
contractor to do	work as i	s listed: T	he above work wa	S	- 32-	•	•
			of owner agent or		233		
			d the "TERMS AN	ND TOTAL CU	IARGE 1225	20	
CONDITIONS"	listed on	the reverse	e side.		× 43 × 50(2)		
				DISCOUN	T	IF PA	ID IN 30 DAY
1) : n		ranger i kalendarian da kalendarian da kalendarian da kalendarian da kalendarian da kalendarian da kalendarian Kalendarian da kalendarian da kalendarian da kalendarian da kalendarian da kalendarian da kalendarian da kalend	. •			
SIGNATURE	Lady	MO		<u> </u>			
	' (· :		PRIN	TED NAME	

RS

CONFIDENTIAL

ALLIED CEMENTING CO., INC. 8151

REMIT TO P.O. RUS	BOX 31294 32 SELL, KANSAS		al armodin	URION			Profession Control of the Control of
DATE 7-7-9	SEC. TWP.	WEALGE		CALLED OUT	ON LOCATION	N JOB START	JOB FINISH
Bie	,	1		ti	5 100	COUNTY	STATE
CLDOR NEW (C	WELL# 1	LOCATIO	illo W NO	corney N	to Kedline	Grale	\ <u>\</u>
OLIVER NEW (C	ircle one)				LS & LIL	RE	LEASED
CONTRACTOR	Co Dove	۸		OWNER		0 C	T. 11998
TYPE OF JOB				— CHER AND ME		00	18 · 6 60 60
HOLE SIZE CASING SIZE	5 /z	T.D. DEPTH		CEMENT	DEDERED ZA	~ 6€BOM (CONFIDENTI
	フル	DEPTH		_ AMOUNT O	RDERED ZC	e on Sid	
DRILL PIPE		DEPTH			Ì	rel	
TOOL		DEPTH	· · · · · · · · · · · · · · · · · · ·	: ·		0-	47 n Z &
PRES. MAX		MINIMUM SHOE JOIN		_ COMMON_	1 <u>7</u> 8	— @ -615 @ 315	
MEAS. LINE CEMENT LEFT I	N CSG	SHOE JOIN	1	POZMIX _ GEL		@ <u>_3</u> _	
PERFS.	11 000.			CHLORIDE	1	@ <u></u>	
DISPLACEMEN'	Γ					.@	
	EQUIPMI	ENT				@	
					· ·	@	
PUMP TRUCK	CEMENTER	Mark				@	
# 153	HELPER	Glen	<u> </u>	- HANDLING	∞ Z∞	<u> </u>	Zloso
BULK TRUCK	DDIVID			MILEAGE_		00/51	40800
# 7.87_ BULK TRUCK	DRIVER	mat	<u>k:</u>			,)10)
#	DRIVER			<u> </u>	.47	TOTA	AL 74440
	er i tyreter der gericht diese. Die einstelle der der der der der der der der der de						i es t
	REMARI		•	·	SER	VICE	and the special section of the secti
Botlon l	whe @ 3100	3043	spotted				
10 0 N	3 %ec would	Lmsts	quere	_ DEPTH OF J			CC 000
Startel Co	mancinati	2 Parcher	Dump	EXTRA FOC	CK CHARGE OTAGE	@	950
in the second	Cement @		DO. D 3	_ MILEAGE_		@ Zes	14535
is cucio	t. 0 85561	to clea	n Piole	PLUG		@	
<u> </u>	gradina.					@	
	, ,					@	
	Property for the con-	1 4 1 4 4 1 4 4 1 4 4 4 4 4 4 4 4 4 4 4		200			1 0 2 35
-	P			;		TOTA	AL 69535
CHARGE TO:	Serence _			;			
STREET	Sey 723				FLOAT E	QUIPMENT	
CITY May	STATE	j Çinsas Z	TPL-76/5	λ			
	JIMIL S	present t	, 11 10 1 C			@	
	φ ¹	A Very and the second				@	:
	(a)					@	Ry S
	ALCINO VIVIE		7. T. J. IV.		The state of the state of	@	
To Allied Cemer	•	• " "		***************************************			
You are hereby	-	-				TOT	- €GU+ ΔICLS
and furnish cem	-			•		10.17	
contractor to do done to satisfact				£310	9		The second secon
contractor. I have				TAX <u>84</u>	ARGE 1439	75	
CONDITIONS"				TOTAL CHA	ARGE 1439	<u></u>	· ·
			•	DISCOUNT	70000	IFP	AID IN 30 DAYS
CYCLLATIVE (2 1 m	~ L					
SIGNATURE	I Sury 1. C	61.36			PRI	NTED NAME	
				1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
RY					cn	NFIDENT	IAL
					<u> </u>	141 10-	and the second s
					Ž.		
	• •				`-26i		