KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORICINAL

4050	009
Operator: License # 4058	API No. 15 - 999-24817
Name: American Warrior Inc.	County: Barton
Address: P.O. Box 399	CS/2_N/2_SW Sec. 34 Twp. 16 S. R. 12 ☐ East ✓ West
City/State/Zip: Garden City Ks. 67846	1430' feet from E N (circle one) Line of Section
Purchaser:	(ON NONE 2 7 TV (UNUID ONO) ZING OF GOODION
Operator Contact Person: Jody Smith	Footages Calculated from Nearest Outside Section Corner:
Phone: (_620) _272-1023	(circle one) NE SE NW (SW)
Contractor: Name: Duke Dilling Co.Inc.	Lease Name: Beran Well #: 1-34
License: 5929	Field Name:
Wellsite Geologist: Scott Corsair	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 1876' Kelly Bushing: 1884'
New Well Re-Entry Workover	Total Depth: 3464' Plug Back Total Depth:
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 333' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
✓ Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	DA was sto
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 12000 ppm Fluid volume 80 bbls
Plug BackPlug Back Total Depth	Dewatering method used Hauled off location
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name: American Warrior Inc.
	Lease Name: Myers License No.: 4058
1/27/05 2/2/05 Soud Date or Date Reached TD Completion Date or	Quarter NE Sec. 13 Twp. 17 S. R. 11 East V West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Barton Docket No.: D-16575
INSTRUCTIONS: An original and two copies of this form shall be filed wi	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply.
Information of side two of this form will be held confidential for a period of	f 12 months if requested in writing and submitted with the form (see rule 82-3- gs and geologist well report shall be attached with this form. ALL CEMENTING
	ulate the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
Signature:	> KCC Office Use ONLY
Foreman 3/9/05	Letter of Confidentiality Received
all ma	of the period of
Subscribed and sworn to before me this day of	Wireline Log Received
2005	Geologist Report Received MAR 1 1 2005
Notary Public: 1860	
IIIII OU A DEPPA L DIE	NOC WICHILF
Date Commission Expires: Notary Public - State	

My Appt, Expires

i i

perator Name: American Warrior Inc.			Lease Name: Beran				Well #: <u>1-34</u>		
c. 34 Twp. 16	S. R. <u>12</u>	East [✓ West	County	y: Barto	<u> </u>			
STRUCTIONS: Sho sted, time tool open a mperature, fluid reco ectric Wireline Logs s	and closed, flowing very, and flow rate	g and shut-in s if gas to su	pressures, rface test,	, whether sl along with f	hut-in pre	ssure reached	I static level, hydro	ostatic pressur	sts giving interval es, bottom hole ed. Attach copy of all
Drill Stem Tests Taken			✓ Log Formation (Top),			tion (Top), Depth), Depth and Datum		
(Attach Additional Sheets) Samples Sent to Geological Survey ☐ Yes ✓ No			√ No		Name Anh			Тор 752	Datum +1132
ores Taken		Yes	✓ No		Heebner			2974'	-1090
ectric Log Run (Submit Copy)		 ✓ Yes	☐ No	Toronto				2990'	
st All E. Logs Run:						n Lime		3064'	-1180
st All E. Logs Hull.					Lan	sing		3084'	-1200
Radiation Guar	d and Sonic				B/K			3322'	-1438
					Con	glomerate		3345'	-1461
					Arbu	ickle		3354'	-1470
		Report a		RECORD	✓ No	ew Used ermediate, produ	action, etc.		
Purpose of String	Size Hole	Size C	Casing	We	ight	Setting	Type of	# Sacks Used	Type and Percent Additives
Purpose of String Drilled		Set (In O.D.) Lbs. / 85/8 23#		/ Ft.	Depth 333'	Common	185	3%CC,2%Gel	
		-					_		
		,	ADDITIONA	L CEMENT	ING / SQI	JEEZE RECOF	RD		
Purpose: Perforate Protect Casing	Depth Top Bottom	Type of	e of Cement #Sacks Used			d Type and Percent Additives			
Plug Back TD Plug Off Zone									
Shots Per Foot		TION RECORD					racture, Shot, Ceme Amount and Kind of N		ord Depth
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes N	lo	
Date of First, Resumerd	Production, SWD or	Enhr.	Producing M	ethod	Flowin	ng Pum	ping Gas I	Lift Ot	ner <i>(Explain)</i>
Estimated Production Per 24 Hours	Oil	Bbis.	Gas	Mcf	Wa	er	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF	COMPLETION		!		Production In	terval		RECEIVE
	Used on Lease		Open Hol	e \square Pe	rf 🗀	Dually Comp.	Commingled		

1 30	ALLIE	D CEME Federal Tax		_CO., I	NC.	20247 🗸
REMIT TO P.O. B RUSS	OX 31 ELL, KANSAS	67665		SER	VICE POINT:	- for
DATE 1-28-05	SEC. TWP.	RANGE 12	CALLED OUT	ON LOCATION	JOB START 1: 45 AM COUNTY	JOB FINISH STATE
LEASE BRION	WELL# 1-34	LOCATION Red	sina les	1/25 1/5	Bouton	K
OLD OR NEW Ci	rcle one)					
CONTRACTOR N	Juke#8		OWNER 2	and_		
TYPE OF JOB SHOLE SIZE 12		T.D. 333 '	CEMENT			
CASING SIZE %		DEPTH 3.33 '		RDERED 185	ma) ch	·····
TUBING SIZE		DEPTH	320cc 2			
DRILL PIPE		DEPTH				
TOOL		DEPTH	_		_	
PRES. MAX		MINIMUM	_ COMMON_	185 ru	_@ <i>\$.2</i> 0_	1,5355
MEAS. LINE		SHOE JOINT	POZMIX _		@	
CEMENT LEFT IN	V CSG. 15'		_ GEL _	4 Set		<u> 52.00</u>
PERFS.			_ CHLORIDE	6sH		Z16.00
DISPLACEMENT	2014 bb/s		_ ASC		_@	
	EQUIPME	ENT			@ REC	EIVED
					_ @	1 2005
PUMP TRUCK	CEMENTER	Time D				
# 181	HELPER	thinil no			- @ KCC	WICHITA
BULK TRUCK	0	_				
#341	DRIVER R	uch #				
BULK TRUCK					@	
#	DRIVER		HANDLING		@ <i>_1.So</i> _	292.50
			MILEAGE _	195 RY	SS 24	251.52
	REMARI	KS:			TOTAI	_23535,
Rom 333 of		Broke Circulation				
Mixed 185	Le Conson	nen 330cc, 230 De	₹.	SERV	ICE	
It burself	ng. Despla	west stow bes		100 0001		
Hyo.			DEPTH OF J	OR 333		6500
		Circulito		CK CHARGE OTAGE う る	@ Ss	10.5
Com	bull ting		_ EXTRA FOO _ MILEAGE		@_ S @_4.SD	1080
			_ MANIFOLD			
	_	Thank	- MANIFOLD			
		70070	- American A			
CHARGE TO:	Al 0	11/2000				
CHARGE 10: 1	William .	000000			TOTA	7S1.6
STREET			_			
CITY	STATE	ZIP		PLUG & FLOA	AT EQUIPME	NT
		•	1-85/8 T	10 p	@_ <u>5\$</u> @	_ <u>SS@</u> _
					@	
To Allied Cemer	nting Co., Inc.					
		at cementing equipment				
and furnish cem	enter and helpe	r to assist owner or			@	<u> </u>
contractor to do	work as is liste	d. The above work was				-
		sion of owner agent or			TOTA	L _ SS.co _
contractor. I have	ve read & under	rstand the "TERMS AN	D			
CONDITIONS"			1AX			

TOTAL CHARGE -IF PAID IN 30 DAYS

ALLIED CEMENTING CO., INC. 20616 Federal Tax I.D. Federal Tax I.

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665				SERVICE POINT:			
		a .				•	_
DATE 2-2-05	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START WOO Pro	JOB FINISAT 3 2
LEASERARA	WELL#	1-24	LOCATION (, N /	BE Deduna	:	Buntan	STATE
OLD OR NEW (Ci			200	in person			
OLD OKALL ME	Tele one)		-			,	
CONTRACTOR	Dukec	olo A	8	OWNER /	MENICAN W	Annon	
TYPE OF JOB R	tony f	Jud	ARB	_	,-		
HOLE SIZE 77	14	T.D	. 3465	CEMENT			_
CASING SIZE	0	- DE	PTH	- 4 /	RDERED/(155		Poz-
TUBING SIZE			PTH	6706	c/ 14th//	705ch/	
DRILL PIPE 4/	2 /6/	DE	PTH 3345				
TOOL			PTH		\sim	_	001
PRES. MAX		MII	NIMUM	_ COMMON_	41 sef	_@ <i>_83</i> 0_	621.70
MEAS. LINE		SH	OE JOINT	_ POZMIX _	66 sy	_ @ <u>_4.50</u>	297.00
CEMENT LEFT IN	V CSG.			_ GEL _	9 sif	_@ <i>_13.@</i> _	117.00
PERFS.				_ CHLORIDE		@	
DISPLACEMENT	1			ASC		@	
	FOI	JIPMENT		TO SAL	4/#	@ <i>1.bD</i>	<u>65.60</u>
	LQt			·		@	
	CT1 (T1) (T				RECEIVED	@	
_		TER park	A	- 84	14 7005	@	
_/-0/	HELPER	Non			iar 1 1 2005	@	
BÚLK TRUCK	DDIVED	D L	•	KC	C WICHITA	@	
# 347 BULK TRUCK	DRIVER	PLICK		- 	.9/		7/1/5
	DRIVER			Prektog	- 1.10 KM	<u>, </u>	66400
#	DRIVER			 HANDLING 	721 066 16	77 [@]	030.00
			•	MILEAGE 2	14 · 1022 1°	Bref	232.32
	RE	MARKS:				TOTAL	
1 2/1 2	eve do	7 2346					1797,62
511 20		7/10			SERV	ICE	
241 80	200	42/2					
4117	2-	401		DEPTH OF J	юв <u>3349</u>	S	
DAY 15 5AL-	- m W	Made	<u>, — </u>		CK CHARGE		750,00
				_ EXTRA FOO	OTAGE	@	
				MILEAGE _	24	@_ <i>U.S</i> D	108.00
				— MANIFOLD		@	
						@	
		,	,			@	
CHARGE TO:	amos.	c. 11.	lance				
CHARGE IO.		UM W	HALLOW A	_		TOTAI	85810
STREET			· · · · · · · · · · · · · · · · · · ·				
CITY							
CITY	s	IAIE			PLUG & FLOA	AT EQUIPME	NT
				1- 15/0	wooden fly	"35 m	25 m
		i		-/* \$10	muque y de	<u> </u>	
		.7					
		_		-			
To Allied Cemer				<u> </u>			
			menting equipment			@	
and furnish ceme	enter and	helper to	assist owner or				
			The above work was	S		ТОТА	35,00
done to satisfact	ion and s	upervisior	of owner agent or	_		IOIA	
			nd the "TERMS AN	D			
CONDITIONS"	listed on	the revers	se side.				
				TOTAL CHA	ARGE		
				DISCOUNT	1	IF DA	ID IN 30 DAYS
	, 1		10	DISCOUNT	<i></i>		10 11 10 11 110
	1//	//	1 // 1	[1]	i/ C/	A	