KANSAS CORPORATION COMMISSION: OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

30737	21539 API No. 15 - 145-2453*-00-00
Operator: License #30737 Name: M. A. Yost Operations, Inc.	
Address: 611 South Fossil - P. O. Box 811	County: Pawnee W/2_NE_SW_SE_Sec23 Twp20 S. R16 East West
City/State/Zip: Russell, KS 67665	950 Sec. 23 Twp. 20 S. R. 10 East West
J	950 feet from (S) / N (circle one) Line of Section 2550 feet from (E) / W (circle one) Line of Section
Purchaser:lack Yost	
Operator Contact Person: Jack Yost	Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 483-6455	(circle one) NE SE NW SW Hanson 1
Contractor: Name: Warren Drilling LLC License: 33424 33724	Lease Name: Hanson Well #: 1
1	Field Name: Pawnee Rock
Wellsite Geologist: Mike Bair	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 2028 Kelly Bushing: 2033
New Well Re-Entry Workover	Total Depth: 3750 Plug Back Total Depth: 3750
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 1036' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	Drilling Fluid Management Plan P&A KGR 12/19/
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr/SWD	Chloride content 50,000 ppm Fluid volume 600 bbls
Plug Back Plug Back Total Depth	Dewatering method used Air dry, & backfill
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Location of hold disposal in habited offsite.
Other (SWD or Enhr.?) Docket No	Operator Name:
5-12-06 5-18-2006 5-18-006	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3- nd geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature: Marcia W. Blendon	KCC Office Use ONLY
Title: President Date: 8-11-2006	Letter of Confidentiality Received
Subscribed and sworm to before me this 11th day of August	If Denied, Yes Date:
20 0 6	Wireline Log Received
Notary Public: Mangaset Lamohater	Geologist Report Received UIC Distribution
Date Commission Expires:	RECEIVED

state of Kansas

Expires باہریہ،

MARGARE I LANGING. - Notary Public - State of Kansas MARGARET LANGHOFER

My Appt. Expires 11-12-2008

AVIOISO

perator Name: W. A.	- Oot opolatio				e Name:_			Well #:	
Sec. 23 Twp. 20	S. R. 16	Eas	☑ West	Count	y: Pawn	ee			
NSTRUCTIONS: Sho ested, time tool open a emperature, fluid reconstitution to the constitution of the const	and closed, flowin very, and flow rate	g and shut es if gas to	-in pressures, surface test, a	whether salong with	hut-in pre	ssure reached	static level, hyd	rostatic pressui	res, bottom hole
rill Stem Tests Taken		₽ Y	es No			og Formati	on (Top), Depth	and Datum	Sample
(Attach Additional Sheets) Samples Sent to Geological Survey ☐ Yes ☑ No				Name		¢	Top Datum 1028 +1005		
ores Taken	.g . ,		es No		Anhydrite Topeka			1028 3095	-1062
ectric Log Run			es 🗹 No		Heebner			3356	-1323
(Submit Copy)						n Lime Ston	Δ	3437	-1404
st All E. Logs Run:					Lansing KC Base KC			3448	-1415
								3681	-1648
					Simp			3731	-1398
					Arbu			3739	-1406
***************************************		0		RECORD	✓ Ne	w Used	Ni	· · · · · · · · · · · · · · · · · · ·	
Purpose of String	Size Hole	, -	e Casing		ight	rmediate, produc Setting	Type of	# Sacks	Type and Percen
	Drilled	1	(In O.D.)	Lbs.	ĬFt.	Depth	Cement	Used	Additives
Surface	12-1/4"	8-5/8"		23		1036"	60/40	450	3%cc 2%gel
* EDITO PROGRAMMO O NAME TAMOS A MARINE TO A 4 TOTAL MONOMENT									<u></u>
	D	T	ADDITIONAL			EEZE RECORE			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sacks	s Used		Type and	Percent Additive	S
Shots Per Foot PERFCRATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
TUBING RECORD	Size	Set At		Packer i	At	Liner Run			
							Yes N	lo	
Date of First, Resumerd f	Production, SWD or I	Enhr.	Producing Met	hod	Flowing	Pumpi	ng Gas I	Lift Oth	ner (Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	r B	bls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF COMPLETION Production Interval								
Vented Sold	Used on Lease		Open Hole	Per	، رس <u>ر</u>	ually Comp.	Commingled		

ALLIED CEMENTING CO., INC. 24273

REMIT TO P.O. BOX 31

SERVICE POINT:

RUSSELL, KANSAS 67665				kned to				
DATE 5-12-06	SEC.	TWP.	RANGE C	ALLED OUT	ON LOCATION	N JOB START	IOB FINISH	
43			LOCATION			POUNTY POUR	STATE	
OLD OR NEW (Cir				, Zw, N/S	enock trow	promote		
CONTRACTOR		*17	i wi si	OWNER S	some			
TYPE OF JOB S.	Back			OWNER				
HOLE SIZE 124	v Tool	T.D	.1038'	CEMENT		•		
CASING SIZE 85	18 23		PTH	AMOUNT O	RDERED45C	Afr Com	non	
TUBING SIZE			PTH	32cc, 29	s Agl			
DRILL PIPE			PTH					
TOOL			PTH	GO) () (O) (450	a A. lat	4320 a	
PRES. MAX			NIMUM	COMMON_	730	@	13000	
MEAS. LINE	1000 74		OE JOINT	POZMIX _ GEL	10	<u>@ 15.00</u>	150,00	
CEMENT LEFT IN	(C20.91	J		CHLORIDE		@ 42.00		
PERFS. DISPLACEMENT	1916	1,		ASC		@		
DISPLACEMENT			n	A3C				
	EQU	IPMEN 1				RECEIVE)	
						AUG 1 7 2006	,	
	CEMENT		0			AUD 1 / ZUUG)	
	HELPER	· W	reh H			KCE WICH!	TA	
BULK TRUCK	SOUTE	~ \				@		
	DRIVER	Co ₉	w R			@		
BULK TRUCK	DRIVER				114.1	@	206.00	
#	DRIVER			HANDLING	474	@ <u>1.70</u>	805.80	
				م MILEAGE	20.7.47	?	663.60	
		MARKS:	_			TOTAL	6527.4	
Rombossid.	35/8" Cue	· Br	ale Circulation	•				
Missad 450 le	a con	Inon.	390cc of 90 Nel		SER	VICE		
Released Plus	grad.	hered	with fresh	****				
H30.	<i></i>		, \		юв Ю38 ′			
Cemen	Eil 7	<u>C</u> v	<u>rulate</u>		CK CHARGE	2	135,00	
					TAGE 138	<u>@ .60</u>	442,80	
				MILEAGE 2		@_ 5.0 D_	100.00	
				MANIFOLD	· · · · · · · · · · · · · · · · · · ·	@		
						@ @		
9. n	\		1.			@		
CHARGE TO: M.	A. Yos	t Ope	rations, INC.				1277.80	
STREET P.O. Be	S 811	,				TOTAL	1011100	
_								
CITY KINNELY	ST	ATE KA	ZIP Wolfs		PLUG & FLO	OAT EQUIPMEN	٧T	
			A.			222 22 22		
			1 Vanh	1 050 11	10 10	@	55 N	
			2`	1-858 Ru	When Palley	@ 		
						@ @		
To Allied Cemen	_		•			@		
•	-		menting equipment	-		@		
and furnish ceme		4 .						
			The above work was			TOTAI	55,00	
		•	n of owner agent or			IOIAL	,	
			nd the "TERMS AND	TΛV				
CONDITIONS"	listed on	the revers	se side.	ΙΑΛ		····		
				TOTAL CHA	ARGE			
				DISCOUNT		IE DAI	D IN 30 DAYS	
				DISCOUNT		II I FAI	THE OF THE C	
1/-	۸. ۱	\wedge	<u>.</u>	11-				
SIGNATURE	1 emp	Um		X et	- ey). C	MEDNAME		
′ \	AII	1		/\	(DD1	NTED NAME		

ALLIED CEMENTING CO., INC. 23585

REMIT TO P.O. BOX 31

SERVICE POINT:

RUSS	ELL, KAN	ISAS 6766	55			Meso	city
DATE 5-18-00	SEC. 23	TWP.	RANGE 16	CALLED OUT	ON LOCATION 8:45pm	JOB START	JOB FINISH
LEASE Hanson OLD OR NEW (Cit		1	LOCATION Paw	noe Rock 3	NIN/200 /MA	COUNTY	STATE
CONTRACTOR	بص		Dag#10	OWNER			
TYPE OF JOB	2otor	J Pen					
HOLE SIZE	77/8.	T.D.		CEMENT			
	878	DEF	TH 1026	AMOUNT OI			
TUBING SIZE		DEF	TH		40 6% del		
DRILL PIPE		DEF	TH	1/4#70	seal pars	~	
TOOL		DEF	PTH		•		_ :
PRES. MAX		MIN	NIMUM	COMMON	105 set	_@ <i> 0.65</i> _	1/18.25
MEAS. LINE		SHO	DE JOINT	POZMIX	70 syl	@ \$ <i>8</i> 0	406,00
CEMENT LEFT IN	CSG.			GEL	9 sel	@ 16.65	
PERFS.				CHLORIDE	170	@	
DISPLACEMENT				ASC		@	
DIGIENCENIENT				- Fla Sac	D 484	@ Z.00	96,00
	EQU	IPMENT		-la Sac	<u> </u>		96.00
						_@	
PUMP TRUCK (CEMENTI	ER /	TIKE.			-@ 	ECEIVED
	HELPER	10	la dana				
BULK TRUCK	TELL DIC	- Au	Egnace.			- @AU	G 1 7 2005
	DDIVED	. 🗘	1			_ @	
	DRIVER	151	andon			_@KC(CWICHIT
BULK TRUCK	0011100					_ @	
#	DRIVER			 HANDLING 	186Ret	@ 1.90	353,40
	***			MILEAGE _	186 84 0	P3 20	297.60
	DEA	MARKS:				TOTAL I	2421.10
	141,714	iaitis.				IOIAL	DT2/,10
			·				
5094€.	3750	<u> </u>			SERVI	CE	
5050	1050						
40 Sx	400		·	DEPTH OF J	ов <i>3<i>75</i></i>	6	
20 34					K CHARGE		955,00
15. 54					TAGE		
				MILEAGE	50		100 00
			Thanis				
#*************************************		-	Lames	— MANIFOLD		_ @	
				· 经基件公司	Pok - govern		
						_ @	
CHARGE TO:	n, a i	dost (Dog Tong				•
	•	7				TOTAL	10550
STREET	A-M						
CITY	STA	ATE	71P				
O111			2311		PLUG & FLOAT	T EQUIPMEN	T
						_ @	
							·
To Allied Cement	ing Co., I	nc.					
	_		nenting equipment			@	
and furnish cemer	_		-,			_ @	
		-		_			
			ne above work was	3		TOTAL	
done to satisfaction	-		_			IOIAL	
contractor. I have	e read & u	ınderstand	l the "TERMS AN	D			
CONDITIONS" I	isted on tl	he reverse	e side.	TAX		-	
				тотат сца	RGE		
÷				TOTAL CHA	NUL		,
				DISCOUNT -		IF PAII	D IN 30 DAYS
	`		A	TN ja			
SIGNATURE	Lul ($\leq M$	118				
SIGNATURE	wy c	5010					
, ,	-				PRINT	ED NAME	