

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 32639
Name: Coral Production Corporation
Address: 1600 Stout Street, Suite 1500
City/State/Zip: Denver, Colorado 80202
Purchaser: _____
Operator Contact Person: Jim Weber
Phone: (303) 623-3573
Contractor: Name: Vonfeldt Drilling, Inc.
License: 9431
Wellsite Geologist: Ron Nelson

Designate Type of Completion:

New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to Enhr./SWD

Plug Back Plug Back Total Depth

Commingled Docket No. _____

Dual Completion Docket No. _____

Other (SWD or Enhr.?) Docket No. _____

01/04/01 01/12/01 01/12/01
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 065-22808-0000

County: Graham

C. SE SE SW Sec. 20 Twp. 9 S. R. 21 East West

370 feet from (S) N (circle one) Line of Section

2200 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name: Pauley Well #: 1

Field Name: Wildcat

Producing Formation: P & A

Elevation: Ground: 2354 ft Kelly Bushing: 2359 ft

Total Depth: 3935 Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at 229 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan P&A KGR 12/19/07
(Data must be collected from the Reserve Pit)

Chloride content 8,000 ppm Fluid volume 340 bbls

Dewatering method used allow to dry; then backfill

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License No.: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Docket No.: _____


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: James R. Weber
Title: President Date: April 12, 2001

Subscribed and sworn to before me this 12th day of April
19 2001.

Notary Public: Stacy R. Springs
My Commission Expires 02-01-2005



KCC Office Use ONLY

- Letter of Confidentiality Attached
- If Denied, Yes Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution

Operator Name: Coral Production Corporation Lease Name: Pauley Well #: 1
 Sec. 20 Twp. 9 S. R. 21 East West County: Graham

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run: ELI gamma ray density-neutron
 3934 to 3200 ft.
 ELI dual induction
 3934 to 229 ft.
 Sonic from 3934 to 229 ft.

Log Formation (Top), Depth and Datum Sample

Name	Top	Datum
T. Anhydrite	1836	+521
B. Anhydrite	1870	+487
Howard	3282	-925
Topeka	3329	-972
Queen Hill	3475	-1118
Heebner	3538	-1181
Toronto	3560	-1203
LKC	3576	-1219
BLKC	3791	-1433
Arbuckle	3896	-1538

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surface	12/ 1/4"	8 5/8"	28#	229 ft	60/40 Poz	150	3%CL 2% gel
Production	7 7/8"	5 1/2"	15.5#	3934 ft	60/40 poz	125	2% gel
Later shot off and pulled and retrieved top 300 ft of production string.							

ADDITIONAL CEMENTING / SQUEEZE RECORD Plugged and Abandoned

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone <input checked="" type="checkbox"/> P&A		60/40 poz	210	10% gel

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	
		Amount and Kind of Material Used	Depth
4	3895.5 - 3897.5 ft	100 gal 7.5% HCL mud acid	3895.5
		250 gal 15% NE HCL	3895.5
		1000 gal 15% NE HCL	3895.5

TUBING RECORD		Size	Set At	Packer At	Liner Run
On swab oil cut declined from 30% to tr.					<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	tested well	through casing	- well never produced.		

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled _____
 (If vented, Sumit ACO-18.) Other (Specify) _____

ALLIED CEMENTING CO., INC.

6570

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: R

DATE <u>3-28-01</u>	SEC. <u>20</u>	TWP. <u>9</u>	RANGE <u>21W</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>3:00 pm</u>
LEASE <u>Paulsen</u>		WELL # <u>1</u>	LOCATION <u>Church of God 3W</u>	COUNTY <u>Rock</u>		STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>			<u>IN</u>	Crawham			

CONTRACTOR _____ OWNER _____

TYPE OF JOB Pro

HOLE SIZE	T.D.
CASING SIZE	DEPTH
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT	

CEMENT

AMOUNT ORDERED 225 60/40 10% gel
400# Huls

used 210

COMMON	<u>126</u>	@	<u>6.35</u>	<u>800.10</u>
POZMIX	<u>84</u>	@	<u>3.25</u>	<u>273.00</u>
GEL	<u>15</u>	@	<u>9.50</u>	<u>142.50</u>
CHLORIDE		@		
<u>Huls</u>	<u>4</u>	@	<u>18.00</u>	<u>72.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>244</u>	@	<u>1.05</u>	<u>256.20</u>
MILEAGE	<u>44 1/2</u>	@	<u>1.00</u>	<u>488.00</u>
				TOTAL <u>2031.00</u>

EQUIPMENT

PUMP TRUCK # <u>315</u>	CEMENTER <u>Mark</u>
	HELPER <u>Dave</u>
BULK TRUCK # <u>254</u>	DRIVER <u>Steve</u>
BULK TRUCK # _____	DRIVER _____

REMARKS:

Mixed 210 sl w/400# Huls down
8 5/8

May psi 900 #
Slution 400 #

SERVICE

DEPTH OF JOB	
PUMP TRUCK CHARGE	<u>470.00</u>
EXTRA FOOTAGE	@ _____
MILEAGE	<u>50</u> @ <u>3.00</u> <u>150.00</u>
PLUG	@ _____
	@ _____
	@ _____
TOTAL <u>620.00</u>	

CHARGE TO: Coral Production Corp.

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE _____

PRINTED NAME _____

ALLIED CEMENTING CO., INC.

4750

 REMIT TO P.O. BOX 31
 RUSSELL, KANSAS 67665

SERVICE POINT: _____

DATE <u>1/12/01</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>2-30 p.m.</u>	JOB START	JOB FINISH <u>3:40 p.m.</u>
LEASE <u>Pamley</u>	WELL # <u>1</u>	LOCATION <u>Bayou & Redline 20 E</u>			COUNTY <u>Crawford</u>	STATE <u>KS</u>	

CONTRACTOR VanSeldt
 TYPE OF JOB Long String
 HOLE SIZE 7 7/8 T.D. 3439
 CASING SIZE 5 1/2 DEPTH 3434
 TUBING SIZE _____ DEPTH # _____
 DRILL PIPE _____ DEPTH _____
 TOOL Part Collar DEPTH 1865
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. Insert @ 3922
 PERFS. _____
 DISPLACEMENT 9534 1361
EQUIPMENT

OWNER _____
 CEMENT _____
 AMOUNT ORDERED 125 ASC 290 Gal
500 Gal WFD2
 COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ 2 @ 4.50 9.00
 CHLORIDE _____ @ _____
ASC 125 @ 8.20 1025.00
WFD-2 500 gal @ 1.00 500.00
 HANDLING 133 @ 1.00 139.65
 MILEAGE 44/ST/MI 266.00
TOTAL 1949.65

PUMP TRUCK CEMENTER Pal
 # 153 HELPER Jason
 BULK TRUCK DRIVER Shane
 # 274
 BULK TRUCK DRIVER _____
 # _____

REMARKS:

SERVICE

Centralizer on 1, 2, 4, 6, 52, 54, 56, 58
P.C. on 51
Basket on 51
15.5x Depth
10.5x House
Float Held!
Thank You!

DEPTH OF JOB _____		
PUMP TRUCK CHARGE _____		<u>1080.00</u>
EXTRA FOOTAGE _____ @ _____		
MILEAGE <u>50</u> @ <u>3.00</u>		<u>150.00</u>
PLUG <u>5 1/2 TAP</u> @ _____		<u>50.00</u>
		TOTAL 1280.00

CHARGE TO: Coral Production
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

<u>Guide Shoe</u> <u>1</u> @ _____	<u>150.00</u>
<u>Insert</u> <u>1</u> @ _____	<u>235.00</u>
<u>Centralizers</u> <u>8</u> @ <u>50.00</u>	<u>400.00</u>
<u>Basket</u> <u>1</u> @ _____	<u>128.00</u>
<u>Part Collar</u> <u>1</u> @ _____	<u>175.00</u>
	TOTAL 2663.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Joe Berla

Joe Berla
 PRINTED NAME

ALLIED CEMENTING CO., INC.

4672

~~CONFIDENTIAL~~ ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665.

SERVICE POINT
Russell

DATE <u>01-05-01</u>	SEC.	TWP.	RANGE	CALLED OUT <u>1:00AM</u>	ON LOCATION <u>3:15AM</u>	JOB START	JOB FINISH <u>4:00AM</u>
LEASE <u>Pauley</u>	WELL# <u>1</u>	LOCATION <u>PAICO 15 & W 1N 2 E</u>			COUNTY <u>Graham</u>	STATE <u>Ks</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Vonfeldt Drllg

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 229

CASING SIZE 8 3/8 DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15

PERFS.

DISPLACEMENT

OWNER

CEMENT AMOUNT ORDERED
150 bbl 60/40 3-2

COMMON	<u>90</u>	@	<u>6.35</u>	<u>571.50</u>
POZMIX	<u>60</u>	@	<u>3.25</u>	<u>195.00</u>
GEL	<u>3</u>	@	<u>9.50</u>	<u>28.50</u>
CHLORIDE	<u>5</u>	@	<u>28.00</u>	<u>140.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>158</u>	@	<u>1.05</u>	<u>165.90</u>
MILEAGE	<u>4 1/2</u>	@	<u>66.00</u>	<u>316.00</u>
TOTAL				<u>1416.90</u>

EQUIPMENT

PUMP TRUCK CEMENTER Bill

345 HELPER Mark

BULK TRUCK

160 DRIVER Shane

BULK TRUCK

DRIVER

REMARKS:

Set @ 220

Cem. w/ 150 bbl 60/40 3-2

Pump plug w/ 13 1/2 bbls

Cem. did cin.

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>470.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>50</u>	@	<u>3.00</u>
PLUG	<u>1-8 3/8 WOOD</u>	@	<u>45.00</u>
		@	
		@	
TOTAL <u>665.00</u>			

CHARGE TO: CORAL PROD.

STREET

CITY STATE ZIP

FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

SIGNATURE Doug Steiner

Doug Steiner
PRINTED NAME