

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

API NO. 15- 167-23204-0000

County Russell

SW - NW - NW Sec. 33 Twp. 13S Rge. 14 X <sup>E</sup> <sub>W</sub>

4290 Feet from SW (circle one) Line of Section

4950 Feet from EW (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE, SE, NW or SW (circle one)

Lease Name Boxberger A Well # 9

Field Name Russell

Producing Formation \_\_\_\_\_

Elevation: Ground 1855 KB 1860

Total Depth 3323 PBTD \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 488 Feet

Multiple Stage Cementing Collar Used? Yes X No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan PJA KGR 1/16/08  
(Data must be collected from the Reserve Pit)

Chloride content 61,000 ppm Fluid volume 400 bbls

Dewatering method used Allow to dry and backfill

Location of fluid disposal if hauled offsite:

Operator Name \_\_\_\_\_

Lease Name \_\_\_\_\_ License No. \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S Rng. \_\_\_\_\_ E/W

County \_\_\_\_\_ Docket No. \_\_\_\_\_

Operator: License # 7281

Name: Alan J. Vonfeldt

Address 128 Eves Drive

City/State/Zip Russell, KS 67665

Purchaser: \_\_\_\_\_

Operator Contact Person: Alan Vonfeldt

Phone (785) 483-6446

Contractor: Name: Vonfeldt Drilling, Inc.

License: 9431

Wellsite Geologist: Dave Shumaker

Designate Type of Completion

New Well  Re-Entry  Workover

Oil  SWD  SLOW  Temp. Abd.

Gas  ENHR  SIGW

Dry  Other (Core, MSW, Expl., Cathodic, etc)

If Workover: \_\_\_\_\_

Operator: FEB 20 2002

Well Name: KCC WICHITA

Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Deepening  Re-perf.  Conv. to Inj/SWD

Plug Back  PBTD

Commingled  Docket No. \_\_\_\_\_

Dual Completion  Docket No. \_\_\_\_\_

Other (SWD or Inj?)  Docket No. \_\_\_\_\_

9-29-01 10-5-01 10-5-01

Spud Date Date Reached ID Completion Date

RECEIVED

FEB 20 2002

KCC WICHITA

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Alan J. Vonfeldt


Title Owner Date 2/3/02

Subscribed and sworn to before me this 3rd. day of February, 2002

Notary Public Cheryl M. Payne

Date Commission Expires August 30, 2003

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Geologist Report Received  
Distribution  
KCC  SWD/Rep  NGPA  
KGS  Plug  Other (Specify)



Operator Name Alan J. Vonfeldt

Lease Name Boxberger A Well # 9

Sec. 33 Twp. 13S Rge. 14

East  
 West

County Russell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
(Attach Additional Sheets.)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
(Submit Copy.)

List All E.Logs Run:

Name	Top	Datum
Anhydrite	913'	+954
Base Anhydrite	943'	
Topeka	2759'	-892
Heebner	2787'	-1120
Toronto	3005'	-1138
Lansing-Kansas City	3042'	-1175
Base-Kansas City	3292'	-1425
Arbuckle	3320'	-1453
R.T.D.	3323'	-1456

CASING RECORD  New  Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23#	493'	60/40 Poz.	250	3% Gel., 2% CC
Production	7 7/8"	5 1/2"	14#	3320'	ASC	125	500 Gal. WER/2

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
Open Hole	3320 - 3323'	250 gallon, 15% CRA	3320-3323

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
	2 7/8"	3298'	N/A	


Date of First, Resumed Production, SWD or Inj. 12-1-01 Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	10	N/A	200		28

Disposition of Gas:  Vented  Sold  Used on Lease (if vented, submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify)

Production Interval



DRILLERS WELL LOG

Date Commenced: September 29, 2001  
Date Completed: October 5, 2001

Alan J. Vonfeldt  
Boxberger A #9  
SW NW NW Sec. 33-13S-14W  
Russell County, Kansas

Elevation: 1855' G.L.  
1860' K.B.

0 - 156' Shale  
156 - 600' Sand & Shale  
600 - 913' Shale & Lime  
913 - 943' Anhydrite  
943 - 3323' Shale & Lime  
3323' R.T.D.

FORMATION DATA

Anhydrite	913'
Base Anhydrite	943'
Topeka	2759'
Heebner	2987'
Toronto	3005'
Lansing-Kansas City	3042'
Base-Kansas City	3292'
Arbuckle	3320'

RECEIVED

FEB 20 2002

KCC WICHITA

Surface Pipe: Set 23#, new, 8 5/8" casing @ 493' K.B. with 250 sacks 60/40 Poz., 3% Gel., 2% CC.

Production Pipe: Set 14#, new and used, 5 1/2" casing @ 3320' K.B. with 125 ASC, 500 gallon WFR/2.

AFFIDAVIT

STATE OF KANSAS        )  
                                  ) ss:  
COUNTY OF RUSSELL    )

Alan Vonfeldt of lawful age, does swear and state that the facts and statements herein are true and correct to the best of his knowledge.


Alan Vonfeldt  
Alan Vonfeldt

Subscribed and sworn to before me this 3rd day of February, 2002.

My Commission Expires:

August 30, 2003

Cheryl M. Payne  
Cheryl M. Payne, Notary Public



# ALLIED CEMENTING CO., INC

10037

ORIGINAL

Federal Tax I.D

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>10-5-01</u>	SEC <u>33</u>	TWP <u>13</u>	RANGE <u>14</u>	CALLED OUT	ON LOCATION <u>10:00 AM</u>	JOB START	JOB FINISH <u>4:30 PM</u>
LEASE <u>Boxberger</u>	WELL # <u>A-9</u>	LOCATION <u>Russell 2w 5s</u>			COUNTY <u>Russell</u>	STATE <u>KI</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Vonfeldt Dry  
 TYPE OF JOB Prod String  
 HOLE SIZE 7 7/8 T.D. 3323  
 CASING SIZE 5 1/2 DEPTH 3320  
 TUBING SIZE DEPTH  
 DRILL PIPE DEPTH  
 TOOL DEPTH  
 PRES. MAX MINIMUM  
 MEAS. LINE SHOE JOINT  
 CEMENT LEFT IN CSG. 9'  
 PERFS.  
 DISPLACEMENT 14 1/2 82 BBL

OWNER \_\_\_\_\_  
 CEMENT  
 AMOUNT ORDERED 125 ASC  
500 gal WFR-2  
 COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 RECEIVED  
 FEB 20 2002  
 KCC WICHITA  
 HANDLING \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

### EQUIPMENT

177  
 PUMP TRUCK CEMENTER Dave  
 # HELPER Bill  
 BULK TRUCK  
 # DRIVER  
 BULK TRUCK  
 # 213 DRIVER Stew

TOTAL \_\_\_\_\_

### REMARKS:

plug Reel to 15 ft  
more to 10 ft  
about 1/2 in.

### SERVICE

DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE \_\_\_\_\_  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 PLUG \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

CHARGE TO: Alan Vonfeldt  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### FLOAT EQUIPMENT

1 packer shoe  
1 Latch Down Plug @ \_\_\_\_\_  
3 1/2" connectors @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Ernie Buehly

Ernie Buehly  
 PRINTED NAME

# ALLIED CEMENTING CO., INC. 10328

Federal Tax

ORIGINAL

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*Russell*

DATE <i>9-29-01</i>	SEC <i>33</i>	TWP. <i>13</i>	RANGE <i>14</i>	CALLED OUT <i>6:00 PM</i>	ON LOCATION	JOB START	JOB FINISH <i>9:00 AM</i>
LEASE <i>Bobbeys</i>	WELL # <i>1</i>	LOCATION <i>Russell 1W 35</i>		COUNTY <i>Russell</i>	STATE <i>Kn</i>		
OLD OR NEW (Circle one)							

CONTRACTOR *Vonvold's Dr's*

TYPE OF JOB *SURFACE*

HOLE SIZE *12 1/2* T.D. *495*

CASING SIZE *8 5/8 23"* DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *40*

PERFS.

DISPLACEMENT

OWNER

CEMENT

AMOUNT ORDERED *250 lb 64/10 3-2*

COMMON @

POZMIX @

GEL @

CHLORIDE @

EQUIPMENT

PUMP TRUCK CEMENTER *Bill*

# *153* HELPER *Glen*

BULK TRUCK DRIVER *Brent*

# DRIVER

RECEIVED

FEB 20 2002

KCC WICHITA

HANDLING @

MILEAGE @

TOTAL

REMARKS:

*Ran 12 Hrs 8 5/8 hole 493*

*Cement 250 lb 64/10 3-2*

*pump plug w/ 29 bbls*

*Cement did Circ.*

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE @

EXTRA FOOTAGE @

MILEAGE @

PLUG *Had them own* @

*Plug* @

TOTAL

CHARGE TO: *Allen Vonvold's Oil*

STREET

CITY STATE ZIP

FLOAT EQUIPMENT

*1-8 5/8 Bobbeys*

TOTAL

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

TOTAL

SIGNATURE *Doug B...*

PRINTED NAME *Doug B...*