ORIGINA Form Must Be Typed

WELL COMPLETION FORM

WELL	HISTORY -	DESCRIPTION	OFWELL	& I FASE

Operator: License # 33397	API No. 15 - 011-23206-0000
Name: Running Foxes Petroleum Inc.	County: Bourbon
Address: 7060 South Tucson Way	NW_SE_SESec. 36 Twp. 24 S. R. 23
City/State/Zip: Centennial, CO 80112	975 feet from (S) / N (circle one) Line of Section
Purchaser:	975 feet from E/I W (circle one) Line of Section
Operator Contact Person: Steven Tedesco	Footages Calculated from Nearest Outside Section Corner:
Phone: (_303) 617-7242	(circle one) NE SE NW SW
Contractor: Name: McGowan Drilling	Lease Name: Vogel· Well #: 16-36B
License: 5786	Field Name: Ft. Scott
Wellsite Geologist: Brian Walsh/Greg Bratton	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 848 Kelly Bushing: NA
New Well Re-Entry Workover	Total Depth: 482 Plug Back Total Depth:
✓ Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 30 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	211 x 1/20 2/ /
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug Back Plug Back Total Depth	Dewatering method used air dry
Commingled Docket No.	,
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
4/23/2007 4/26/2007 TBA Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the óil and gas industry have been fully complied with and the statements
Therein are complete and correct to meets of my knowledge.	
Signature:	KCC Office Use ONLY
Title: Flagret Date: 16/16/01	Letter of Confidentiality Received
11-16 CILIES	If Denied, Yes Date:
Subscribed and sworn to before me this 1017 day of	Wireline Log Received 1
20.67 γ + γ 1	Geologist Report ReceMAISAS CORPORATION COMMISSION
Notary Public: Muslime My or or of the	UIC Distribution
Date Commission Expires: 5 - Z Z - 08	OCT 18 2007
	CONSERVATION D
	WICHITA, KS

Operator Name: Running Foxes Petroleum Inc.			Lease Name: Vogel			Well #: 16-36B			
		☑ East ☐ West		Bourl					
ested, time tool open emperature, fluid reco	and closed, flowin overy, and flow rate	and base of formations p g and shut-in pressures, es if gas to surface test, a final geological well site	whether sh along with fi	ut-in pro	essure reached	static level, hydro	static pressur	es, bottom hole	
Drill Stem Tests Taken				✓ Log Formation (Top), Depth a			and Datum Sample		
amples Sent to Geol	·	Yes No		Name			Тор	Datum	
·			Excello		•	129'	719'		
ectric Log Run (Submit Copy)		✓ Yes		Upper Bartlesville			344'	504'	
at All E. Logs Run:					issippian		473'	375'	
Gamma Ray, D	Density-Neuti	ron, Dual Inductio	on	,					
1,		CASING Report all strings set-o	RECORD	☐ Nerface, inte		ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12 1/4"	8 5/8"	24 LBS	24 LBS 30'		Thickset	24	kolseal/floseal	
Production	6 3/4"	4 1/2"	10.5 LBS	3	474'	Thickset	65	kolsel, floseal, gel	
Purpose:	Depth				JEEZE RECORD				
Perforate Protect Casing	Top Bottom	Type of Cement	#Sacks I	Jsed 		Type and Pe	ercent Additives	3	
Plug Back TD Plug Off Zone									
Shots Per Foot		ON RECORD - Bridge Plug				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
v	Specify Footage of Each Interval Perforated Waiting on Completion				(20)	ount and Kind of Material Used) Depth			
	<u> </u>								

			***************************************			and the state of t			
			<u>.</u>						
JBING RECORD	Size	Set At	Packer At		Liner Run]Yes ☐ No	*		
te of First, Resumerd P	Production, SWD or E	nhr. Producing Meth	nod	Flowing	Pumpin	g Gas Lift	Othe	er (Explain)	
timated Production Per 24 Hours	Oil E	Bbls. Gas I	Mcf	Wate	-		as-Oil Ratio	Gravity	
sposition of Gas	METHOD OF C	OMPLETION		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Production Interv	<i>r</i> al	KVPICA	RECEIVED AS CORPORATION COMMIS	
Vented Sold	Used on Lease	Open Hole	Perf.	D	ually Comp.	Commingled	- CAINOP		
(n venteu, Subm	AUU-10.j	Other (Specif	(y)			<u> </u>		OCT 1.8 2007	

CONSOLIDATED OIL WELL SERVICES, INC. P.O. BOX 884, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER	15453
LOCATION 17+	are a
FOREMAN Ala	u Made-

TREATMENT REPORT & FIELD TICKET

	•			CEMEN	IT .			
DATE	CUSTOMER#	WELL	NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
4/26/07 CUSTOMER	6960	Vogel	16.31	kB'	36	24	23	BB
Bunni	in Fore	4			TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRE	S6/ ^		,	7	516	Alan M		
70601	3 5.	146500	1 Way		495	Case x K		
CITY		STATE	ZIP CODE		369	Ken H		
Center	in:al	60	80112		503	Allen H		
JOB TYPE JO M	a string	HOLE SIZE_	3/4	HOLE DEPTH	1 482	CASING SIZE & W	EIGHT 4 1	2
CASING DEPTH	473	DRILL PIPE		TUBING			OTHER	
SLURRY WEIGH	r	SLURRY VOL		WATER gal/s	k	CEMENT LEFT in	CASING	
DISPLACEMENT	-	DISPLACEMENT	PSI	MIX PSI		RATE		
REMARKS: E	Stablishe	2 rute	M:	red t	Dumped	R 100 #	sel t	o
condi	tion ho	ole, Mi	xed V	Dun	ped 2	1/2 /2/	due f	Mouse
by 6	9.5x T	hic-Kie	t cer	hent!	5# KOL.	seal. Myt	+ flo se	201
Circula	ated, o	lve to	Surt	Sale.	Flushe	& Dum	à cle	ani
Pumpe	Q 4/2	Dlus	to co	asins	TD. C	inculati	ed Ce	neut
70 64	vface.	Check	ed a	1074	with	wirell	ne. U	10.11
held	600151	. Se	+ floo	x 4.				
						4	111	·
Noc	ompan	y Rep				lan	Mad	er
ACCOUNT CODE	QUANTITY	or UNITS	Di	ESCRIPTION o	SERVICES or PR	ODUCT	UNIT PRICE	TOTAL
5401		1	PUMP CHARG	E.		495		840,0
5406	י ל		MILEAGE			495		247.51
5402	47	3'	C 05:4	10 for	taco	495		NIC
5407	40 1.0		tou	miles		50 3		285,00
55076	21/2	a	80 11	61-		369		315,00
11000								
4404	7		4/2	Oluc				40.00
1107	17	#	Class	Pul				32.30
1110 A	345	-#_	V - 1 C	4.1				131.10
11122			K01-5	Pal				15 00
11180		0	941	· •			1001.00	I I DOOL A
11/64	65	ا	Thick	Set.	CENTED COMMISSION OF THE COMMISSION COMMISSION COMMISSION OF THE C	W	100.00	100
				·····	- CIVED WIMSON			2906,9
				RE	CEATION	SW	<u></u>	27067
				- ASCOR	1, 3001		<u>, , , , , , , , , , , , , , , , , , , </u>	
	<u> </u>			Manana	<u>en 14 22 </u>	(Oir)		
					LO WATION ONLY			
					CONSERVATIA. I			
			•		EC 14 2001	1 307	041507	76.80
			 	·		6.570	SALES TAX ESTIMATED	7 4.00
Ì	111 4 -						ESTIMATED TOTA	2983.3
AUTHORIZATION	INOT 2	13313	<u> </u>	TITLE			DATE	
	· · · · · · · · · · · · · · · · · · ·							