CONFIDENTIAL

KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

September 1999

Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 330/4	API No. 15 - 125-31209-00- OO
Name: Dart Cherokee Basin Operating Co., LLC	County: Montgomery .
Address: P O Box 177	NWNWSE_Sec11_Twp33_S. R15_
City/State/Zip: Mason MI 48854-0177	1990' FSL feet from S / N (circle one) Line of Section
Purchaser: Oneok	2000' FEL feet from E / W (circle one) Line of Section
Operator Contact Person: Beth Oswald	Footages Calculated from Nearest Outside Section Corner:
Operator Contact Person: Beth Oswald Phone: (517) 244-8716	(circle one) NE SE NW SW
MaRharan . A 0 NUI	Lease Name: Buckles Well #: C3-11
License: 5675	Field Name: Cherokee Basin Coal Gas Area
License: 5675 Wellsite Geologist: Bill Barks CONFIDENTIAL	Producing Formation: Penn Coals
Designate Type of Completion:	Elevation: Ground: 812' Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1390' Plug Back Total Depth: 1383'
Oil SWD Temp. Abd.	Amount of Surface Pipe Set and Cemented at 46 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: Dart Cherokee Basin Operating Co., LLC	feet depth tosx cmt.
Well Name: Buckles C3-11	, and a second
Original Comp. Date: NA Original Total Depth: 1390'	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
✓ Plug Back CIBP @ 1200' Plug Back Total Depth	•
Commingled Docket No	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
10-4-06 10-5-06 4-3-07	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp. S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells	·
All requirements of the statutes, rules and regulations promulgated to regulations are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature:	KCC Office Use ONLY
Title: El Bir (1817) bate 5-22-0/	Letter of Confidentiality Attached
Subscribed and sworn to before me this 22 day of May	If Denied, Yes Date:
20 0 12	Wireline Log Received RECEIVED Geologist Report Received ANSAS CORPORATION COMMISSION
Notary Public: Brandy R. Alexand	·
Octina in ungham 3 5-2 Majary Public - Mic	CK UIC Distribution MAY 2 5 2007
Jackson Coun My Commission Exp March 05, 2011	4
	2

Sec. 11 Twp. 3	3 s R 15		County	. Mon	gomery		Well #: <u>C3</u> -	· · · · · · · · · · · · · · · · · · ·		
ested, time tool open emperature, fluid rec	and closed, flowing overy, and flow rates	nd base of formations and shut-in pressure if gas to surface test nal geological well sit	s, whether sh , along with fi	ut-in pre	ssure reached s	tatic level, hydros	static pressure	es, bottom hole		
Drill Stem Tests Taken		Log Formation (Top), Depth and			d Datum · ✓ Sample					
Samples Sent to Geological Survey ☐ Yes ✓ No			Nam	е		Тор	Datum			
Cores Taken Yes ✓ No		See Attached								
ectric Log Run (Submit Copy)		✓ Yes No			•			•		
st All E. Logs Run:	•	·		, .		•	K(CC		
High Resolution (Dual Induction	Compensated De	ensity Neutron &				·	JAN 2 ! C ONFI E	2007 ENTIAL		
- F BC.	9	CASIN Report all strings se	G RECORD	Ne		•		. ,		
Purpose of String	Size Hole Drilled	Size Casing	Weig	jht	Setting	Type of	# Sacks	Type and Percent		
Sur		Set (In O.D.) 8 5/8	Lbs. /	24#	Depth 46'	Class A	Used 8	Additives		
Proc	6 3/4"	4 1/2	2"	9.5#	1383'	Thick Set	140			
·						·	1			
		ADDITION	AL CEMENTIN	NG / SQU	EEZE RECORD					
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement •	#Sacks	Used		Type and Pe	rcent Additives	•		
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
4		1231' - 1233', Set CIBP @ 12				200' 200 gal 15% HCl, 2045# sd, 165 BBL fl				
4	·	965.5'			67' 200 gal 15% HCl, 2810# sd, 185 BBL fl					
4		896' - 8			200 gal 15% HCl, 3885# sd, 280 BBL fl					
4		856' - 85			200 gal 15% HCl, 4320# sd, 220 BBL fl					
UBING RECORD	Size	806.5' - 80 size Set At Packer At			5' 200 gal 15% HCl, 6515# sd, 285 BBL fl					
	2 3/8"	983'	NA	,	calci nuli	Yes ✓ No	•			
	Production, SWD or En 4-7-07	hr. Producing Me	ethod	Flowing	✓ Pumping	g Gas Lift	Other	(Explain)		
stimated Production Per 24 Hours	Oil E	Bbls. Gas 2	Mcf	Wate	т Вы 13	s. Ga	s-Oil Ratio	Gravity NA		
Disposition of Gas	METHOD OF CO	OMPLETION			Production Interva	al	•			
Vented ✓ Sold (If vented, Sur	Used on Lease mit ACO-18.)	Open Hol		D	ually Comp. [Commingled		RECEIVED CORPORATION COMM		