

TO:  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING  
130 SOUTH MARKET, SUITE 2078  
WICHITA, KANSAS 67202

API Well Number: 15-051-05018-00-01  
Spot: SENENE Sec/Twnshp/Rge: 2-11S-16W  
4393 feet from S Section Line, 353 feet from E Section Line  
Lease Name: KRUEGER UNIT Well #: 703  
County: ELLIS Total Vertical Depth: 3520 feet

Operator License No.: 5030  
Op Name: VESS OIL CORPORATION  
Address: 1700 WATERFRONT PKWY BLDG 500  
WICHITA, KS 67206

String	Size	Depth (ft)	Pulled (ft)	Comments
PROD	5.5	3520	0	w/175 sxs cmt
SURF	8.625	238	0	w/150 sxs cmt <u>114.40</u>

Well Type: OIL UIC Docket No: \_\_\_\_\_ Date/Time to Plug: 11/25/2008 9:00 AM  
Plug Co. License No.: 32452 Plug Co. Name: SMOKY HILLS WELL SERVICE  
Proposal Rcvd. from: JOEL STULL Company: VESS OIL CORPORATION Phone: (316) 682-1537

Proposed Plugging Method: Ordered 400 sxs 60/40 pozmix - 4% gel - 500# hulls.  
CIBP at 3175'.  
Shoot perfs at 750' and 1250'.

Plugging Proposal Received By: RICHARD WILLIAMS WitnessType: COMPLETE (100%)  
Date/Time Plugging Completed: 11/25/2008 12:30 PM KCC Agent: MARVIN MILLS

Actual Plugging Report:

Ran tubing in to 3150' - pumped 150 sxs cement with 200# hulls.  
Pulled tubing to 1488' - circulated cement with 140 sxs cement with 100# hulls.  
Pulled tubing out - pumped 40 sxs down - topped 5 1/2" full.  
Tied onto backside - pumped 40 sxs cement to Max. P.S.I. 100#. Shut in  
JOEL STULL CHANGED PLUGGING INSTRUCTIONS FROM WHAT I RECOMMENDED - WHICH LEFT A WATER SPACER FROM 1488' TO 1658'.

Perfs:

**INVOICED**  
DATE 12-23-08  
INV. NO. 2009060914

RECEIVED  
KANSAS CORPORATION COMMISSION  
DEC 03 2008  
CONSERVATION DIVISION  
WICHITA, KS

Remarks: ALLIED CEMENTING COMPANY-TICKET #3467.

Plugged through: TBG

District: 04

Signed *Marvin Mills*  
(TECHNICIAN)


CM

Form CP-2/3

DEC 01 2008

PKT

4-9 MAP NO. OWWO FR & COMP SEC. 2-11-16W  
 STATE Kansas COUNTY Ellis LOC. SE NE NE  
 OPER. Cities Service Oil - 201 W 1st - Wichita, Ks. FT/FR \_\_\_\_\_ LINE  
 WELL #703 FARM Krueger Unit FT/FR \_\_\_\_\_ LINE  
 POOL Krueger ELEV. \_\_\_\_\_ GR. 2038 DF 2041 KB  
 CONT. \_\_\_\_\_ GEOL. \_\_\_\_\_  
 CO. \_\_\_\_\_  
 INT. \_\_\_\_\_  
 F.R. 3-26-65 SPUO. 8-2-50 COMP. \_\_\_\_\_  
 TD. 3520 FM. Lans PBTD. 3495  
 COMP. RECORD  
Lans (Old) 3197-3288 144  
Lans (New) 3312-3323 12 1800 CRA  
Co Pump 4 BOPD / 20 BOPD - 8" @238' w/150 Sx. *Dade Inc.*




(KB Spl Tops :) OLD INFO: (Was CSO #3 Gish "C")  
 Hb 3175 -1134 No DST's, OTD 3520, 5" @3520' w/175 Sx.,  
 Dg 3196 -1155 MICT CO 3496, Perf 17/3311-17, 18/3348-  
 Lans 3221 -1180 54, 15/3326-32, 18/3197-3203 (Lans) FU  
 OTD 3520 -1479 230' oil / 575' wtr/24 hrs, Sq all Perfs  
 @/200 Sx., CO Perf 44/3343-54 (Lans) S80  
 500A, No help, PB 3304, 45/3277-88, 9/3222-30, 24/3256-62, 15/  
 3225-30, 3/3198-3200, 24/3197-3206, 12/3206-10, 12/3199-3210  
 (Lans) Total 3000A, POP, P 130 BOPD, NW, 2500A, State Pot: P  
 • 24 BOPD / 33% wtr, Lans 3197-3288 - Completed 10-11-50

OXY USA, INC.  
 OKLA. CITY, OK 73126-0700

2-11-16W  
 NW SE NE

#4 BOWLBY "C" OWWO

site: 5-3/4 N & 1-1/2 W OF FAIRPORT, KS city: ELLIS APN IOG-122  
 contr: UNKNOWN field: KRUEGER  
 geol: \_\_\_\_\_  
 lr date 06/14/89 spd date 02/28/89 drlg comp 03/01/89 card issued 06/14/89 last revised 06/14/89



ELV: 2041 KB SMP  
 tops.....depth/datum  
 ANH.....1230 +811  
 TOP.....2959 -918  
 HEEB.....3172 -1131  
 TOR.....3196 -1155  
 LANS.....3216 -1175  
 CONG.....3555 -1514  
 PBTD.....3427 -1386  
 RTD OLD.....3600 -1559

IP status:  
 OIL, SHAW, INTV NA ,  
 OLD INFO: OPERATOR WAS SKELLY OIL COMPANY, 4  
 BOWLBY, SPD 01/16/50 , 01/28/50 SET 8-5/8" 1241 /  
 500 SX, 5-1/2" 3462 / 200 SX, OIL, P 426 BO & 120  
 BWPDP, SHAW 3194-3197 , LKC 3244-3320 OA , (CARD  
 ISSUED 03/10/50 )  
 CONTR: UNKNOWN  
 NO CORES OR DSTS  
 MICT - CO, PF (LKC) 3434-3440, AC 110 GAL, SWB 1/2  
 GO & 26 GWPH, RE-AC 500 GAL, SWB 1/2 GO & 5  
 GWPH, SET RBP AT 3331, PF (LKC) 3304-3310, SWB 8  
 BO & 15 BW / 5 HRS, PF (LKC) 3304-3320, AC 500 GAL,  
 SWB 124 BO & 183 BW / 10 HRS, CO TO 3307, PF (LKC)  
 3304-3307, AC 500 GAL, SWB 90 BO & 10 BW / 3 HRS,