# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION OMPLETION FORM

September 1999 Form Must Be Typed

### **WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License #6627	API No. 15 - 065-23207-00-00
Name: Prospect Oil and Gas, Inc.	
Address: Box 837	County: Graham  C _SW _ NW _ SE _ Sec Twp G _ S R 21 East
City/State/Zip: Russell, Kansas 67665	1650 feet from S / N (circle of Section
Purchaser: None	2310 feet from (E) W (circle one) Line of Section
Operator Contact Person: Brad HUtchison	Footages Calculated from Nearest Outside Section Corner:
Phone: (	(circle one) NE SE NW SW
Contractor: Name: A & A Production	Lease Name: Cook Well #: 1
License: 33237	Field Name: Cooper
Wellsite Geologist: Brad Hutchison	Producing Formation: None
Designate Type of Completion:	Elevation: Ground: 2215 Kelly Bushing: 2220
New Well Re-Entry Workover	Total Depth: 3846 Plug Back Total Depth:
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 212 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
✓ Dry — Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  Autilian Autili
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)    17-17-04     Chloride content   53000   ppm   Fluid volume   950   bbls
Plug Back Plug Back Total Depth	Dewatering method used Air Dry and Backfill
	Dewatering method used 741 517 411 5 5 5 111 5 1 1 1 1 1 1 1 1 1 1 1 1
	Location of fluid disposal if hauled offsite:
	Operator Name:
	Lease Name: License No.:
8-3-0706  Spud Date or Recompletion Date  8-12-9706  Date Reached TD Completion Date or Recompletion Date	Quarter Sec TwpS. R East West           County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, worko Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wel	
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct/to the best of my knowledge.	ulate the oil and gas industry have been fully complied with and the statements
B 11/_h	KCC Office Use ONLY
Signature: Jun Hith	
Title: Park TMEL Date: 8-29-0	N Letter of Confidentiality Received RECEIVED
Subscribed and sworn to before me this 29 day of Question	If Denied, Yes DateKANSAS CORPORATION COMMISSION
20.07	
0 •	Geologist Nepol (Necolited
Notary Public: Horiza - Haberier	QUIC Distribution CONSERVATION DIVISION WICHITA, KS
Date Commission Expires: 10.13-2010 of No State	tary Public e of Kansas o 10 13 2010
STATE OF KANSAS My App. Ex	<i>1</i> ————————————————————————————————————

Operator Name: Prospect Oil and Gas, Inc.  Sec. 10 Twp. 10 S. R. 21 East West			Lease Name: Cook County: Graham				Well #: 1					
NSTRUCTIONS: Sho ested, time tool open emperature, fluid reco lectric Wireline Logs	and closed, flowing every, and flow rate	g and shut-in s if gas to su	pressures, rface test, a	whether shalong with fi	ut-in pre	ssure re	eached sta	atic level, hydro	ostatic pressur	es, bottom	hole	
orill Stem Tests Taken		✓ Yes	□No		<b>∑</b> L	og f	Formation	(Top), Depth	and Datum	s	ample	
(Attach Additional Sheets)  Samples Sent to Geological Survey  ☐ Yes ☑ No			<b></b> ✓ No		Name Anhydrite				Тор 1697		atum 523	
ores Taken		Yes	<b></b> ✓ No	Topeka				3229	-1	009		
lectric Log Run (Submit Copy)		✓ Yes	No		Heebner		er 3436			-1216		
(Зишти Сору)					LKC				3476 -1256			
st All E. Logs Run:					Base	Kansas	s City		3713	3 -1493		
Radiation Guard Log				*	Arbu	-		3801	)1 -1581			
		Report a		RECORD	Ne	ermediate	, productio					
Purpose of String	Size Hole Drilled		Casing n O.D.)	Weig Lbs.		Setting Depth		Type of Cement	# Sacks Used	Type and Percen Additives		
Surface	12 1/4	8 5/8		24#		212		Common	160	3% cc 2	% gel	
Purpose:	Depth Top Bottorn	T	ADDITIONAL	L CEMENTII		JEEZE F	RECORD	Type and	Percent Additive	s		
Protect Casing Plug Back TD Plug Off Zone											<u> </u>	
	PERFORAT	ION RECORD	- Bridge Plu	ıgs Set/Type				ure, Shot, Ceme		ord		
Shots Per Foot	Specify	Footage of Ea	ch Interval Pe	erforated			(Am	ount and Kind of N			Depth	
								ľ	REC KANSAS CORPO	RATION CO	MISSION	
							. <u> </u>		AUG	3 0 200	7	
										CHITA, KS	SION	
TUBING RECORD	Size	Set At	· · · · · · · · · · · · · · · · · · ·	Packer /	At	Liner I		Yes N	o			
Date of First, Resumerd	Production, SWD or	Enhr.	Producing Me	ethod	Flowin	g [	Pumping	g 🔲 Gas L	.ift Ott	ner (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er	Bb	ls.	Gas-Oil Ratio		Gravity	
Disposition of Gas	METHOD OF	COMPLETION				Produc	ction Interv	al				
Vented Sold	Used on Lease		Open Hole		f. 🗍	Dually Co	omp. [	Commingled				

## ALLIED CEMENTING CO., INC.

27986

REMIT TO P.O. BOX 31

and furnish cementer and helper to assist owner or

RUSSELL, KANSAS 67665				Tussell				
DATE - 13.06	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH	
LEASE COOK	WELL#	1	LOCATION /	77	235	COUNTY	STATE	
OLD OR NEW)(Ci			- LOCATION G H	,,	455	DIKAHAM	ANSAS	
Was or freshold	Tele (Me)			12 W Tur	3			
CONTRACTOR	AEA	Dei	G. Rig # 2	OWNER		•		
	ROTAR	4 1	3848	-			tin allegative for a conjunction and an array of the conjunction of th	
HOLE SIZE 7	, w,			CEMENT	<b>~</b>	- 60	۱.	
CASING SIZE	18-544			AMOUNT OF	RDERED	5 SK 29	6 6260	
TUBING SIZE	<b></b>		PTH	designed to the standard production of the stand			Seal	
DRILL PIPE 4%	2 F -		PTH@ 3780			M. R.	_8K	
TOOL			PTH					
PRES. MAX MEAS. LINE			NIMUM OE JOINT	53/3/28 A F 5 Z		_@		
CEMENT LEFT IN	CSG			CHH				
PERI'S.						_ @ _		
DISPLACEMENT	······································			ASC		_ @		
EQUIPMENT					- <sup>@</sup>			
	EQt.	SEE INTERIALE				- @		
PUMPTRUCK C	OFTE ATTENDED	ER (Su)				@		
(3 mm)	HELPER	777	1070			4-5		
BULK TRUCK	ILLI LIX	Gara	<i>y</i>	eringing		(m)		
<b>/</b> ^\	ORIVER	Pa	,	Tr or organization and group		@		
BULK TRUCK		00	deposituação em 1, pa ga		The state of the s	@		
	DRIVER					. @	- Stage's manademakan pagapakan pagapan pagapan pagapan	
			- HANDLING_					
	, i. Deta	MADEC.		MILEAGE	12 TON N	110	-	
ا رخانیان میشداد از م		MARKS:				TOTAL		
	1000	3980	=3725		e .			
		730			SERVI	Œ		
100 30	<u>(e)</u>		915	The second secon				
40 St	<u> </u>		260	DEPTH OF JO		RECEI	VED-	
15 3	0	AT Hole	***************************************	PUMP TRUCK		ANSAS CORPORATI	ON COMMISSION	
		di Lak		EXTRA FOOT MILEAGE		@ AUC 2.0	2007	
the first and the continuous and consequences upon the company of the continuous and continuous and continuous	***************************************	, , , , , , , , , , , , , , , , , , , ,	THAKS	•		@ AUG 3 () @	2007	
14 - Advisor Will Marchaell adaption production values (4.6.1741 ) . (A: 11 or Europe) /4		The state of the s		- MANIFOLD _		CONSERVATIO		
$\bigcirc$			. 10	***************************************		- WICHIT/ @	<del>KS</del>	
CHARGE TO:	ROCPI	CT	My Elnas	**************************************				
•	4			-		TOTAL		
STREET	······································					iome		
CITY	STA	ATE	ZIP	_				
				]	PLUG & FLOAT	EQUIPMEN	T	
			,	898 DRV	Hole Plus			
					7	(a)		
						@		
To Allied Cementi	ng Co., I	nc.		and A with the same than the same and the sa		@	***************************************	
			nenting equipment			@	. <del></del>	

### ALLIED CEMENTING CO., INC. Federal Tax I.D.

27977

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SE	RVICE POINT:				
DATE 7 6 SEC. TWP. RANGE 2/	CALLED OUT ON LOCATION					
#/	1)-(YD 20	COUNTY STATE				
HASE WELL# LOCATION	HUF (JUL) SS	GRAHAM KANSA				
OLD OR NEW (Circle one)	W DA TATO					
CONTRACTOR A EA DRLG RIGH 2	OWNER					
HOLE SIZE 12 4 T.D. 2/9	CHAR GEORIES					
CASING SIZE 278 DEPTH 3/9	AMOUNT ORDERED 160 SK Coung					
FUBING SIZE DEPTH	20 00 A 4 A	o sk com				
DRILL PIPE DEPTH	3200 2% GeL					
TOOL DEPTH						
PRES. MAX MINIMUM	COMMON	6				
MEAS. LINE SHOE JOINT	COMMONPOZMIX					
CEMENT LEFT IN CSG. 15	CHI					
PERFS.						
DISPLACEMENT 13 /BBL	CHLORIDE	@ 				
EQUIPMENT	ASC	(A)				
EQUIPMENT						
DUMANTINI COLL COLL COLL COLL COLL COLL COLL COL		@				
PUMP TRUCK CEMENTER		@				
# HELPER COLRY	***************************************	(a)				
BULK TRUCK		@				
# DRIVER						
BULK TRUCK # DRIVER		<u>@</u>				
# DRIVER	HANDLING	@				
	MILEAGE 72 Townsile					
REMARKS:	,	TOTAL				
	ŠERV	TICE				
- Coment		RECEIVED				
1 PRULATEI	DEPTH OF JOB	KANSAS CORPORATION COMMISSION				
- CANCALATIC	PUMP TRUCK CHARGE					
The state of the s	EXTRA FOOTAGE	@AUG 3 0 2007				
- the sail	MILEAGE 72	© CONSERVATION DIVISION				
//18/1100	MANIFOLD	WICHITA KS				
		<u>(</u>				
CHARGE TO: TROSPECT () LE COAS		<u> </u>				
CHARGE TO: 1005 Pec 7 (115		, Ì				
STREET		TOTAL				
		The same of the sa				
CITY STATE ZIP	PLUG & RI OA	T EQUIPMENT				
$(\mathcal{A}_{\mathcal{A}})^{\mathcal{A}}$	m Shi	A LANGE TARREST A				
	& MUDDEN WIPUR	Plug				
/P APP 177 - 2 - 2 - 1		@				
To Allied Cementing Co., Inc.	+	<u>@</u>				
You are hereby requested to rent cementing equipment		@				
and furnish cementer and helper to assist owner or		@				