

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

Operator: License # 04824

Name: PIONEER NATURAL RESOURCES USA, INC.

Address ATTN: ANGIE HERNANDEZ - ROOM 1357  
5205 N. O'CONNOR BLVD.

City/State/Zip IRVING, TX 75039

Purchaser: PNR

Operator Contact Person: ANGIE HERNANDEZ

Phone ( 972 ) 444-9001

Contractor: Name: VAL DRILLING

License: 5822

Wellsite Geologist: \_\_\_\_\_

Designate Type of Completion

New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core; WSW, Expl., Cathodic, etc.)

If Workover/Reentry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Deepening  Re-perf.  Conv. to Inj/SWD

Plug Back  PBDT

Commingled Docket No. \_\_\_\_\_

Dual Completion Docket No. \_\_\_\_\_

Other (SWD or Inj?) Docket No. \_\_\_\_\_

5/21/00 5/24/00 6/21/00

Spud Date Date Reached TD Completion Date

API NO. 15- 081-21277-0000

County HASKELL

-E/2 -SW/4 -NW/4 Sec. 26 Twp. 29S Rge. 34W  E  W

1980' FNL Feet from S (circle one) Line of Section

1250' FWL Feet from E/W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE, SE, NW or SW (circle one)

Lease Name SOUTHWEST COLLEGE Well # 2-26

PANOMA FIELD

Producing Formation COUNCIL GROVE

Elevation: Ground 2962' KB 2967'

Total Depth 2995' PBDT 2951'

Amount of Surface Pipe Set and Cemented at 685.42' Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cm.

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit) alt I Kgr 1/9/08

Chloride content 1000 ppm Fluid volume 3000 bbls

Dewatering method used DRY OUT/EVAPORATION/BACKFILL

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name \_\_\_\_\_

Lease Name \_\_\_\_\_ License No. \_\_\_\_\_

\_\_\_\_\_ Quarter Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S Rge. \_\_\_\_\_ E/W

County \_\_\_\_\_ Docket No. \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Angie Hernandez

Title SR. ENGINEERING TECH Date 6/22/01

Subscribed and sworn to before me this 22nd day of JUNE 2001

Notary Public Deborah Pollock

Date Commission Expires 4-2-2005

**DEBORAH POLLOCK**  
Notary Public, State of Texas  
My commission expires 04-02-2005

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Drillers Timelog Received  
Distribution  
KCC  SWD/Rep  NGPA  
KGS  Plug  Other  
(Specify)

Operator Name PIONEER NATURAL RESOURCES USA, INC. Lease Name SOUTHWEST COLLEGE Well # 2-26  
 Sec. 26 Twp. 29S Rge. 34W  East County HASKELL  
 West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken (Attach Additional Sheets.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datums	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	CHASE	2540'	MD
Electric Log Run (Submit Copy.)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	KRIDER	2596'	MD
List All E.Logs Run: SONIC CEMENT BOND LOG COMPENSATED NEUTRON LOG		FT. RILEY	2757'	MD
		COUNCIL GROVE	2868'	MD

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12-1/4"	8-5/8"	24#	685.42'	LT. PREM+	350	2%CaCl2
PRODUCTION	7-7/8"	5-1/2"	15.5#	2995'	15/85 POZMX	530	2%CaCl2
					PREM+8% Gel		

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
Perforate				
Protect Casing				
Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	2882' - 2926' (44' w/ 89 Holes)	ACDZ 2912 GAL 15% HCl-Fe @ 8.8 BPM	
		FLUSH w/2904 GAL WF120. FRAC 14138	
		GAL WF120 GEL FOAM; 13960# 100	
		MESH SAND DIVERTA FRAC @ 15 BPM	

TUBING RECORD	Size 2-3/8"	Set At 2951'	Packer At N / A	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Inj. 6/26/00	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. 0	Gas Mcf 65	Water Bbls. 0	Gas-Oil Ratio --
				Gravity --

Disposition of Gas: **METHOD OF COMPLETION** Production Interval  
 Vented  Sold  Used on Lease  Open Hole  Perforation  Dually Comp.  Commingled 2882' - 2926'  
 (If vented, submit ACO-18.)  Other (Specify) \_\_\_\_\_

SOLD TO

SHIP TO



PIONEER NATURAL RES U S A INC  
PO BOX 3178  
MIDLAND TX 79702  
USA

WELL OPERATOR  
PIONEER NAT RES SW  
COLLEGE 2-26, HASK  
LEASE NAME / OFFSHORE AREA  
SW COLLEGE  
WELL NUMBER  
2-26  
WELL PERMIT NO.  
SEC26-29S-34W  
ADDRESS  
\*  
CITY, STATE, ZIP CODE

Halliburton Energy Services, Inc.

TICKET TYPE	COMPANY CODE	HALLIBURTON ORDER NO.
Services	1100	639802
CUSTOMER P.O. NO.	JOB DATE	PRIMARY SERVICE LOC.
N/A	05/24/2000	Liberal, KS, USA

SALES OFFICE	WELL TYPE	WELL CATEGORY	RIG NAME / NO.
Mid-Continent BD	Oil	Development	PIONEER NATURAL RES U S A I

ITEM	MATERIAL	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
------	----------	-------------	-----	------	------------	--------

10	7523	PSL-CMT CEMENT PRODUCTION CASING-BOM Liberal, KS, USA Hwy 54 West JP035	1.00	JOB	0.00	0.00
20	1	MILEAGE FROM NEAREST HES BASE,/UNIT Liberal, KS, USA Hwy 54 West 000-117 With the following configuration: Number of Units	30	MI	4.05	121.50
			30	MI	2.11-	63.18-
			30	MI	1.94	58.32
30	2	MILEAGE FOR CEMENTING CREW,ZI Liberal, KS, USA Hwy 54 West 000-119 With the following configuration: Number of Units	30	MI	2.38	71.40
			30	MI	1.24-	37.13-
			30	MI	1.14	34.27

**VENDOR**

LSE/WELL	GEN	SUB	AMOUNT	SVC. DATE
015	309			5-24-00
<b>AFE #</b>	<b>000559</b>			<b>APPROVAL D.H</b>

INVOICE INSTRUCTIONS	
PAYMENT TERMS net due 45 days	HALLIBURTON APPROVAL
HALLIBURTON OPERATOR / ENGINEER <i>Nick Karbe</i>	CUSTOMER SIGNATURE <i>David W. Higgins</i>

TOTAL FROM THIS PAGE	92.59
TOTAL FROM NEXT PAGE(S)	10,367.11
SUBTOTAL	10,459.70
TAXES	620.29
GRAND TOTAL	11,079.99
	US Dollars

ORIGINAL



Halliburton Energy Services, Inc.

ITEM	MATERIAL	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
40	16091	CSG PUMPING,0-4 HRS,ZI				
	Liberal, KS, USA Hwy 54 West		1.00	EA	1,962.00	1,962.00
			1.00	EA	1,020.24-	1,020.24-
			1.00	EA	941.76	941.76
		001-016				
		CSG PUMPING,0-4 HRS,ZI				
		With the following configuration:				
		DEPTH	2,995			
		FEET/METRES (FT/M)	FT			
50	7	ENVIRONMENTAL SURCHARGE,/JOB,ZI				
	Liberal, KS, USA Hwy 54 West		1.00	JOB	60.00	60.00
		000-150				
60	132	PORTABLE DAS,/DAY/JOB,ZI				
	Liberal, KS, USA Hwy 54 West		1.00	JOB	829.00	829.00
			1.00	JOB	621.75-	621.75-
			1.00	JOB	207.25	207.25
		045-050				
		With the following configuration:				
		NUMBER OF DAYS	1	Days		
70	100003142	PLUG,CMTG,TOP AL,5 1/2 13-23# & 5 3/4				
	Liberal, KS, USA Hwy 54 West		1.00	EA	70.16	70.16
			1.00	EA	36.48-	36.48-
			1.00	EA	33.68	33.68
		402.1505				
		PLUG - CMTG - TOP ALUM - 5-1/2 13-23#				
		& 5-3/4 19.5-22.5#				
90	100003729	CHEMICAL - CLAYFIX II (HALTANK)				
	Liberal, KS, USA Hwy 54 West		3.00	GAL	36.09	108.27
			3.00	GAL	18.77-	56.30-
			3.00	GAL	17.32	51.97
		314-163 516.00472				
		CHEMICAL - CLAYFIX II - IN HAL TANK				
		BULK SHIPMENTS - FRESNO, TX. -				
		8.4545 LBS. PER GAL.				

ORIGINAL



Halliburton Energy Services, Inc.

ITEM	MATERIAL	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
	LOCATION					
100	66994	SBM Modified Hall Light Cmt Prem Plus				
	Hugoton, KS, USA		360.00	SK	17.10	6,156.00
			360.00	SK	8.89-	3,201.12-
			360.00	SK	8.21	2,954.88
140	100012205	Cement- Class C / Premium (Bulk)				
	Hugoton, KS, USA		170.00	SK	16.68	2,835.60
			170.00	SK	8.67-	1,474.51-
			170.00	SK	8.01	1,361.09
		504-050516.00265 CEMENT - CLASS C - PREMIUM - BULK				
150	100005053	Chemical - Calcium Chloride Hi Test Plt				
	Hugoton, KS, USA		10.00	SK	48.85	488.50
			10.00	SK	25.40-	254.02-
			10.00	SK	23.45	234.48
		509-406890.50812 CALCIUM CHLORIDE - HI TEST PELLET - 94-97% CACL 2 - 80# BAG				
160	100005049	Chemical - Flocele (25 lb sk)				
	Hugoton, KS, USA		133.00	LB	2.22	295.26
			133.00	LB	1.15-	153.54-
			133.00	LB	1.07	141.72
		XXXXXXXX 890.50071 FLOCELE - 3/8 - 25 LB SACK				
170	100003700	Chemical- Gilsonite (Bulk)				
	Hugoton, KS, USA		4,450.00	LB	0.62	2,759.00
			4,450.00	LB	0.32-	1,434.68-
			4,450.00	LB	0.30	1,324.32
		508-292516.00337 CHEMICAL - GILSONITE - BULK				
180	101206563	Chemical - Halad-12 (50 lb)				
	Hugoton, KS, USA		80.00	LB	10.36	828.80
			80.00	LB	5.39-	430.98-
			80.00	LB	4.97	397.82

ORIGINAL



Halliburton Energy Services, Inc.

ITEM	MATERIAL	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
		NEW CHEMICAL				
190	101007446	CHEMICAL - D-AIR 3000	40.00	LB	4.56	182.40
	Hugoton, KS, USA		40.00	LB	2.37-	94.85-
			40.00	LB	2.19	87.55
		Chemical - D-Air 3000				
200	3965	HANDLE&DUMP SVC CHRG, CMT&ADDITIVES,ZI	701.00	CF	1.76	1,233.76
	Hugoton, KS, USA		701.00	CF	0.92-	641.56-
			701.00	CF	0.84	592.20
		500-207				
		With the following configuration:				
		NUMBER OF EACH	1	each		
210	3975	MILEAGE,CMTG MTLs DEL/RETURNED,ZI	2,004.0	TMI	1.39	2,785.56
	Hugoton, KS, USA		2,004.0	TMI	0.72-	1,448.49-
			2,004.0	TMI	0.67	1,337.07
		500-306				
		With the following configuration:				
		NUMBER OF TONS	1.00	ton		
220	100004723	SHOE - GUIDE - 5-1/2 8RD	1.00	EA	190.00	190.00
	Liberal, KS, USA Hwy 54 West		1.00	EA	98.80-	98.80-
			1.00	EA	91.20	91.20
		12A825.205				
		SHOE - GUIDE - 5-1/2 8RD				
230	100004699	V ASSY,INSR FLOAT,51/2,8RD 14-20#	1.00	EA	225.00	225.00
	Liberal, KS, USA Hwy 54 West		1.00	EA	117.00-	117.00-
			1.00	EA	108.00	108.00
		24A - 815.19251				
		VALVE ASSY - INSERT FLOAT - 5-1/2 8RD				
		14-20#				

ORIGINAL



Halliburton Energy Services, Inc.

ITEM	MATERIAL	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
240	100013932	FILLUP ASSY - 1.000 ID - 5-1/2 -				
	Liberal, KS, USA Hwy 54 West		1.00	EA	45.00	45.00
			1.00	EA	23.40-	23.40-
			1.00	EA	21.60	21.60
		27815.19311				
		FILLUP ASSY - 1.000 ID - 5-1/2 -				
		6-5/8 INSERT FLOAT VALVE				
250	100004476	CTRZR ASSY,5 1/2 CSG X 7 7/8 HOLE,HINGED				
	Liberal, KS, USA Hwy 54 West		12.00	EA	70.00	840.00
			12.00	EA	36.40-	436.80-
			12.00	EA	33.60	403.20
		806.60022				
		CENTRALIZER ASSY - API - 5-1/2 CSG X				
		7-7/8 HOLE - HINGED - W/WELDED				
		IMPERIAL BOWS				
270	100004639	COLLAR-STOP-5 1/2"-W/DOGS				
	Liberal, KS, USA Hwy 54 West		1.00	EA	17.65	17.65
			1.00	EA	9.18-	9.18-
			1.00	EA	8.47	8.47
		XXXXXXXX 806.72730				
		CLAMP - LIMIT - 5-1/2 - FRICTION -				
		W/DOGS				
280	100005045	HALLIBURTON WELD-A KIT				
	Liberal, KS, USA Hwy 54 West		1.00	EA	18.43	18.43
			1.00	EA	9.58-	9.58-
			1.00	EA	8.85	8.85
		HALLIBURTON WELD-A KIT				
		INVOICE AMOUNT				10,459.70
		Sales Tax - State				494.46
		Sales Tax - County				24.91
		Sales Tax - City/Loc				100.92
		INVOICE TOTAL				11,079.99
						US Dollars

ORIGINAL



Halliburton Energy Services, Inc.

SOLD TO

PIONEER NATURAL RES U S A INC  
 PO BOX 3178  
 MIDLAND TX 79702  
 USA

SHIP TO

WELL OPERATOR  
 PIONEER NAT RES SW  
 COLLEGE2-26,HASK  
 LEASE NAME / OFFSHORE AREA  
 SW COLLEGE  
 WELL NUMBER  
 2-26  
 WELL PERMIT NO.  
 SEC26-29S-34W  
 ADDRESS  
 \*  
 CITY, STATE, ZIP CODE

TICKET TYPE	COMPANY CODE	HALLIBURTON ORDER NO.
Services	1100	628312
CUSTOMER P.O. NO.	JOB DATE	PRIMARY SERVICE LOC.
N/A	05/21/2000	Liberal, KS, USA

SALES OFFICE	WELL TYPE	WELL CATEGORY	RIG NAME / NO.
Mid-Continent BD	Oil	Development	PIONEER NATURAL RES U S A I

ITEM	MATERIAL	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
10	7521	PSL-CMT Cement Surface Casing-BOM Liberal, KS, USA Hwy 54 West JP010	1.00	JOB	0.00	0.00
20	1	MILEAGE FROM NEAREST HES BASE,/UNIT Liberal, KS, USA Hwy 54 West 000-117 With the following configuration: Number of Units	30	MI	4.05	121.50
			30	MI	2.11-	63.18-
			30	MI	1.94	58.32
30	2	MILEAGE FOR CEMENTING CREW,ZI Liberal, KS, USA Hwy 54 West 000-119 With the following configuration: Number of Units	30	MI	2.38	71.40
			30	MI	1.24-	37.13-
			30	MI	1.14	34.27

**VENDOR**

LSEWELL	GEN	SUB	AMOUNT	SVC. DATE
	015	309		5-21-00
AFE #			000559	APPROVAL D.H

INVOICE INSTRUCTIONS	HALLIBURTON APPROVAL
PAYMENT TERMS net due 45 days	CUSTOMER SIGNATURE <i>David W. Higgins</i>
HALLIBURTON OPERATOR / ENGINEER <i>Nick Karbe</i>	

TOTAL FROM THIS PAGE	92.59
TOTAL FROM NEXT PAGE(S)	5,410.95
SUBTOTAL	5,503.54
TAXES	338.16
GRAND TOTAL	5,841.70*
	US Dollars

ORIGINAL





Halliburton Energy Services, Inc.

ITEM	MATERIAL	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
	LOCATION					
40	16091	CSG PUMPING,0-4 HRS,ZI				
	Liberal, KS, USA Hwy 54 West		1.00	EA	1,778.00	1,778.00
			1.00	EA	924.56-	924.56-
			1.00	EA	853.44	853.44
		001-016				
		CSG PUMPING,0-4 HRS,ZI				
		With the following configuration:				
		DEPTH	640			
		FEET/METRES (FT/M)	FT			
60	7	ENVIRONMENTAL SURCHARGE,/JOB,ZI				
	Liberal, KS, USA Hwy 54 West		1.00	JOB	60.00	60.00
		000-150				
70	100003163	PLUG-CMTG-TOP PLASTIC-8-5/8				
	Liberal, KS, USA Hwy 54 West		1.00	EA	196.00	196.00
			1.00	EA	101.92-	101.92-
			1.00	EA	94.08	94.08
		402.15781				
		PLUG - CMTG - TOP PLASTIC - 8-5/8				
		24-49#				
90	14241	SBM Halliburton Light Premium Plus				
	Hugoton, KS, USA		215.00	SK	13.71	2,947.65
			215.00	SK	7.13-	1,532.78-
			215.00	SK	6.58	1,414.87
		504-120				
130	100005053	Chemical - Calcium Chloride Hi Test Plt				
	Hugoton, KS, USA		7.00	SK	49.85	348.95
			7.00	SK	25.92-	181.45-
			7.00	SK	23.93	167.50
		509-406890.50812				
		CALCIUM CHLORIDE - HI TEST PELLET -				
		94-97% CACL 2 - 80# BAG				

ORIGINAL



Halliburton Energy Services, Inc.

ITEM	MATERIAL	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
140	100005049 Hugoton, KS, USA	Chemical - Flocele (25 lb sk)	88.00	LB	2.22	195.36
			88.00	LB	1.15-	101.59-
			88.00	LB	1.07	93.77
			XXXXXXX 890.50071 FLOCELE - 3/8 - 25 LB SACK			
150	100012205 Hugoton, KS, USA	Cement- Class C / Premium (Bulk)	135.00	SK	16.68	2,251.80
			135.00	SK	8.67-	1,170.94-
			135.00	SK	8.01	1,080.86
			504-050516.00265 CEMENT - CLASS C - PREMIUM - BULK			
160	3965 Hugoton, KS, USA	HANDLE&DUMP SVC CHR, CMT&ADDITIVES,ZI	382.00	CF	1.76	672.32
			382.00	CF	0.92-	349.61-
			382.00	CF	0.84	322.71
			500-207 With the following configuration: NUMBER OF EACH		1	each
170	3975 Hugoton, KS, USA	MILEAGE,CMTG MTLs DEL/RETURNED,ZI	1,159.0	TMI	1.39	1,611.01
			1,159.0	TMI	0.72-	837.73-
			1,159.0	TMI	0.67	773.28
			500-306 With the following configuration: NUMBER OF TONS		1.00	ton
180	100004727 Liberal, KS, USA Hwy 54 West	SHOE - GUIDE - 8-5/8 8RD	1.00	EA	299.00	299.00
			1.00	EA	155.48-	155.48-
			1.00	EA	143.52	143.52
			12A825.217 SHOE - GUIDE - 8-5/8 8RD			

ORIGINAL



Halliburton Energy Services, Inc.

ITEM	MATERIAL	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
	LOCATION					
190	100004702	VALVE ASSY-INSERT FLOAT-8-5/8				
	Liberal, KS, USA Hwy 54 West		1.00	EA	328.00	328.00
			1.00	EA	170.56-	170.56-
			1.00	EA	157.44	157.44
		24A- 815.19502				
		VALVE ASSY - INSERT FLOAT - 8-5/8 8RD				
		CSG 24#				
200	100013933	FILLUP ASSY - 1.500 ID - 7 IN. - 8-5/8				
	Liberal, KS, USA Hwy 54 West		1.00	EA	45.00	45.00
			1.00	EA	23.40-	23.40-
			1.00	EA	21.60	21.60
		815.19405				
		FILLUP ASSY - 1.500 ID - 7 IN. - 8-5/8				
		INSERT FLOAT VALVE				
210	100004521	CENTRALIZER ASSY - 8-5/8 CSG X 12-1/4				
	Liberal, KS, USA Hwy 54 West		4.00	EA	71.40	285.60
			4.00	EA	37.13-	148.51-
			4.00	EA	34.27	137.09
		40806.61048				
		CENTRALIZER ASSY - 8-5/8 CSG X 12-1/4				
		HOLE - HINGED - W/WELDED STANDARD				
		BOWS				
220	100004616	BASKET-CMT-8-5/8 CSG-SLIP-ON-S				
	Liberal, KS, USA Hwy 54 West		1.00	EA	146.00	146.00
			1.00	EA	75.92-	75.92-
			1.00	EA	70.08	70.08
		806.71460				
		BASKET - CEMENT - 8-5/8 CSG - SLIP-ON				
		- STEEL BOWS - CANVAS				
230	100004642	CLP,LIM,8 5/8,FRICT,WTH DOGS				
	Liberal, KS, USA Hwy 54 West		1.00	EA	24.70	24.70
			1.00	EA	12.84-	12.84-
			1.00	EA	11.86	11.86
		XXXXXXXX 806.72750				

ORIGINAL



Halliburton Energy Services, Inc.

ITEM	MATERIAL	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
		CLAMP - LIMIT - 8-5/8 - FRICTION - W/DOGS				
240	100005045	HALLIBURTON WELD-A KIT				
	Liberal, KS, USA Hwy 54 West		1.00	EA	18.43	18.43
			1.00	EA	9.58	9.58
			1.00	EA	8.85	8.85
		HALLIBURTON WELD-A KIT				
		INVOICE AMOUNT				5,503.54
		Sales Tax - State				262.18
		Sales Tax - County				22.46
		Sales Tax - City/Loc				53.52
		INVOICE TOTAL				5,841.70
						US Dollars

ORIGINAL