

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1  
September 1999  
Form Must Be Typed

**ORIGINAL**

Operator: License # 4058  
Name: American Warrior, Inc.  
Address: P. O. Box 399  
City/State/Zip: Garden City, KS 67846  
Purchaser: N/A  
Operator Contact Person: Kevin Wiles, Sr.  
Phone: ( 620 ) 275-2963  
Contractor: Name: Duke Drilling Co., Inc.  
License: 5929  
Wellsite Geologist: Jim Dilts

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

9-1-06	9-9-06	9-10-06
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 007-23,053-00-00  
County: Barber  
SE NE NW Sec. 35 Twp. 31 S. R. 15  East  West  
990 FNL feet from S / N (circle one) Line of Section  
2300 FWL feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Alexander Well #: 1-35  
Field Name: WILDCAT  
Producing Formation: N/A  
Elevation: Ground: 1883' Kelly Bushing: 1896'  
Total Depth: 4914' Plug Back Total Depth: N/A  
Amount of Surface Pipe Set and Cemented at 313' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan** ALT IWH  
(Data must be collected from the Reserve Pit) 3-11-08  
Chloride content 11,000 ppm Fluid volume 320 bbls  
Dewatering method used Hauled Off Site

Location of fluid disposal if hauled offsite:  
Operator Name: American Warrior, Inc.  
Lease Name: Alexander N 1 License No.: 4058  
Quarter SW Sec. 11 Twp. 32 S. R. 15  East  West  
County: Barber Docket No.: D-28,554

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Compliance Coordinator Date: 12-12-06  
Subscribed and sworn to before me this 13<sup>th</sup> day of Dec, 2006.  
Notary Public: [Signature]  
Date Commission Expires: 11/4/07  
**DEBRA J. PURCELL**  
Notary Public, State of Kansas  
My Appt. Expires 11/4/07

**KCC Office Use ONLY**

Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
**DEC 15 2006**

**KCC WICHITA**

Operator Name: American Warrior, Inc. Lease Name: Alexander Well #: 1-35  
 Sec. 35 Twp. 31 S. R. 15  East  West County: Barber

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

Log Formation (Top), Depth and Datum  Sample  
 Name Top Datum

Dual Induction Log; Dual Compensated Porosity Log; Microresistivity Log, Borehole Compensated Sonic Log;

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Pipe	12-1/4"	8-5/8"	24#	313'	60/40	275 sx	3% CC 2% GEL

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	N/A			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	D & A		

TUBING RECORD	Size	Set At	Packer At	Liner Run
NONE				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr. \_\_\_\_\_ Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	N/A	N/A	N/A		

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) PLUGGED 9-10-06

Production Interval \_\_\_\_\_

**RECEIVED**  
**DEC 15 2006**  
**KCC WICHITA**

# ALLIED CEMENTING CO., INC.

2408

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
med. lodge

DATE <u>9-10-06</u>	SEC. <u>35</u>	TWP. <u>31s</u>	RANGE <u>15W</u>	CALLED OUT <u>10:00 A.M.</u>	ON LOCATION <u>3:00 P.M.</u>	JOB START <u>4:00 P.M.</u>	JOB FINIS <u>5:30</u>
LEASE <u>Alexander</u>	WELL # <u>#1-35</u>	LOCATION <u>1604 Sun City RD.</u>			COUNTY <u>Comanche</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>2H-E/Into</u>				

CONTRACTOR Duke #7  
 TYPE OF JOB Rotary Plug  
 HOLE SIZE 7 7/8 T.D.  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 100 MINIMUM 75  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER American Warrior

CEMENT AMOUNT ORDERED 145 SX 60' 40' 6% GEL

**EQUIPMENT**

PUMP TRUCK # 343 CEMENTER Larry Dreiling  
 HELPER Thomas D  
 BULK TRUCK # 364 DRIVER Denny S.  
 BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>87</u>	<u>A</u>	@	<u>10.65</u>	<u>926.55</u>
POZMIX	<u>58</u>		@	<u>5.80</u>	<u>336.40</u>
GEL	<u>8</u>		@	<u>16.65</u>	<u>133.20</u>
CHLORIDE			@		
ASC			@		
			@		
			@		
			@		
			@		
			@		
			@		
			@		
HANDLING	<u>153</u>		@	<u>1.90</u>	<u>290.70</u>
MILEAGE	<u>20</u>	<u>x 153</u>	<u>x .09</u>		<u>275.40</u>
<b>TOTAL</b>					<u>1962.25</u>

**REMARKS:**

50 SX - 690'  
50 SX - 330'  
20 SX - 60'  
15 SX - RH  
10 SX - MH  
Cemented w/ 145 SX 60' 40' 6% GEL

**SERVICE**

DEPTH OF JOB	<u>690'</u>
PUMP TRUCK CHARGE	<u>815.00</u>
EXTRA FOOTAGE	@ _____
MILEAGE	<u>20</u> @ <u>6.00</u> <u>120.00</u>
MANIFOLD	@ _____
	@ _____
	@ _____

CHARGE TO: American Warrior  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**TOTAL** 935.00

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

**ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING** TOTAL \_\_\_\_\_

TAX \_\_\_\_\_  
 TOTAL CHARGE ~~\_\_\_\_\_~~  
 DISCOUNT ~~\_\_\_\_\_~~ IF PAID IN 30 DAYS

SIGNATURE x *Galen D Rank*

x *Galen D Rank*  
 PRINTED NAME

# ALLIED CEMENTING CO., INC.

24607

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Medicine Lodge

DATE <u>9-01-06</u>	SEC. <u>35</u>	TWP. <u>31S</u>	RANGE <u>15W</u>	CALLED OUT <u>7:30 P.M.</u>	ON LOCATION <u>9:00 P.M.</u>	JOB START <u>12:00 AM</u>	JOB FINISH <u>12:30 AM</u>
LEASE <u>Alameda</u>	WELL # <u>1-35</u>	LOCATION <u>160 d Sun City Rd.</u>	COUNTY <u>Barber</u>	STATE <u>KS</u>			
OLD OR <input checked="" type="radio"/> NEW (Circle one)	2N <u>EPINTO</u>						

CONTRACTOR Duke #7

TYPE OF JOB Surface

HOLE SIZE 12"4 T.D. 315

CASING SIZE 850 DEPTH 314

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2 DEPTH 315

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 200 PSI MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 15 FT

CEMENT LEFT IN CSG. 15 FT

PERFS. \_\_\_\_\_

DISPLACEMENT Fresh water 19 BBS

EQUIPMENT \_\_\_\_\_

OWNER American Warrior

CEMENT

AMOUNT ORDERED 275x60:40:2 + 2%cc + 1% A/C

COMMON	<u>165 A</u>	@	<u>10.65</u>	<u>1757.25</u>
POZMIX	<u>110</u>	@	<u>5.80</u>	<u>638.00</u>
GEL	<u>5</u>	@	<u>16.65</u>	<u>83.25</u>
CHLORIDE	<u>6</u>	@	<u>46.65</u>	<u>279.90</u>
ASC		@		
	<u>Ammonium Chloride 5</u>	@	<u>40.30</u>	<u>201.50</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>291</u>	@	<u>1.90</u>	<u>552.90</u>
MILEAGE	<u>20 x 291</u>	x	<u>.09</u>	<u>523.80</u>
				TOTAL <u>4036.60</u>

PUMP TRUCK CEMENTER David W,

# 372 HELPER Darin F,

BULK TRUCK

# 363 DRIVER Larry F,

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

Pipe on bottom Break line  
Pump 275x60:40:2+2%cc  
+1% A/C Release Plug  
Displace w/ 19 BBS  
Shot in Cement did pipe  
Wash up Rig Down,

SERVICE

DEPTH OF JOB	<u>314</u>		
PUMP TRUCK CHARGE	<u>0-300'</u>		<u>815.00</u>
EXTRA FOOTAGE	<u>14'</u>	@	<u>.65</u> <u>9.10</u>
MILEAGE	<u>20</u>	@	<u>6.00</u> <u>120.00</u>
MANIFOLD	<u>Head Rent</u>	@	<u>100.00</u> <u>100.00</u>
		@	
		@	

CHARGE TO: American Warrior

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL 1044.10

8 5/8" PLUG & FLOAT EQUIPMENT

1-Rubber Plug	@	<u>100.00</u>	<u>100.00</u>
	@		
	@		
	@		
	@		

ANY APPLICABLE TAX  
WILL BE CHARGED  
UPON INVOICING

TOTAL 100.00

TAX \_\_\_\_\_

TOTAL CHARGE ~~1044.10~~

DISCOUNT ~~100.00~~ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE X Galen D Ronch

X Galen D Ronch  
PRINTED NAME