## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

WEEL ING. OIL DESCRIP	OPICINAL
Operator: License # 33264	API No. 15 - 099-23313-00-00
Name: Central Production Co. Inc.	County: Labette
Address: P.O.Box 334	NE _SW NE Sec. 10 Twp. 35 S. R. 21
City/State/Zip: Mound City, KS 66056	3520 feet from S N (circle one) Line of Section
Purchaser:	1472 feet from (E) W (circle one) Line of Section
Operator Contact Person: John Sperry RECEIVED	Footages Calculated from Nearest Outside Section Corner:
Phone: (417 ) 684-4294 JAN 2 0 2005	(circle one) NE (SE) NW SW
Contractor: Name: David Casey	Lease Name: Barr Well #: B13
License: 33274 KCC WICHITA	Field Name: Chetopa
Wellsite Geologist: Jim Christiansen	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 831.45 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 120 Plug Back Total Depth:
✓ Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to SURFAGE w/ 26 sx cmt.
Well Name:	
Original Comp. Date:Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No	Dewatering method used No fluid, drilled with air
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
5/17/04 6/15/04	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature:	KCC Office Use ONLY
Title: Vice-president - Engr Date: 1/05/05	Letter of Confidentiality Received
Subscribed and sworn to before me this The day of	If Denied, Yes Date:
	Wireline Log Received
2000	Geologist Report Received
Notary Public: CINDY A LATHROP	UIC Distribution
Date Commission Expires: Notary Public - Notary Seal	
STATE OF MISSOURI  Vernon County	
My Commission Expires: April 25, 2008	

JIUC I NU

erator³Name: Central Production Co. Inc. Lease Name:								
ec. 10 Twp. 35	S. R. 21	✓ East  West	County: Labe	tte				
sted, time tool open imperature, fluid reco	and closed, flowin	and base of formations p g and shut-in pressures, ss if gas to surface test, a final geological well site	whether shut-in pr along with final cha	essure reached	static level, hydr	ostatic pressure	es, bottom hole	
rill Stem Tests Taken		☐ Yes    No		₋og Format	ion (Top), Depth	and Datum	<u></u> Sample	
(Attach Additional Sheets) Samples Sent to Geological Survey		Yes No	Nan Bart	ne lesville	Тор 91-120		Datum GL	
Cores Taken Yes						<u> </u>		
		CASING Report all strings set-		tew 🔽 Used termediate, produ	ction, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12-1/4	8	24	20	Type I	6		
Production	7-5/8	4-1/2	10.6	91	Type I	26		
Purpose:	ADDITIONAL CE		#Sacks Used	Type and Percent Additives				
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom							
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth				
					RECE	IVED		
					JAN 2	2005		
					KCC W	ICHITA		
TUBING RECORD 1 in	Size <b>ch</b>	Set At 119	Packer At none	Liner Run	Yes V	0		
Date of First, Resumerd	Production, SWD or	Enhr. Producing Me	thod	ng 🗹 Pump	oing Gas L	.ift 🔲 Othe	ər <i>(Explain)</i>	
Estimated Production Per 24 Hours	Oil < 0.1	Bbls. Gas	Mcf Wa		Bbls.	Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF	COMPLETION		Production Inte	erval	** · · · · · · · · · · · · · · · · · ·		
Vented Sold (If vented, Sub	Used on Lease	✓ Open Hole Other (Specific Control of the Control of t		Dually Comp.	Commingled .			

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUI	MBER 31838
LOCATION	Chanute
FOREMAN_	Dwayne

## TREATMENT REPORT

The second second		# 13	.•						
DATE /	CUSTOMER#		FORMATION		TRUCK #	DRIVER	TRUCK #	DRIVER	
2/ /64		Barr			197	Herb			
SECTION	TOWNSHIP	RANGE	COUNTY		103	JOHN			
10	25	21	Labette	_ [	370	Joe			
CUSTOMER	. 0							· · · · · · · · · · · · · · · · · · ·	
Cent	ral P	roductio	พร	•	· · · · · · · · · · · · · · · · · · ·				
MAILING ADDRE		. 2 V	.*		•.				
CITY	- 31								
STATE		ZIP CODE	1 11						
Promise to the			·			TYPE OF TE	REATMENT		
and the same				. [	[ ] SURFACE	PIPE	[ ] ACID BREA	KDOWN	
TIME ARRIVED	ON LOCATION	to a way aptition of	रा अनुस्रकार		[]-PRODUCT		[ ] ACID STIMU		
· ····································	WELL I		<del></del>	'	[ ] SQUEEZE CEMENT			[ ] ACID SPOTTING	
HOLE SIZE	27.	PACKER DEPTI			[ ] PLUG & AE		[ ] FRAC		
TOTAL DEPTH	100	PERFORATION	1 ***	[ ]PLUG BACK			[ ] FRAC + NITROGEN		
	100	SHOTS/FT			[ ] MISP. PUN				
CASING SIZE	uL	OPEN HOLE	3. 181 19421	OTHER			[]		
CASING DEPTH	1 95	OI ENIMOLE	339.1 6 35 7th	[ ] OHEN					
CASING WEIGH		TUBING SIZE	4 C (N 15)		W.,	PRESSURE L	IMITATIONS		
CASING CONDITION TUBING DEPTH				**** . *	are property of the	THEORETICAL	INSTRUCTED		
3,10,114	***	TUBING WEIGH	<del></del>		SURFACE PIPE				
	TUBING CONDITION			ANNULUS LONG STRING					
TREATMENT VIA CEMENT PUMP				TUBING					
		1 Caryo		1				<u> </u>	
INSTRUCTION	PRIOR TO JOB	Rocal	C'Wal	Lans	Dine ?	C. Cack	C CAMA	+ then	
11/10/	40 C1	101 care	i Q	ma 1 7	Pump 2 5 13131	1:016-	mant and	15/42	
(N) TCA	7-77	-ares G	WEST 1 G	eg / · · ·	U · BBFT	·	rient cas	0447 5	
AUTHO	RIZATION TO PR	ROCEED		TITLE			D/	ATE	
			•			-			
TIME	STAGE	BBL'S	INJ RATE	PROPPANT	SAND / STAGE	PSI			
AM / PM		PUMPED		PPG		144			
-					•	<del>                                     </del>	BREAKDOWN		
						<u> </u>	DISPLACEMEN		
	-	•		RE	EIVED	<b>_</b>	MIX PRESSUR		
			'\_\	PEIVED		MIN PRESSURE			
				JAN	2 0 2005		ISIP		
		,		1000			15 MIN.		
				NCC	WICHITA		MAX RATE	======	
			I	I		MIN RATE			