KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

API No. 15 - 099-23319-00-00 County: Labette 3658 _____feet from (S)/ N (circle one) Line of Section 1393 _____ feet from(E)/ W (circle one) Line of Section Footages Calculated from Nearest Outside Section Corner: (circle one) NE Lease Name: Barr Well #: B19 Field Name: Chetopa Producing Formation: Bartlesville Elevation: Ground: 834.56 _ Kelly Bushing: ____ Total Depth: 122 ____ Plug Back Total Depth:_ Amount of Surface Pipe Set and Cemented at ²⁰ Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set __ If Alternate II completion, cement circulated from____ feet depth to____ Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content_ __ppm Fluid volume. Dewatering method used No Fluid, Drilled with air Location of fluid disposal if hauled offsite: Operator Name: _____ License No.:____

Operator: License # 33264 Name: Central Production Co. Inc. Address: P.O.Box 334 City/State/Zip: Mound City, KS 66056 RECEIVED Purchaser: Operator Contact Person: John Sperry JAN 20 2005 Phone: (417) 684-4294 Contractor: Name: David Casey **KCC WICHITA** License: 33274 Wellsite Geologist: Jim Christiansen Designate Type of Completion: New Well Re-Entry _ Workover ____Oil SWD __ SIOW _____Temp. Abd. __ ENHR ____ SIGW ___ Gas ____ Dry ____ Other (Core, WSW, Expl., Cathodic, etc) If Workover/Re-entry: Old Well Info as follows: Operator: ___ Well Name: ___ Original Comp. Date: _____ Original Total Depth: __ ____ Re-pert. _Conv. to Enhr./SWD Deepening Plug Back_ Plug Back Total Depth ____ Commingled Docket No._ _ Dual Completion Docket No.___ Other (SWD or Enhr.?) Docket No.___ 5/24/04 6/14/04 Quarter____ Sec.___ Twp.___S. R.___ East West Completion Date or Spud Date or Date Reached TD Recompletion Date Recompletion Date _____ Docket No.:_____ INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita,

Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements

herein are complete and co	ect to the best of my knowledge.
Signature:	
Title: Vice president - Er	ngr
Subscribed and sworn to be	/ The same
2000.	
Notary Public:	GNOVA SOTHROP
Date Commission Expires:	Notary Public - Notary Seal STATE OF MISSOURI
	Vernon County My Commission Expires: April 25, 2000

KCC Office Use ONLY Letter of Confidentiality Received If Denied, Yes Date:___ Wireline Log Received _ Geologist Report Received _ UIC Distribution

Operator Name: Central Production Co. Inc.			Lease Name: Barr				Well #: B19			
Sec. 10 Twp. 35	S. R. 21	✓ East [West	County	y: Labett	<u>e</u>				
NSTRUCTIONS: Sho ested, time tool open emperature, fluid reco Electric Wireline Logs	and closed, flowin very, and flow rate	g and shut-in es if gas to su	pressures, rface test, a	whether sl along with f	hut-in pre	ssure reached	static level, hydi	rostatic pressure	es, bottom hole	
Orill Stem Tests Taken (Attach Additional St					Log Formation (Top), Dep			and Datum	Samp	
Samples Sent to Geole	ogical Survey	Yes	No		Name			Тор	Datum	
Cores Taken		☐ Yes	No		Bartlesville			95-122 G		
Electric Log Run (Submit Copy)		Yes	√ No							
List All E. Logs Run:										
Purpose of String	Size Hole	Size C	II strings set-	RECORD conductor, so		rmediate, produ	ction, etc.	# Sacks	Type and Pe	
	Drilled	Set (In	1 O.D.)	Lbs.	ĪFt.	Depth	Cement	Used	Additive	
Surface	12-1/4	8		24		20	Type I	6		
Production	7-5/8	4-1/2		10.6		95	Type i	26		
			· · · · · · · · · · · · · · · · · · ·							
		A	ADDITIONAL	L CEMENTI	NG / SQU	EEZE RECOR	D			
Purpose: Perforate	Depth Top Bottom	Type of	Cement	#Sacks	#Sacks Used Type a			and Percent Additives		
Protect Casing Plug Back TD										
Plug Off Zone										
a	PERFORAT	ION RECORD	- Bridge Plu	as Set/Time		Acid Fo	acture, Shot, Ceme	nt Squeeze Recon		
Shots Per Foot		Footage of Eac					Imount and Kind of I		D	
				RECE	1\/ED	· · · · · · · · · · · · · · · · · · ·	····			
				JAN 2 (2005					
	· · · · · · · · · · · · · · · · · · ·		K	CC WI	CHIT	A	-	<u></u>		
TUBING RECORD	Size	Set At		Packer /	At	Liner Run				
1 inc		121	Producing \$4-	thod			Yes N	0		
,	Production, SWD or	Ermr. P	roducing Me	u10 u [Flowing	Pump	ning 🔲 Gas L	ift Othe	er (Explain)	
	Oil	Bbis.	Gas	Mcf	Wate		Bbls.	Gas-Oil Ratio	Gra	
Estimated Production Per 24 Hours	10.1	'				./				
	∠ O. /	COMPLETION			20	Production Inte	nnæl			

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NU	MBER .	318	836		
LOCATION	Cha	nute	?		
FOREMAN	avo	yne	1.75		

en e		B-19	TREA	TMENTH	REPORT				
DATE	CUSTOMER #1	WELL NAME	FORMATION	. [TRUCK #	DRIVER	TRUCK #	DRIVER	
(1 /04	7 () () () () () () () () () (Burton		Ì	197	Herb		,	
SECTION	TOWNSHIP	RANGE	COUNTY	ŀ	/03	John			
/0	35	21	Labette	Ì	370	Joc			
USTOMER			/ - 0e // C			, , , , , ,			
Centr	- I Pr	oduction	c						
AAILING ADDR		CO action.	3			<u> </u>			
			• *						
CITY	· · · · · · · · · · · · · · · · · · ·	•		•					
				l	·	 		<u> </u>	
STATE		ZIP CODE				•		,	
						TYPE OF T	REATMENT		
42. 1		S		·	[] SURFACE		[] ACID BREA	KDOWN	
(IME ARRIVED	ON LOCATION		1,108			ION CASING	[] ACID STIMU		
	WELL	DATA			[] SQUEEZE		[] ACID SPOT		
HOLE SIZE 6 34 PACKER DEPTH				[] PLUG &:ABANDON [] FRAC					
OTAL DEPTH		PERFORATION			[] PLUG BACK			[] FRAC + NITROGEN	
E. a	7,00	SHOTS/FT	THE P. LEWIS CO.		[] MISP. PU				
ASING SIZE				[]OTHER			[]		
CASING DEPTH	i			,					
CASING WEIGI	ने र स्थानिक	TUBING SIZE	र्वक विकास	1		PRESSURE	LIMITATIONS		
CASING COND	w _c 15	TUBING DEPTH	1	1	THEORETICAL INS				
	TÜBING WEIGHT			1	SURFACE PIPE		,		
	- 2,5° - 35%	TUBING COND	ITION		ANNULUS LONG				
TREATMENT V	IA Cemer	nt Pumi	1 "		TUBING	*			
		A Company of the Company							
INSTRUCTION	PRIOR TO JOB	Break 6	Circulati	on alm	P 26 Sac	Ks Cemer	nt then s	witch to	
ater and	I Ramp	1.75 R	Rul C	Splace	neut The	ns Shuz	KINS.		
				7	1, 21, 7				
AUTHO	RIZATION TO PI	ROCEED		TITLE	,		D/	ATE	
4		**.							
			•			_			
TIME AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT PPG	SAND / STAGE	PSI			
		1 00011 2.5	<u> </u>	11.0		 	BREAKDOWN	DDESCUDE	
			•				DISPLACEMEN		
		<u> </u>	 	RECE	IVEU				
· · · · · · · · · · · · · · · · · · ·				1441 7	0 2005		MIX PRESSUR		
		 				<u> </u>	MIN PRESSUR		
. ,		 		KCC W	HCHITA		ISIP		
· .							15 MIN.		
<u>, </u>					<u> </u>		MAX RATE		
İ	1	i :	1	1	1	1	MIN RATE		