Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

22264	000 00000 00 00
Operator: License # 33264 Name: Central Production Co. Inc	API No. 15 - 099-23329-00-00
	County: Labette
Address: P.O.Box 334 City/State/Zip: Mound City, MO 66056	SE _NW _NE Sec. 10
	4070 feet from (S) / N (circle one) Line of Section
Purchaser:	1947 feet from (E) / W (circle one) Line of Section
Operator Contact Person:	Footages Calculated from Nearest Outside Section Corner:
•	(circle one) NE (SE) NW SW
Contractor: Name: David Casey License: 33274 KCC WICHITA	Lease Name: Barr Well #: B29 Field Name: Chetopa
Wellsite Geologist: James L. Christiansen	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 827.48 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 118 Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeel
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to SURFACE w/ 26 sx cmt.
Well Name:	- MIL T VOD - 107
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pty) [Data must be collected from the Reserve Pty)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used Drilled with air
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
5/10/04 6/16/04	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date	QuarterSecTwpS. REast West County:Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workor Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well All requirements of the statutes, rules and regulations promulgated to regu	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	
Signature:	KCC Office Use ONLY
Title: Vice-president Date: 1/6/05	Letter of Confidentiality Received
$\mathcal{L}_{\mathcal{L}}}}}}}}}}$	If Denied, Yes Date:
	, Wireline Log Received
20.05.	Geologist Report Received
Notary Public: CHO A ANDOD	UIC Distribution
Notary Public - Notary Sest Date Commission Expires: STATE OF MISSOURI	
Date Commission Expires: STATE OF MISSOURI Vernon County	

My Commission Expires: April 25, 2008

<u>.</u>	ral Production C						Well #:	
Sec. 10 Twp. 35	S. R. 21	☑ East [West	County: Lab	ette			
NSTRUCTIONS: Sho ested, time tool open emperature, fluid reco Electric Wireline Logs	and closed, flowin	g and shut-in es if gas to su	pressures, rface test, a	whether shut-in palong with final ch	ressure reached	static level, hyd	rostatic pressures	s, bottom hole
Orill Stem Tests Taken (Attach Additional S	(Attach Additional Sheets)		No		Log Formation (Top), Dep		and Datum	∑ Sample Datum
Samples Sent to Geol			No	No Name Bartlesville		Top ille 98-118		
Cores Taken Electric Log Run		☐ Yes ☐ Yes	No No					
(Submit Copy) List All E. Logs Run:								
Purpose of String	Size Hole	Size C	II strings set- Casing	conductor, surface, Weight	Setting	Type of	# Sacks	Type and Perce
Purpose of String	Drilled	Set (Ir	1 O.D.)	Lbs. / Ft.	Depth	Cement	Used	Additives
Surface	12-1/4	8		24	20	Type I	6	
Production	7-5/8	4-1/2		10.6	98	Type i	26	
		<u> </u>	ADDITIONAL	L CEMENTING / S	QUEEZE RECOR	D		
	Depth	Type of	Cement	#Sacks Used				
Purpose: Perforate	Top Bottom							
·	Top Bottom							
Perforate Protect Casing Plug Back TD	PERFORA	TION RECORD Footage of Eac	- Bridge Plu ch Interval Pe	igs Set/Type orforated		acture, Shot, Ceme Amount and Kind of I	ent Squeeze Record Material Used)	
Perforate Protect Casing Plug Back TD Plug Off Zone	PERFORA	TION RECORD Footage of Eac	- Bridge Plu ch Interval Pe	igs Set/Type orforated		Amount and Kind of I	Material Used)	
Perforate Protect Casing Plug Back TD Plug Off Zone	PERFORA	TION RECORD Footage of Eac	- Bridge Plu h Interval Pe	igs Set/Type inforated		REC	EIVED	
Perforate Protect Casing Plug Back TD Plug Off Zone	PERFORA	TION RECORD Footage of Eac	- Bridge Plu ch Interval Pe	igs Set/Type inforated		REC	Material Used)	
Perforate Protect Casing Plug Back TD Plug Off Zone	PERFORAT Specify	Set At 121	ch Interval Pe	igs Set/Type orforated Packer At		REC	EIVED 0-2005	
Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot TUBING RECORD	PERFORAT Specify Size	Set At 121	ch Interval Pe	Packer At none	Liner Run	REC JAN 2 KCC-W	EIVED 0 2005 VICHITA	
Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot TUBING RECORD 1 in	PERFORAT Specify Size	Set At 121	ch Interval Pe	Packer At none sthod	Liner Run	REC JAN 2 KCC-W	EIVED 0 2005 VICHITA	Dept

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUM	MBER 31805
LOCATION_	CHANUTE
FOREMAN_	asayre

MIN RATE

	in the Mark		TREA	TMENT	REPORT			
		B-29						
DATE	CUSTOMER #	WELL NAME	FORMATION]	TRUCK #	DRIVER	TRUCK #	DRIVER
5-24-04	·	BARR			197	HERB		·
SECTION	TOWNSHIP	RANGE	COUNTY	1	230	JOHN		
1.0	35	2/	LB		285	CHRIS		
CUSTOMER :						CITAIO		, .
CENTRA	L PRODUC	~~.JS						
MAILING ADDF	RESS	.7223		-				
, ,	•					<u> </u>	†	
CITY		1.0		- ·				
							 	
STATE		ZIP CODE		-		•		
						TYPE OF TI	REATMENT	
	\$\$ 40° 30°				[:]SUBFACE		[] ACID BREA	KDOWN;
4.5	ON LOCATION		Joe . ·	1			[] ACID BREA	•
THE ARTIVEL	WELL	ΠΑΤΑ		J			[] ACID STIM	
HOLE SIZE	1 2/:	PACKER DEPT	ш .	7				TING
TOTAL DEPTH		PERFORATION		1	[] PLUG & ABANDON [] PLUG BACK			POGEN .
TOTAL DELTITI		SHOTS/FT		1			[] FRAC + NITROGEN	
CASING SIZE	41/2	OPEN HOLE		1	[] MISP. PUMP [] OTHER			
CASING DEPT		OI ENTICE			Lionen		<u> </u>	
CASING WEIG		TUBING SIZE		1	*a ·	: PRESSURE L	IMITATIONS	
CASING COND		TUBING DEPTI	4	1			THEORETICAL	INSTRUCTED
	TUBING WEIGHT		†	SURFACE PIPE		MEGNETIOAL	MOTHOOTED	
	The second secon	TUBING COND			ANNULUS LONG STRING			
TREATMENT V	IA CEMENT	<u> </u>		1	TUBING	on ma		,
. :	" (EINENI	FUMP		J .	LIODING		· <u>1</u> :	1
INSTRUCTION	PRIOR TO JOB	Distance of	DENIET IN	1 Decemb	26 SKS C	emeitt +	7/KN 500 F	
	AND DISP					I I	HEN SUT	ZA ID
WHIEK	AND DISP	CHEE WIT	1173	ODL HNI	SHUI IN	· · ·	·	
AUTHO	ORIZATION TO PE	ROCEED	•	TITLE		· ·	D/	ATE
·	MIZATION TOTT	IOOEED					0,	11E
		· .			<u> </u>	•		
TIME	STAGE	BBL'S	INJ RATE	PROPPANT	SAND/STAGE	PSI	†	
AM / PM	ļ	PUMPED		PPG				
							BREAKDOWN	PRESSURE
			ļ				DISPLACEMEN	IT
	<u> </u>			REC	EIVED		MIX PRESSUR	<u> </u>
				,,			MIN PRESSUR	E
***				JAN	2 0 2005		ISIP	
				KOO			15 MIN.	
<u> </u>				KCC 1	MICHITA		MAX RATE	