

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33264  
Name: Central Production Co. Inc.  
Address: P.O.Box 334  
City/State/Zip: Mound City, KS 66056  
Purchaser: \_\_\_\_\_  
Operator Contact Person: John Sperry  
Phone: ( 417 ) 684-4294  
Contractor: Name: David Casey  
License: 33274  
Wellsite Geologist: Jim Christiansen

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

5/14/04	5/31/04
Spud Date or Recompletion Date	Date Reached TD Completion Date or Recompletion Date

API No. 15 - 099-23321-00-00  
County: Labette  
NE SW NE Sec. 10 Twp. 35 S. R. 21  East  West  
3795 feet from (S) N (circle one) Line of Section  
1947 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE (SE) NW SW  
Lease Name: Barr Well #: B21

Field Name: Chetopa  
Producing Formation: Bartlesville  
Elevation: Ground: 828.93 Kelly Bushing: \_\_\_\_\_  
Total Depth: 117 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 90  
feet depth to SURFACE w/ 26 sx cmt.

Drilling Fluid Management Plan Alt II YR 2/26/08  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used No Fluid, Drilled with air  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
Title: Vice-president - Engr Date: 1/5/05

Subscribed and sworn to before me this 7<sup>th</sup> day of Jan.,  
2005.

Notary Public: \_\_\_\_\_  
Date Commission Expires: \_\_\_\_\_  
My Commission Expires: April 25, 2008

**CINDY WATHROP**  
Notary Public - Notary Seal  
STATE OF MISSOURI  
Vernon County  
My Commission Expires: April 25, 2008

**KCC Office Use ONLY**

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: Central Production Co. Inc. Lease Name: Barr Well #: B21  
 Sec. 10 Twp. 35 S. R. 21  East  West County: Labette

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample  <table style="width:100%; border: none;"> <tr> <td style="width:70%;">Name</td> <td style="width:15%;">Top</td> <td style="width:15%;">Datum</td> </tr> <tr> <td>Bartlesville</td> <td>90-121</td> <td>GL</td> </tr> </table>	Name	Top	Datum	Bartlesville	90-121	GL
Name	Top	Datum					
Bartlesville	90-121	GL					

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4	8	24	20	Type I	6	
Production	7-5/8	4-1/2	10.6	90	Type i	26	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
		<b>RECEIVED</b>	
		<b>JAN 20 2005</b>	
		<b>KCC WICHITA</b>	

<b>TUBING RECORD</b>		Size <u>1 inch</u>	Set At <u>116</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr. <u>7/20/04</u>			Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. <u>0.6</u>	Gas Mcf	Water Bbls. <u>0.02</u>	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)*

**METHOD OF COMPLETION**

Open Hole  Perf.  Dually Comp.  Commingled \_\_\_\_\_

Other (Specify) \_\_\_\_\_

**Production Interval**

CONSOLIDATED OIL WELL SERVICES, INC.  
 211 W. 14TH STREET, CHANUTE, KS 66720  
 620-431-9210 OR 800-467-8676

TICKET NUMBER **31807**  
 LOCATION CHANUTE  
 FOREMAN Dwayne

**TREATMENT REPORT**

*B-21*

DATE <b>5-24-04</b>	CUSTOMER #	WELL NAME <b>BARR</b>	FORMATION
SECTION <b>10</b>	TOWNSHIP <b>35</b>	RANGE <b>21</b>	COUNTY <b>LB</b>
CUSTOMER <b>CENTRAL PRODUCTIONS</b>			
MAILING ADDRESS			
CITY			
STATE		ZIP CODE	
TIME ARRIVED ON LOCATION			

TRUCK #	DRIVER	TRUCK #	DRIVER
<b>197</b>	<b>HERB</b>		
<b>230</b>	<b>JOHN</b>		
<b>285</b>	<b>CHRIS</b>		

**TYPE OF TREATMENT**

<input type="checkbox"/> SURFACE PIPE	<input type="checkbox"/> ACID BREAKDOWN
<input checked="" type="checkbox"/> PRODUCTION CASING	<input type="checkbox"/> ACID STIMULATION
<input type="checkbox"/> SQUEEZE CEMENT	<input type="checkbox"/> ACID SPOTTING
<input type="checkbox"/> PLUG & ABANDON	<input type="checkbox"/> FRAC
<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> FRAC + NITROGEN
<input type="checkbox"/> MIS. PUMP	<input type="checkbox"/>
<input type="checkbox"/> OTHER	<input type="checkbox"/>

**WELL DATA**

HOLE SIZE <b>6 3/4</b>	PACKER DEPTH
TOTAL DEPTH <b>100</b>	PERFORATIONS
	SHOTS/FT
CASING SIZE <b>4 1/2</b>	OPEN HOLE
CASING DEPTH <b>9.5</b>	
CASING WEIGHT	TUBING SIZE
CASING CONDITION	TUBING DEPTH
	TUBING WEIGHT
	TUBING CONDITION
TREATMENT VIA <b>CEMENT PUMP</b>	

**PRESSURE LIMITATIONS**

	THEORETICAL	INSTRUCTED
SURFACE PIPE		
ANNULUS LONG STRING		
TUBING		

**INSTRUCTION PRIOR TO JOB** BREAK CIRCULATION PUMP 26 SKS CEMENT THEN SWITCH TO WATER AND DISPLACE WITH 1.75 BBL AND SHUT IN

AUTHORIZATION TO PROCEED

TITLE

DATE

TIME AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT PPG	SAND / STAGE	PSI	
							BREAKDOWN PRESSURE
							DISPLACEMENT
							MIX PRESSURE
							MIN PRESSURE
							ISIP
							15 MIN.
							MAX RATE
							MIN RATE

**RECEIVED**  
**JAN 20 2005**  
**KCC WICHITA**