KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #_33264	API No. 15 - 099-23305-00-00
Name: Central Production Co. Inc.	County: Labette
Address: P.O.Box 334	NW_SW_NE Sec. 10 Twp. 35 S. R. 21
City/State/Zip: Mound City, MO 66056	3520 feet from S / N (circle one) Line of Section
Purchaser:	2423 feet from E / W (circle one) Line of Section
Operator Contact Person: John Sperry RECEIVED	Footages Calculated from Nearest Outside Section Corner:
Phone: (417) 667-5062/684-4294 JAN 2 0 2005	(circle one) NE (SE) NW SW
Contractor: Name: David Casey	Lease Name: Barr Well #: B47
icense: 33274 KCC WICHITA	Field Name: Chetopa
Wellsite Geologist: James L. Christiansen	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 837.06 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 129 Plug Back Total Depth:
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Feet
Gas ENHR SIGW	
	Multiple Stage Cementing Collar Used? Yes No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet If Alternate II completion, cement circulated from
f Workover/Re-entry: Old Well Info as follows:	feet depth to SURFACE w/ 20 sx cmt.
Operator:	,
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Alf. II KJR 2/2
Original Comp. Date:Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used Drilled with air
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	
1/13/04 5/20/04	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec Twp S. R East West
Tioosin planer Sale	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-12) and geologist well report shall be attached with this form. ALL CEMENTING is. Submit CP-111 form with all temporarily abandoned wells.
all requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature:	KCC Office Use ONLY
itle: Vice-president Date: 1/06/05	Letter of Confidentiality Described
The Co.	Letter of Confidentiality Received
Subscribed and sworn to before me thisday of	If Denied, YesDate: Wireline Log Received
00.0°0	Geologist Report Received
lotary Public: Carp A 100 Hoar	UIC Distribution
Votary Public Votary Seal	
Date Commission Expires: STATE OF MISSOURI Vernon County	
My Commission Expires: April 25, 2008	

JIUC I WU

•				JI	uc i Wu					
perator Name: Centi	al Production C	Co. Inc.		Leas	e Name: B	arr		Well #: B47		
oc. 10 Twp. 35			West		ty: Labette					
ISTRUCTIONS: Sho sted, time tool open imperature, fluid reco lectric Wireline Logs	and closed, flowing very, and flow rate	ig and shut-i es if gas to s	n pressures, arface test, a	whether s along with	shut-in pre	ssure reached	static level, hydr	ostatic pressure	es, bottom hole	
Orill Stem Tests Taken (Attach Additional Sheets)			Yes No Lo			g Format	on (Top), Depth	and Datum	Sample	
Cores Taken Electric Log Run (Submit Copy)		Ye:	☐ Yes ☑ No		Name Bartlesville			Top 106.3-129	Datum GL	
			Yes No							
st All E. Logs Run:										
		Report		RECORD		w _ Used	ction, etc.			
Purpose of String	Size Hole Drilled	Size Set	Casing (In O.D.)		eight s./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12-1/4	8		24		20	Type I	6		
Production	7-5/8	4-1/2		10.6		106.3	Type I	20	30%fine silica	
			·			···				
Purpose:	Depth Top Bottom	ADDITIONAL CEMEN Type of Cement #Sac			rING / SQU ks Used	QUEEZE RECORD Type and Percent Additives				
Perforate Protect Casing Plug Back TD Plug Off Zone										
Shots Per Foot PERFORATION RECORD - E Specify Footage of Each I							acture, Shot, Cemer Imount and Kind of M		rd Depth	
						JAN 2 0 2005				
						-	•	A		
				**************************************		KU	WICHIT	Α		
TUBING RECORD 1 in	Size Ch	Set At 128		Packer NONE	At	Liner Run	Yes V	o		
Date of First, Resumerd Est Jan 05	Production, SWD or	Enhr.	Producing Me	thod	Flowing	✓ Pump	ing Gas L	.ift Oth	er <i>(Explain)</i>	
Estimated Production Per 24 Hours	Oil	Bbis.	Gas	Mcf	Wate			Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF COMPLETION					Production Interval				
Vented Sold	Used on Lease		Open Hole Other (Spec	Pe	erf. 🔲 D	ually Comp.	Commingled .			

7

→ U U W S CHA.

<u>ខ</u>ោបប2

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER 31131 FOREMAN Tracy L.W. Illiams

TREATMENT REPORT

.45

washing o

DATE	COSTOMER#		FORMATION	١	TRUCK #	DRIVER	TRUCK #	DRIVER		
5-2-04		Barr B-4'	2		289	Tin		1		
SECTION	TOWNSHIP	RANGE	COUNTY		.428	Danny				
10	355	318	Kabette		103	choice	* 4.	1.		
CUSTOMER				7	45 T 340	1.C.M.	· · · · · ·			
\Box	entral	Produc	tion		hi, e e e		19 8	 		
MAILING ADDI	RESS							 		
						 				
CITY							+	1		
					. ;;			<u> </u>		
STATE		ZIP CODE	• • • •	7	1,	•				
		<u> </u>		1		TYPE OF T	REATMENT			
And all the military to the state				2	[] SURFACE		[] ACID BREA	KDOWN		
TIME ARRIVED	ON LOCATION	e e e e e e e e e e e e e e e e e e e	er e gre	1	[PRODUCT		[] ACID STIM			
	WELL	DATA			[] SQUEEZE	[] ACID SPOT	•			
HOLE SIZE ,	198	PACKER DEP	TH :	7	PLUG & AB		[] FRAC			
TOTAL DEPTH	105	PERFORATION		1	[] PLUG BAC					
		SHOTS/FT	1	1	[] MISP. PUM		[] FRAC + NITROGEN			
CASING SIZE	4/2	OPEN HOLE		1	[]OTHER					
CASING DEPT										
CASING WEIGI	нт	TUBING SIZE	1.1	PRESSURE LIMITATIONS						
CASING COND	ITION	TUBING DEPT	Н	1	THEORETICAL INSTRUCTION					
		TUBING WEIG	нт	}	SURFACE PIPE					
		TUBING COND	ITION	1	ANNULUS LONG STRING					
TREATMENT V	IA ·	24.4			TUBING					
	-	4		•			7.5	<u> </u>		
INSTRUCTION	PRIOR TO JOB	Broke	circula	tion +	Can 20	sks of c		1 302 10		
mesh sar	d. Shut	1	Jacked	7	b + displace			1 306 10		
n.	Circula	ated c	ement	to	surfac		EN 10 7	CZ JANT		
AUTHO	RIZATION TO PR			TITLE	<u> </u>		DA	TE		
		• .					DA	16		
										
AM / PM	STAGE	BBL'S PUMPED	INJ PATE	PROPPANT PPG	SAND / STAGE	PSI				
<u></u>		. 01011 22	<u> </u>	rru			ļ	<u> </u>		
	· · · · · · · · · · · · · · · · · · ·						BREAKDOWN F			
					OFIVED		DISPLACEMEN	<u> </u>		
	· · · · · · · · · · · · · · · · · · ·			R	CEIVED		MIX PRESSURE			
				11	N 2 0 2005		MIN PRESSURE			
		****	17.2	JA	A C O: FOOT	· · · · · · · · · · · · · · · · · · ·	ISIP			
· · · · · · · · · · · · · · · · · · ·				- KC	C WICHITA	15 MIN.				
			·	0.20			MAX RATE			
		:					MIN RATE 11 11			
						- 				