

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33019
Name: Rosewood Resources, Inc.
Address: 2711 N. Haskell Ave., Suite 2800, LB 22
City/State/Zip: Dallas, TX 75201
Purchaser: _____
Operator Contact Person: Tom Roelfs
Phone: (970) 324-1686
Contractor: Name: Advanced Drilling Technologies LLC
License: 33532
Wellsite Geologist: Steven VonFeldt
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>5/18/2007</u>	<u>5/25/2007</u>	<u>5/25/2007</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 181-20506-00-00
County: Sherman
NW SW SE SE Sec. 6 Twp. 9 S. R. 40 East West
519 feet from (S) N (circle one) Line of Section
1233 feet from (E) W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: Townsend Well #: 44-06
Field Name: Goodland
Producing Formation: Niobrara
Elevation: Ground: 3761' Kelly Bushing: 3773'
Total Depth: 1264' Plug Back Total Depth: 1253'
Amount of Surface Pipe Set and Cemented at 368' csg @ 381' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan A+ I NCR 1-22-09
(Data must be collected from the Reserve Pit)
Chloride content 5000 ppm Fluid volume 200 bbls
Dewatering method used Evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jannell Cerve
Title: Production Asst. Date: 9-24-07
Subscribed and sworn to before me this 24 day of September
07
Notary Public: Kathy Roelfs
Date Commission Expires: 6-3-09


KCC Office Use ONLY

N Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received

Geologist Report Received

UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
NOV 02 2007
CONSERVATION DIVISION
WICHITA, KS



Side Two

Operator Name: Rosewood Resources, Inc. Lease Name: Townsend Well #: 44-06
 Sec. 6 Twp. 9 S. R. 40 East West County: Sherman

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 Niobrara 1138' KB

List All E. Logs Run:

Platform Express Resistivity, Porosity, Density ML-GR

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9 1/2"	7	17#	381	Neat	110	
Production	6 1/8"	4 1/2"	10.5#	1253'	Neat	60	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	1140' - 1170'		

TUBING RECORD		Size	Set At	Packer At	Liner Run
none					<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. Waiting on Pipeline			Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	none	n/a			

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)
 METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____
 Production Interval _____

RECEIVED
 KANSAS CORPORATION COMMISSION
 NOV 02 2007
 CONSERVATION DIVISION
 WICHITA, KS

SCHAAL DRILLING, CO.
PO BOX 416
BURLINGTON, CO. 80807
719-346-8032
FIELD REPORT
SURFACE CASING, DRILLING AND CEMENTING

DRILLING DATE 5-18-07

WELL NAME & LEASE # Townsend 44-06

MOVE IN, RIG UP, DIG PITS ETC. DATE 5-17-07 TIME 1:00 AM PM

SPUD TIME 6:45 AM PM SHALE DEPTH 270 TIME 8:30 AM PM

HOLE DIA. 9 1/2 FROM 0 TO 370 TD TIME 9:15 AM PM

CIRCULATE, T.O.O.H., SET 367.55 FT CASING 380.55 KB FT DEPTH

9 JOINTS 7 OD #/FT 14 15.5 17 20 23

PUMP 110 SAC CEMENT 587 GAL.DISP. CIRC. 3 BBL TO PIT

PLUG DOWN 11:00 AM PM DATE 5-18-07

CEMENT LEFT IN CSG. 30 FT
CENTRALIZER 1

TYPE: PORTLAND CEMENT I/II ASTM C 150
CEMENT COST \$ 1620.09

ELEVATION 3761
+12KB 3773

PIPE TALLY


1. 40.95
2. 40.75
3. 40.90
4. 40.90
5. 41.00
6. 40.90
7. 40.95
8. 40.65
9. 40.55
- 10.
- 11.
- 12.
- 13.
- 14.

TOTAL 367.55

RECEIVED
KANSAS CORPORATION COMMISSION

NOV 02 2007

CONSERVATION DIVISION
WICHITA, KS



A DIVISION OF ADVANCED DRILLING TECHNOLOGIES, LLC.

LONGHORN CEMENTING CO.

P.O. BOX 203 YUMA, COLORADO 80759
 Phone: 970-848-0799 Fax: 970-848-0798

**FIELD SERVICE TICKET
 AND INVOICE**

DATE 5-24-07 TICKET NO. 1156

DATE OF JOB	DISTRICT	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.
CUSTOMER <u>RRI</u>		LEASE <u>Townsend 44-06</u>	WELL NO				
ADDRESS		COUNTY	STATE				
CITY	STATE	SERVICE CREW <u>MIKE-JOYE</u>					
AUTHORIZED BY	EQUIPMENT <u>UNIT #111</u>						
TYPE JOB <u>Logging</u>	DEPTH	FT.	CEMENT DATA	BULK <input type="checkbox"/>	SAND DATA	SACKS <input type="checkbox"/>	TRUCK CALLED
SIZE HOLE <u>6" R</u>	DEPTH	FT.	SACKS	BRAND	TYPE	% GEL	ARRIVED AT JOB
SIZE & WT CASTING <u>4 1/2</u>	DEPTH	FT.					START OPERATION
SIZE & WT D PIPE OR TUBING	DEPTH	FT.					FINISH OPERATION
TOP PLUGS	TYPE:		WEIGHT OF SLURRY: <u>15.4</u>	LBS. / GAL.		LBS. / GAL.	RELEASED
			VOLUME OF SLURRY: <u>1-2100 FT</u>				MILES FROM STATION TO WELL
<u>PRD 1252</u>	MAX DEPTH	FT.	<u>600</u>	SACKS CEMENT TREATED WITH <u>2</u>	% OF Calcium		

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).
 The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only these terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without written consent of an officer of Advanced Drilling Technologies, LLC.

SIGNED: _____
 (WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM / PRICE REF NUMBER	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
001-2	Depth charge - Cement - Mileage As per Contract				4000.00
300-2	4 1/2 Accusal Flow shoe	1			267.07
300-4	4 1/2 Catchdown Baffle plug	1			226.00
300-8	4 1/2 Centralizers	7			250.88
300-8	4 1/2 Scrubbers	8			278.80
300-10	7" Centralizer	2			36.44
400-2	Calcium	50 LB			80.00
400-4	KCL	100 LB			40.80
					5149.09

RECEIVED
 KANSAS CORPORATION COMMISSION

NOV 02 2007

CONSERVATION DIVISION
 WICHITA, KS

SUB TOTAL

ACID DATA:			
	GALLONS	%	ADDITIVES
HCl			
HCl			

SERVICE & EQUIPMENT	% TAX ON \$	
MATERIALS	% TAX ON \$	
TOTAL		

SERVICE REPRESENTATIVE

THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY

FIELD SERVICE (PRINT NAME)

(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)