KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE



Operator: License # 6766	API No. 15 - 037-21657-00-00				
Operator: License # 6766 Name: N & W Enterprises Address: 1111 S. Margrave City/State/Zip: Fort Scott, KS 66701 Purchaser: LP Marketing Operator Contact Person: Thomas L. Norris Phone: (620) 223-6559 Contractor: Name: McGown Drilling	County: Crawford				
Address: 1111 S. Margrave	C_N/2_SESec. 33 Twp. 28 S. R. 22 V East West				
City/State/Zip: Fort Scott, KS 66701	1980 feet from S / N (circle one) Line of Section				
Purchaser: LP Marketing	1320 feet from E/ W (circle one) Line of Section				
Operator Contact Person: Thomas L. Norris	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 223-6559	(circle one) NE (SE) NW SW				
Contractor: Name: McGown Drilling	Lease Name: Meyer Well #: Injection 7				
License: 5786	Field Name: Walnut SE				
Wellsite Geologist: NA	Producing Formation: Bartlesville				
Designate Type of Completion:	Elevation: Ground: N/A Kelly Bushing:				
New Well Re-Entry Workover	Total Depth: 420 Plug Back Total Depth: 419.4				
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Feet				
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No				
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet				
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 420				
Operator:	feet depth to TOP w/ 50 sx cmt.				
Well Name:					
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Out I WHM 2				
Deepening Re-perf Conv. to Enhr./SWD	•				
Plug Back Plug Back Total Depth					
Commingled Docket No	Dewatering method used				
Dual Completion Docket No	Location of fluid disposal if hauled offsite:				
Other (SWD or Enhr.?) Docket No	Operator Name:				
0/20/2004 40/4/2004 40/4/2004	Lease Name: License No.:				
9/30/2004	Quarter Sec TwpS. R East West				
Recompletion Date Recompletion Date	County: Docket No.:				
Kansas 67202, within 120 days of the spud date, recompletion, workow Information of side two of this form will be held confidential for a period of	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. It months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.				
All requirements of the statutes, rules and regulations promulgated to regulaterin are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements				
Signature Thomas & Paris	KCC Office Use ONLY				
Title:	Letter of Confidentiality Attached				
Subscribed and sworn to before me this 5 day of October	If Denied, Yes Date:				
$\rho \downarrow \prime$, Wireline Log Received				
20 7	Geologist Report Received				
Notary Public: Mysus & hurse	UIC Distribution				
Date Commission Expires: 3-30-05					

Size Hole Drilled	Report all strings set-c Size Casing	County: enetrated. whether shi long with fil eport.	ut-in prenal char	ord cores. Reporssure reached (s). Attach ex	static level, hydros	static pressur pace is need and Datum	ests giving res, botton ed. Attac	m hole	
losed, flowing and and flow rates if gayed. Attach final gayed. Attach final gayed. Survey	shut-in pressures, as to surface test, as eological well site responsible. Yes No Yes No Yes No Yes No Yes No CASING Report all strings set-co	whether shi long with fir eport.	ut-in prenal char	ssure reached t(s). Attach ex og Format	static level, hydros tra sheet if more sp ion (Top), Depth ar	static pressur pace is need and Datum	res, bottored. Attac	m hole th copy of a Sample	
Size Hole Drilled	Yes No Yes No Yes No CASING Report all strings set-c		Nam Barti	9		Тор	ı	Datum	
Size Hole Drilled	Yes No Yes No CASING Report all strings set-c		Bartl		RECEIVEL OV 03 2004 WICHITA				
Size Hole Drilled	Yes No Yes No CASING Report all strings set-c			esville M KCC	RECEIVEL OV 03 2004 WICHITA	388	3	398	
Size Hole Drilled	Yes No CASING Report all strings set-c Size Casing			M KCC	WICHITA)			
Size Hole Drilled	Report all strings set-c Size Casing			KCC	WICHITA	,			
Size Hole Drilled	Report all strings set-c Size Casing								
Drilled		onductor, sur	Ne rface, inte		ction, etc.				
4.0	Set (In O.D.)	Weig Lbs. /		Setting Depth	Type of Cement	# Sacjs Used		and Percent	
1/2 8 5		9lbs/ft		20 ft.	Portland #1	5	NA		
1/2 27	/8	61/2 lbs/	/ft.	420 ft.	Portland #1	50	NA		
	ADDITIONAL	CEMENTIN	IG / SQL	EEZE RECORI	D				
Depth Top Bottom	Type of Cernent	#Sacks I	Used		Type and Pe	ercent Additives	s		
					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
shots/ft. 388 - 398							388 - 398		
420	ft. N	NA		Liner Run	☐ Yes ✓ No				
cuon, SWD or Enhr.	Producing Meth		Flowing	Pump	ing Gas Lift	☑ Oth	er (Explain)	
Oil Bbls.		Mcf		r E				Gravity	
L				Production Inte		•			
	PERFORATION RE Specify Footage 398 Tee S 420 tion, SWD or Enhr. Oil Bbls. NA METHOD OF COMPLESED ON LEASE	PERFORATION RECORD - Bridge Plug Specify Footage of Each Interval Per 398 The Set At 420 ft. Note that tion, SWD or Enhr. Producing Method Swall Swal	Depth Top Bottom PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated 398 Tele Set At Packer At 420 ft. NA tion, SWD or Enhr. Producing Method Oil Bbls. Gas Mcf NA METHOD OF COMPLETION	Depth Top Bottom PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated 398 Tele Set At Packer At 420 ft. NA tion, SWD or Enhr. Producing Method Cil Bbls. Gas Mcf Wate NA METHOD OF COMPLETION #Sacks Used #Sacks Used	Depth Top Bottom PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated The Set At Packer At Liner Run 420 ft. NA Tion, SWD or Enhr. Producing Method Flowing Pump Oil Bbls. Gas Mcf Water NA METHOD OF COMPLETION Production Interval Production Interval Production Interval Place Acid, Fracture - 2 Acid, Fracture - 2 Acid, Fracture - 2	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Acid, Fracture, Shot, Cement (Amount and Kind of Mai Fracture - 20/40 Sand 6 Sa Fracture - 20/40 Sand 6 Sa The Set At Packer At Liner Run 420 ft. NA The NA The NA NA NA NA NA NA NA NA NA NA	Depth Type of Cement #Sacks Used Type and Percent Additives PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Fracture - 20/40 Sand 6 Sacks Tracture - 20/40 Sand 6 Sacks Fracture - 20/40 Sand 6 Sacks Tracture - 20/40 Sand 6 Sacks Total Perforated Perforat	Depth Type of Cement #Sacks Used Type and Percent Additives PERFORATION RECORD - Bridge Plugs Set/Type	

Norris Welding Services, Inc

INVOICE

1111 S Margrave Fort Scott, Kansas 66701 620-223-6559 DATE: November 2, 2004

INVOICE #108

Bill To: N & W Enterprises, Inc. 1111 S Margrave Fort Scott, Kansas 66701 For:
Meyer Lease Cement Wells

DESCRIPTION		AMOUNT
Inj #7		
50 Sacks Portland #1 Cement		279.50
Pump Charge for circulating 50 sacks of cement to top		150.00
•		
		:
	TOTAL	\$ 429.50