

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 31093
Name: Becker Oil Corporation
Address: P, O. Box 1150
City/State/Zip: Ponca City, OK 74602
Purchaser: _____
Operator Contact Person: Clyde M. Becker
Phone: (303) 816-2013
Contractor: Name: Trinidad Drilling, LP
License: 33784
Wellsite Geologist: Clyde M. Becker, Jr.

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 22 2008
CONSERVATION DIVISION
WICHITA, KS

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
10/3/07 10/12/07 10/15/07
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 081-21758-0000
County: Haskell
SW NE Sec. 9 Twp. 27 S. R. 31 East West
1881 feet from S / N (circle one) Line of Section
1842 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Bedell Well #: A-4
Field Name: Bedell
Producing Formation: _____
Elevation: Ground: 2799' Kelly Bushing: 2805
Total Depth: 5060' Plug Back Total Depth: 1787
Amount of Surface Pipe Set and Cemented at _____ Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content 20,000 ppm Fluid volume 350 bbls
Dewatering method used hauled off after drilling B-4 (skid rig)
Location of fluid disposal if hauled offsite: _____
Operator Name: HJ, Inc.
Lease Name: Reimelt License No.: 31458
Quarter _____ Sec. 23 Twp. 28 S. R. 32 East West
County: Haskell Docket No.: NGPA K 86-0197

AHF-Dg-1/28/09

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Clyde M. Becker
Title: President Date: 1/3/08
Subscribed and sworn to before me this 3rd day of January
20 08
Notary Public: Camilla L Miller

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Becker Oil Corporation Lease Name: Bedell Well #: A-4
 Sec. 9 Twp. 27 S. R. 31 East West County: Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 Morrow 4986 (-2181)

RECEIVED
 KANSAS CORPORATION COMMISSION
 FEB 22 2008
 CONSERVATION DIVISION
 WICHITA, KS

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24#	1787'	Lite	600	3%cc, 1/4# Flo-seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
				Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

ALLIED CEMENTING CO., INC.

31757

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>10-15-07</u>	SEC. <u>9</u>	TWP. <u>27^S</u>	RANGE <u>31^W</u>	CALLED OUT	ON LOCATION <u>10:30^{PM}</u>	JOB START <u>1:00^{AM}</u>	JOB FINISH <u>2:00^{AM}</u>
LEASE <u>Bedell</u>	WELL # <u>A-4</u>	LOCATION <u>Garden City 155-9E-34N</u>	COUNTY <u>Haskell</u>	STATE <u>Kan</u>			
OLD OR NEW (Circle one) <u>NEW</u>					W.S.		

CONTRACTOR Trinidad #211

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D. 5060'

CASING SIZE DEPTH

TUBING SIZE DEPTH

DRILL PIPE 4 1/2 XH DEPTH 1790'

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

OWNER Same

CEMENT AMOUNT ORDERED 120 SKS 6% paper

6% Gel, 1/4" Flo-Seal

COMMON	<u>72 SKS</u>	@	<u>12.60</u>	<u>907.20</u>
POZMIX	<u>48 SKS</u>	@	<u>6.40</u>	<u>307.20</u>
GEL	<u>4 SKS</u>	@	<u>16.65</u>	<u>66.60</u>
CHLORIDE		@		
ASC		@		
<u>Flo-Seal</u>	<u>30#</u>	@	<u>2.00</u>	<u>60.00</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>125 SKS</u>	@	<u>1.90</u>	<u>237.50</u>
MILEAGE	<u>9 1/2 per sk mile</u>			<u>742.50</u>
				TOTAL <u>2,321.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Walt

423-281 HELPER David

BULK TRUCK DRIVER Alvin

DRIVER

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 22 2008
CONSERVATION DIVISION
WICHITA, KS

REMARKS:

50 SKS @ 1790'
50 SKS @ 880'
20 SKS @ 60'

Thank You

CHARGE TO: Becker Oil Corp

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE 815.00

EXTRA FOOTAGE @

MILEAGE 66 miles @ 6.00 396.00

MANIFOLD @

@

@

TOTAL 1,211.00

PLUG & FLOAT EQUIPMENT

@

@

@

@

@

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Isidro Coronado

PRINTED NAME

ALLIED CEMENTING CO., INC.

31750

Federal Tax I.D.#

EMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>10-14-07</u>	SEC. <u>9</u>	TWP. <u>27</u>	RANGE <u>31W</u>	CALLED OUT	ON LOCATION <u>2:30 AM</u>	JOB START <u>8:00 AM</u>	JOB FINISH <u>10:00 AM</u>
Bedell LEASE	WELL # <u>A-4</u>	LOCATION <u>Garden city 153 9E 34N W170</u>			COUNTY <u>Haskell</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR <u>Trinidad Drilling 211</u>	OWNER <u>same</u>
TYPE OF JOB <u>plug back</u>	
HOLE SIZE <u>7 7/8</u>	T.D. <u>5060</u>
CASING SIZE	DEPTH
TUBING SIZE	DEPTH
DRILL PIPE <u>4 1/2</u>	DEPTH <u>5035'</u>
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT	

CEMENT		
AMOUNT ORDERED	<u>75 sks ASC 2 1/2 gel</u>	
	<u>10% salt 5# Gilsonite 2 of 1% FL-16</u>	
	<u>100 sks com 3% cc 20 sks sand on side</u>	
COMMON	<u>100 sks</u>	@ <u>12.60</u> <u>1260.00</u>
POZMIX		@
GEL	<u>1 sks</u>	@ <u>16.65</u>
CHLORIDE	<u>3 sks</u>	@ <u>46.60</u> <u>139.80</u>
ASC	<u>75 sks</u>	@ <u>14.90</u> <u>1117.50</u>
		@
	<u>Gilsonite 325#</u>	@ <u>0.70</u> <u>262.50</u>
		@
	<u>salt 7 sks</u>	@ <u>19.20</u> <u>134.40</u>
		@
	<u>FL-160 37#</u>	@ <u>10.65</u> <u>394.05</u>
		@
		@
HANDLING	<u>222 sks</u>	@ <u>1.90</u> <u>421.80</u>
MILEAGE	<u>98 sk/mile</u>	<u>1318.68</u>
		TOTAL <u>5065.38</u>

EQUIPMENT

PUMP TRUCK	CEMENTER <u>Andrew Max</u>
# <u>423-281</u>	HELPER <u>Alan</u>
BULK TRUCK	
# <u>218</u>	DRIVER <u>Jerry</u>
BULK TRUCK	
# <u>377</u>	DRIVER <u>Jerry</u>

REMARKS:

Mix 75 sks ASC @ 5035'
Mix 100 sks @ 1860'

SERVICE

DEPTH OF JOB	<u>5035'</u>	
PUMP TRUCK CHARGE		<u>1840.00</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>66 miles</u>	@ <u>6.00</u> <u>396.00</u>
MANIFOLD	@	
<u>waiting time 8 hours</u>	@ <u>200.00</u>	<u>1600.00</u>
	@	
		TOTAL <u>3836.00</u>

CHARGE TO: Becker oil co

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>5 1/2</u>		
<u>1 Turbo Centralizer</u>	@	<u>70.00</u>
	@	
	@	
	@	
	@	
		TOTAL <u>70.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

ALLIED CEMENTING CO., INC.

28754

Federal Tax I.D.:

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

OAKLEY, KS

10-5-07	SEC. 9	TWP. 27	RANGE 31W	CALLED OUT	ON LOCATION 11:00am	JOB START 4:30am	JOB FINISH 5:30pm
DATE							
LEASE <u>Bedell</u>	WELL# <u>A-4</u>	LOCATION <u>Garden City 155 (Heritage Feed)</u>			COUNTY <u>Haskell</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)		<u>9 E. Rd VV 31W. Win</u>					

CONTRACTOR Cheyenne #11 OWNER Same

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 1800'

CASING SIZE 8 5/8 DEPTH 1794'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 16'

CEMENT LEFT IN CSG. 16'

PERFS. _____

DISPLACEMENT 113.25 BBLs

CEMENT

AMOUNT ORDERED 600 Lide 390cc

1 1/4" Clo-seal 150cc 390cc

COMMON	<u>150</u>	@	<u>12.60</u>	<u>1890.00</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>25</u>	@	<u>46.60</u>	<u>1165.00</u>
ASC		@		
Lide	<u>600sts</u>	@	<u>11.85</u>	<u>7110.00</u>
		@		
Clo-seal	<u>150*</u>	@	<u>2.00</u>	<u>300.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>812</u>	@	<u>1.90</u>	<u>1542.80</u>
MILEAGE	<u>.091st mile</u>			<u>4823.25</u>
				TOTAL <u>16831.05</u>

EQUIPMENT

PUMP TRUCK CEMENTER Fuzzy

423 HELPER Alvin

BULK TRUCK

373 DRIVER hannie

BULK TRUCK

399 DRIVER Darwin

REMARKS:

Cement did circulate

Approx 45 BBLs

Lide press 600*

hand press 1000*

float held

Plug down @ 5:15 pm

Thanks Fuzzy crew

SERVICE

DEPTH OF JOB 1794

PUMP TRUCK CHARGE 1610.00

EXTRA FOOTAGE @ _____

MILEAGE 66 @ 6.00 396.00

MANIFOLD thread @ 100.00

@ _____

@ _____

TOTAL 2106

CHARGE TO: Becker Oil Co.

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

~~1/2" A.P.O. float~~ @ _____

~~1/2" A.P.O. float~~ @ _____

@ _____

@ _____

@ _____

TOTAL 600.00

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Rod Steubilo

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME