

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED KANSAS CORPORATION COMMISSION FEB 25 223

Form ACO-1 September 1999 Form must be Typed

## **WELL COMPLETION FORM**

WELL HISTORY - DESCRIPTION OF WELL & LEASE WICHTA, KS

Operator: License # 4549	API NO. 15- 189-20213 -00-01
Name: Anadarko Petroleum Corporation	County Stevens
Address 1201 Lake Robbins Drive	<u></u>
City/State/ZipThe Woodlands, TX 77380	Feet from S/N (circle one) Line of Section
Purchaser: Anadarko Energy Services Company	1390 E Feet from E/W (circle one) Line of Section
Operator Contact Person: Diana Smart	Footages Calculated from Nearest Outside Section Corner:
Phone ( <u>832</u> ) 636-8380	(circle one) NE SE NW SW
Contractor: Name: Best Well Service, Inc.	Lease Name Moser Well # A1
License: 32564	Field Name Hugoton/Panoma
Wellsite Geologist:	Producing Formation Chase/Council Grove
Designate Type of Completion	Elevation: Ground 3190 Kelley Bushing
New Well Re-Entryx Workover	Total Depth 3002 Plug Back Total Depth
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at Feet
SIGW SIGW	Multiple Stage Cementing Collar Used? Yes X No
Dry Other (Core, WSW, Expl., Cathodic, etc.)	If yes, show depth set Feet
If Workover/Reentry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: Anadarko Petroleum Corporation	feet depth tow/sx cmt.
Well Name: Moser A1	Drilling Fluid Management Plan (20 - D.g. 1 28 0
Original Comp. Date 04/04/1974 Original Total Depth 3002	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back	Dewatering method used
X Commingled Docket No. C-164	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name
Other (SWD or Enhr?) Docket No.	Lease NameLicense No
01/11/2008 02/04/2008	Quarter Sec Twp S R E
Spud Date or Date Reached TD Completion Date or Recompletion Date	County Docket No
Kansas 67202, within 120 days of the spud date, recompletion, wor Information on side two of this form will be held confidential for a per 82-3-107 for confidentiality in excess of 12 months). One copy of all CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with All requirements of the statutes, rules and regulations promulgated to reg herein are complete and correct to the best of my knowledge.  Signature  Title Staff Regulatory Analyst  Date 02	ith the Kansas Corporation Commission, 130 S. MarkeT - Room 2078, Wichita, kover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. iod of 12 months if requested in writing and submitted with the form (see rule wireline logs and geologist well report shall be attached with this form. ALL hall plugged wells. Submit CP-111 form with all temporarily abandoned wells. ulate the oil and gas industry have been fully complied with and the statements
Notary Public PAMEL MY COMMI	If Denied, Yes Date:  MANN FRYE SSION EXPIRES HIT7, 2009 UIC Distribution

Operator Name Alace	Tro rectored	mi corporación		e <u>moser</u>		VVCII 7	T AL
Sec. <u>34</u> Twp. <u>33</u>	S.R. <u>38</u>	East X Wes	County	Stevens			
INSTRUCTIONS: Shot tested, time tool open temperature, fluid reconstruction Electric Wireline Logs s	and closed, flowi	ng and shut-in pressur rates if gas to surfac	es, whether shut-in ce during test. Atta	pressure reacl	hed static level,	hydrostatic į	pressures, bottom hole
Drill Stem Tests Taken (Attach Additional SI	heets.)	Yes X No	Log	1	Formation (Top),	Depth and [	Datums Sample
Samples Sent to Geological Survey		Yes X No	Name		Тор	Da	atum
Cores Taken		Yes X No					
Electric Log Run (Submit Copy.)		Yes X No					
List All E.Logs Run:							
No new logs							
	Repor	CASING RECORE	LJ (24) -		n, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		8-5/8"	23	551'		450 3% ℃	
Production		5-1/2"	15.5	3001'		500	4% gel
		ADDITIONAL	CEMENTING/SQUE	EZE RECORD			
Purpose Perforate	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives			
Protect Casing							
Plug Back TD Plug Off Zone					,		
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated  Acid, Fracture, Shot, Cement Sqeeze Record (Amount and Kind of Material Used) Depth						
2	Greaty restage of Zadrinko tall and tale						aid 2730-2782
3							
3	2730'-2734' & 2776'-2782' new perfs			Frac w/111,000 gals X-Ink Borate \$ 2730-2782 300,000 # 12/20 sand.			
				300,000 1	# 12/20 Sano.		
	Set CIBP 0	<u> </u>	remove at later	date)			
TUBING RECORD	Size 2-3/8"	Set At 2 <b>787</b> '	Packer At	Liner Run	☐ Yes 🗓	No	
Date of First, Resumed	Production, SV	VD or Enhr. Prod	ucing Method			· · · · · · · · · · · · · · · · · · ·	
01/18/2		<u></u>				ner (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls. Gas 0 1	Mcf Wat	er Bbls. O	Gas-Oil N/A	Ratio	Gravity
Disposition of Gas:	METHOD (	OF COMPLETION			Production Inter	val	
☐ Vented 🔀 Sold	Used on L	ease Dpen	Hole X Perforation	Dually C	comp. Commir	ngled	2730'-2782'
(If vented, submit a	ACO-18.)	— □ Other	(Specify)				