For KCC Use: 3–92009 Effective Date: 3–92009 District # 3 SGA? Types IV No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-t October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

month day vear	Spot Description:	
month day year	SE - NW - NW - NE Sec. 15 Twp. 14	S. R. 22 XE W
31002	(a/a/a/a) 4,700 feet from	
UPERATUR: License#	2.200	S Line of Section
Name: Kelly Company, LC	2,200 feet from	E / W Line of Section
Address 1: 9746 Pflumm Road	is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on	reverse side)
City: Lenexa State: KS Zip: 66215 +	County: Johnson	,
Contact Person: Jim O. Guinotte	Lease Name: Knabe-M	Mail #, KAI-3
Phone: (620) 432-4545	Field Name: Gardner	44CH #:
CONTRACTOR: License# 5989		
Name: Kurt Finney dba Finney Orilling Company	Is this a Prorated / Spaced Field?	Yes No
Name:	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 440	t
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1,000 est.	feet MSL
	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes No
Disposal Wildcat Cable	Depth to bottom of fresh water: 200+	
Seismic; # of Holes Other	Depth to bottom of usable water: 300°	
Other:		
If OWWO: old well information as follows:	Surface Pipe by Alternate:	
III OWWO. Old Well information as follows.	Length of Surface Pipe Planned to be set: 20'	· · ·
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 900 ft.	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville	
/	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes No
	If Yes, proposed zone: Bartlesville	⊠100 □110
	il les, proposed zone.	RECEIVED
ACEI	DAVIT	, ν α νείνεὺ
		MAD 8 c one
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.	MAR 64 2009
It is agreed that the following minimum requirements will be met:	•	
 Notify the appropriate district office prior to spudding of well; 		
		KCC WICHITA
2. A copy of the approved notice of intent to drill shall be posted on each of	Irilling rig;	KGC WICHITA
 A copy of the approved notice of intent to drill shall be posted on each of The minimum amount of surface pipe as specified below shall be set by 	circulating cement to the top; in all cases surface pipe	The same of the same of the same of
 A copy of the approved notice of intent to drill shall be posted on each of The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the or 	r circulating cement to the top; in all cases surface pipe underlying formation.	shall be set
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 0. If the well is dry hole, an agreement between the operator and the district. 	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary pr .	shall be set
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. 	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary pr d or production casing is cemented in;	shall be set
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be comented. 	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary pr. If or production casing is cemented in; from below any usable water to surface within 120 DA!	e shall be set for to plugging; YS of spud date.
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13. 	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary pr. If or production casing is cemented in; from below any usable water to surface within 120 DA! 3,891-C, which applies to the KCC District 3 area, alter	e shall be set for to plugging; YS of spud date. mate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will be well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary pro- d or production casing is cemented in; from below any usable water to surface within 120 DAN 3,891-C, which applies to the KCC District 3 area, alter flugged. In all cases, NOTIFY district office prior to a	e shall be set for to plugging; YS of spud date. mate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13. 	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary pro- d or production casing is cemented in; from below any usable water to surface within 120 DAN 3,891-C, which applies to the KCC District 3 area, alter flugged. In all cases, NOTIFY district office prior to a	e shall be set for to plugging; YS of spud date. mate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best place. 	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary pr. It or production casing is cemented in; If or production casing is cemented in; If or below any usable water to surface within 120 DA If a,891-C, which applies to the KCC District 3 area, alter Illugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief.	e shall be set for to plugging; YS of spud date. mate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will be well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary pr. It or production casing is cemented in; If or production casing is cemented in; If or below any usable water to surface within 120 DA If a,891-C, which applies to the KCC District 3 area, alter Illugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief.	e shall be set for to plugging; YS of spud date. mate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best place. 	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary pr. It or production casing is cemented in; If or production casing is cemented in; If or below any usable water to surface within 120 DA If a,891-C, which applies to the KCC District 3 area, alter Illugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief.	e shall be set for to plugging; YS of spud date. rnate II cementing any cementing.
A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed before the statements made herein are true and correct to the best bate. March 4, 2009 Signature of Operator or Agent: For KCC Use ONLY Signature	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DAN 3,891-C, which applies to the KCC District 3 area, alter lugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief. Remember to:	e shall be set for to plugging; YS of spud date. rnate II cementing any cementing.
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: March 4, 2009 Signature of Operator or Agent: March 4, 2009 Signature of Operator or A	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DA: 3,891-C, which applies to the KCC District 3 area, alter lugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief. Agent	e shall be set for to plugging; YS of spud date. mate II cementing any cementing.
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: March 4, 2009 Signature of Operator or Agent: Date: March 4, 2009 Signature of Operator or Agent: Date: March 4, 2009 Signature of Operator or Agent: Date: Da	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DAN 3,891-C, which applies to the KCC District 3 area, alter lugged. In all cases, NOTIFY district office prior to a set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to E	e shall be set for to plugging; YS of spud date. mate II cementing any cementing.
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be commented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best placed by the statement of Operator or Agent: March 4, 2009 Signature of Operator or Agent: Signature of Ope	r circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DANS,891-C, which applies to the KCC District 3 area, alter lugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to E. File Completion Form ACO-1 within 120 days of spuce	e shall be set for to plugging; YS of spud date. mate II cementing any cementing.
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: March 4, 2009 Signature of Operator or Agent: Date: March 4, 2009 Signature of Operator or Agent: Date: March 4, 2009 Signature of Operator or Agent: Date: Da	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DAN 3,891-C, which applies to the KCC District 3 area, alter lugged. In all cases, NOTIFY district office prior to a set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spuce File acreage attribution plat according to field proration.	e shall be set for to plugging; YS of spud date. rnate II cementing any cementing. Irill; Id date; on orders; kover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed before the well shall be placed by that the statements made herein are true and correct to the best of the statement of Operator or Agent: March 4, 2009	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DANS,891-C, which applies to the KCC District 3 area, alter lugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to E. File Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to wor	e shall be set for to plugging; YS of spud date. mate II cementing any cementing. Itili; d date; on orders; kover or re-entry; eleted (within 60 days);
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the statement of the sta	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DANS,891-C, which applies to the KCC District 3 area, alter lugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to E. File Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to word. Submit plugging report (CP-4) after plugging is comp	e shall be set for to plugging; YS of spud date. mate II cementing any cementing. Itili; Id date; on orders; kover or re-entry; eleted (within 60 days); salt water.
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements and the placed by the statement of the placed by the stateme	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DAN 3,891-C, which applies to the KCC District 3 area, alter flugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to E. File Completion Form ACO-1 within 120 days of sputh according to field proration. Notify appropriate district office 48 hours prior to worm. Submit plugging report (CP-4) after plugging is compared to the completion of the plugging of the plugging of the completion of the plugging is compared to the completion of the plugging of the plugging is compared to the completion of the completion of the plugging is compared to the completion of the com	e shall be set for to plugging; YS of spud date. rnate II cementing any cementing. It didate; on orders; kover or re-entry; eleted (within 60 days); sait water. date) please
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the statement of the sta	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DANS,891-C, which applies to the KCC District 3 area, alter flugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to E. File Completion Form ACO-1 within 120 days of sputh File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to word Submit plugging report (CP-4) after plugging is composition. Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration check the box below and return to the address below.	for to plugging; YS of spud date. mate II cementing any cementing. Initi; Id date; In orders; Ikover or re-entry; Ideted (within 60 days); Isait water. Idate) please
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements and the placed by the statement of Operator or Agent: March 4, 2009	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DANS,891-C, which applies to the KCC District 3 area, alter lugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to E. File Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to worm. Submit plugging report (CP-4) after plugging is composition. Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration).	e shall be set for to plugging; YS of spud date. mate II cementing any cementing. Itili; Id date; on orders; kover or re-entry; eleted (within 60 days); salt water. date) please
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best bate. March 4, 2009 Signature of Operator or Agent: March 4, 2009	r circulating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DANS,891-C, which applies to the KCC District 3 area, alter flugged. In all cases, NOTIFY district office prior to a st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to E. File Completion Form ACO-1 within 120 days of sputh File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to word Submit plugging report (CP-4) after plugging is composition. Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	e shall be set for to plugging; YS of spud date. rnate II cementing any cementing. Irill; Id date; on orders; kover or re-entry; leteted (within 60 days); salt water. date) please X

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

				
Operator Name: Kelly Company, LC		License Number: 31002		
Operator Address: 9746 Pflumm Road		Lenexa KS 66215		
Contact Person: Jim O. Guinotte		Phone Number: (620) 432-4545		
Lease Name & Well No.: Knabe-M KAI-3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE . NW . NW . NE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 15 Twp. 14 R. 22 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		4,700 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2,200 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	120	(bbls)	Johnson County	
is the pit located in a Sensitive Ground Water	er Area? Yes No		Chloride concentration: mg/l	
is the pit located in a Selfshive Glound Water Alea:		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 10 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point: 5 (feet) No Pit				
		edures for periodic maintenance and determining notuding any special monitoring.		
material, thousand and motions of			MAR 8 4 200	
		MAR 5 4 200		
			KCC WICHI	
Distance to nearest water well within one-mile of pit Depth to shalk Source of info		owest fresh water 20 feet.		
· · · · · · · · · · · · · · · · · · ·		ured well owner electric log KDWR		
		over and Haul-Off Pits ONLY:		
		e of material utilized in drilling/workover: Drilling Mud		
1		ber of working pits to be utilized:		
Barrels of fluid produced daily: Abandonment		procedure: Let air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		nust be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
1) -	Λ .	
3-04-09 Warna Thanda Signature of Applicant or Agent				
Date			agricultura et agricu	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 3/4/07 Permit Nur	nber:	Pern	nit Date: 3/4/09 Lease Inspection: Yes < No	



NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.