For KCC Use: Effective Date: 3-15-2009 District # 4

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

William and apply and a first and a second a	e (5) days prior to commencing well
Europated Could Date: 3 16 09	
Expected Spud Date:	Spot Description: NW SE SW Sec. 16 Twp. 9 S. R. 26 EXW
30076	(QQQQQQ) 1,220 Sec. 10 lwp. 3 S. H. 20 Line of Section
OPERATOR: License#	1,605 feet from E / X W Line of Section
Name: A & A PRODUCTION	,,
Address 1: PO BOX 100	Is SECTION: Regular Inregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: HILL CITY State: KS Zip: 67642 +	County: SHERIDAN
Contact Person: ANDY ANDERSON Phone: 78-421-6266	Lease Name: SIMON Well #: 1
	Field Name: N/A
CONTRACTOR: License#33237	Is this a Prorated / Spaced Field?
Name: ANDERSON DRILLING	Target Formation(s): KANSAS CITY
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1035'
	Ground Surface Elevation: 2679' feet MSL
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 215 230
Other:	Depth to bottom of usable water: 245 1400
	Contact Dine by Alternates II VIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 280 min ·
	Length of Conductor Pipe (if any): NONE
Operator:	Projected Total Depth: 4000
Well Name:	Formation at Total Depth: KANSAS CITY
Original Completion Date: Original Total Depth:	Water Source-for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	
If Yes, true vertical depth:	Well Farm Pond Other: DWR Permit #: APPLIED FOR
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	· · ·
a e	KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plu	aging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual plu	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq. MAR 1 0 2009
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq. MAR 1 0 2009 RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ugging of this well will comply with K.S.A. 55 et. seq. MAR 1 0 2009 a drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. MAR 1 0 2009 a drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distinct the surface of the state of the sta	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In this well will comply with K.S.A. 55 et, seq. MAR 1 0 2009 RECEIVED The shall be set be underlying formation. The complete of the shall be set be underlying formation. The complete of the shall be set be underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	In drilling rig; A drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Intercrit office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	RECEIVED a drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. Interest office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description. The well is dry hole, an agreement between the operator and the district office will be notified before well is either plugs. 5. The appropriate district office will be notified before well is either plugs. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	A drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Intercritication casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	A drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the complete of the compl
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the business.	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the district office will be notified before well is either pluge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the business.	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set as underlying formation. In the control of the control
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the district office will be notified before well is either pluge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the business.	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Intercit office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In the surface within 120 DAYS of spud date. Title: Title: Title: Title:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent:	MAR 1 0 2009 RECEIVED Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Brict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Title:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the base of the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the base of the spud date of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the base of the spud date of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the base of the spud date of the spud date of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the base of the spud date of th	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by concern the surface of the surface pipe shall be set by concern the surface of the surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bottom in the complete of the statements of the spud date of the statements of the spud date of the well shall be statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179 - 21224 - 00-00	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by concerning the shall be set by concerning t
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the boundary. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179 - 21226-00-00	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. In definition of the set of the se
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bottler. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179 - 21226-00-00 Conductor pipe required feet	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. In driving
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the bifulty of the appropriate district office will be notified before well is either plugs of an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bottle. Date: 3-6-99 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179 - 21226-00-00 Conductor pipe required feet Minimum surface pipe required feet per ALT.	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In definition on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. Is 33,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the difference of the strict office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bodies. Signature of Operator or Agent: **Por KCC Use ONLY** API # 15 - 179 - 21226-00-00 Conductor pipe required	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In definition or plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. It is a plugged. In all cases, NOTIFY district office prior to any cementing. In the set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the drill shall be set into the drill shall be shall be set into the drill shall be shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the best produced by the statement of the drill statement of the stateme	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In different control of the set of
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plugg. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bodies: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179 - 21226-00-00 Conductor pipe required Approved by: Pure 3-10-2009 Approved by: Pure 3-10-2009	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Intercit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best placed by the statements of the conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179 - 21226-00-00 Conductor pipe required feet Minimum surface pipe required feet per ALT. Feet per ALT. Feet per ALT. Feet per ALT. Feet per Approved by: 10-2009 This authorization expires: 3-10-2010	MAR 1 0 2009 RECEIVED In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Incit office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 179 - 21 226 -00-00					
Operator: A & A PRODUCTION	Location of Well: County: SHERIDAN				
Lease: SIMON	1,220 feet from N / X S Line of Section				
Well Number: 1	1,605 feet from E / X W Line of Section				
Field: N/A	Sec. 16 Twp. 9 S. R. 26 E W				
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW SE SW	Is Section: Regular or Irregular				
NW -	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW				

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

i		•	•	•	!	:	: :	
3		:		:				
		•	•	•				
		:	:	:			;	- 1
			•	•		•		
		•	•	:	!	•	•	1
					1			
								• • • • • • • • •
			;					
	1	•		:		:	:	:
		:	:			,	;	.
		•	•	•		•		
		•	•	:	i	:	:	:
		•	•	•	1			

					1			
		-	:		ł			
		•	•	•	1	•	•	: I
		:	:	•		:	:	
			:					•
		:	•	:	1	:	:	
		:	:	:		;	:	
			•					
I.			******	*******				
		•		•		•	•	:
		:	:	;		:	:	
		•	;	•			•	
		:	:	:	l	:	:	
			:					
		•		•		:	:	
		-	•				<u></u>	
				•				
				•		•		
		•					: :	
							: .	
		•	•	•	1 .	•	•	
		:	:	:	1		:	
					1		-	
	********	*******						
			•	:			: :	
			:					
		•		•		•		
		:	•	:		:	:	
				•				
_	1	•	•	•	i			
11						******		*******
//_//>	**********							
1000		1			1	:	: .	
1605					•		: .	
		•	· ч	•		•	:	:
		:		:		:	:	
		-		•		•		
		:	: 1	:		:	: ;	
			. 1		1			
				• • • • • • • • •				
			ı		1			
		•		:	1 .	:	: :	:
		:	: I	•			:	
		•	• 1	•	i	:	: :	:
		:	: (:	[:	:	
			· I	•	1	•	•	:
		:	: 1	:	1	;	: :	
					11			
			I				_	

MAR 0 9 2009

SEWARD KANSAS CORPORATION COMMISSION

3390'

1980

EXAMPLE

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections. 4 sections, etc.

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAR 0 9 2009

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT CONSERVATION DIVISION WICHITA KS

Submit in Duplicate

Operator Name: A & A PRODUCTION			License Number: 30076			
Operator Address: PO BOX 100 HILL CITY KS 67642						
Contact Person: ANDY ANDERSON			Phone Number: 785-567-8068			
Lease Name & Well No.: SIMON #1			Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE NW SE SW			
Emergency Pit Burn Pit	Proposed Existing		Sec. 16 Twp. 9 R. 26 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		1,220 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:	<u> </u>	1,605 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	3,600	(bbis)	SHERIDAN County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	CLAY TYPE SOIL			
Pit dimensions (all but working pits):	i0 Length (fe	eet) 60	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	5 (feet) No Pit			
•			dures for periodic maintenance and determining ncluding any special monitoring.			
Distance to nearest water well within one-mile of pit Depth to shall Source of info		west fresh water/ 5 7 feet.				
1589feet Depth of water well197feet		measu				
		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation: Type of materi		pe of material utilized in drilling/workover: DRILLING MUD				
· -		nber of working pits to be utilized:				
Barrels of fluid produced daily: Abandoni		Abandonment	procedure: Let fluid evaporate and fill with excavated dirt			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
03-06-09 Date The Industry Carry Signature of Applicant or Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 3/9/09 Permit Num	ber:	Perm	it Date: 3/9/o 9 Lease Inspection: Yes 💹 No			