

CONFIDENTIAL
JAN 23 2008
KCC

CONFIDENTIAL

1/23/09

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 5447
Name: OXY USA Inc.
Address: P.O. Box 2528
City/State/Zip: Liberal, KS 67905
Purchaser: UGGS
Operator Contact Person: Kenny Andrews
Phone: (620) 629-4200
Contractor: Name: Best Well Service
License: N/A 32564
Wellsite Geologist: N/A
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl, Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: 02/02/2005 Original Total Depth: 3076
 Deepening Re-perf. Conv. To Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
12/31/04 10-11-17 01/01/05 02/02/05 10-19-07
Spud Date or Date Reached TD Completion Date or
Recompletion Date per oper - Recompletion Date
KCC-DIG

API No. 15 - 067-21599-0001
County: Grant
NW - NW - SE - NW Sec 1 Twp. 29 S. R. 37W
1390 feet from S (N) (circle one) Line of Section
1390 feet from E (W) (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE (NW) SW
Lease Name: Hoffman J Well #: 4
Field Name: Panoma Council Grove
Producing Formation: Chase/Council Grove
Elevation: Ground: 2974 Kelly Bushing: _____
Total Depth: 3076 Plug Back Total Depth: 3032
Amount of Surface Pipe Set and Cemented at 656 feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan WD NH 9-2-08
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 6702, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Production Lead Date January 23, 2008
Subscribed and sworn to before me this 23 day of Jan
20 08
Notary Public: Anita Peterson
Date Commission Expires: Oct. 1, 2009

KCC Office Use Only
Y Letter of Confidentiality Attached
If Denied, Yes Date: _____

Wireline Log Received

Geologist Report Received

UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
copy to Jim

ANITA PETERSON
Notary Public - State of Kansas
My Appt. Expires October 1, 2009

ANITA PETERSON
Notary Public - State of Kansas
My Appt. Expires October 1, 2009

JAN 25 2008

CONSERVATION DIVISION
WICHITA, KS

Side Two

Operator Name: OXY USA Inc. Lease Name: Hoffman J Well #: 4

Sec. 1 Twp. 29 S. R. 37W East West County: Grant

Instructions: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Chase	2373	601
Electric Log Run <i>(Submit Copy)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Krider	2403	571
List All E. Logs Run:		Winfield	2445	529
		Towanda	2503	471
		Ft. Riley	2557	417
		Matfield	2622	352
		Wreford	2642	332
		Council Grove	2662	312

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set(in. O.D.)	Weight Lbs./ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Conductor					C		
Surface	12 1/4	8 5/8	24	656	C	165	35/65 Poz C + Additives
					C	150	Class C + Additives
Production	7 7/8	4 1/2	11.6	5074	C	210	Class C + Additives
					H	190	50/50 Poz + Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing	-			
___ Plug Back TD				
___ Plug off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	2378-2394; 2401-2421; 2445-2460 (new)	Frac: 4303 bbls 75! Linear Gel w/75% N2 foam;	
3	2501-2515; 2524-2530 (new)	328,822# 16/30 sand	
4	2558-2580 (new)		
4	2796-99, 2804-06, 2757-66, 2781-83, 2753-55 (old)	(See Side Three)	

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 3/8	2823		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr. 10/19/2007			Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil BBLS	Gas Mcf	Water Bbls	Gas-Oil Ratio	Gravity
	0	113	3		

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled _____

Other (Specify) _____

Production Interval _____



OXY USA Inc.
1701 N. Kansas
P.O. Box 2528
Liberal, Kansas 67905

January 23, 2008

CONFIDENTIAL
JAN 23 2008
KCC

Kansas State Corporation Commission
Conservation Division, Finney State Office Building
130 S. Market, Room 2078
Wichita, KS 67202-3802

RE: HOFFMAN J-4
NW/4 Sec-1 T-29S R-37W
Grant County, Kansas

Dear Sir:

Please file confidential. Enclosed herewith please find ACO-1 for subject well, which was recently recompleted by perforating the Chase zone.

If there are any questions or you require further information, please contact me at the above address or by phone at (620) 629-4200.

Sincerely,

A handwritten signature in cursive script, appearing to read "Kenny Andrews", is written over a light-colored background.

Kenny Andrews
Production Lead

Enclosure

Cc: OXY - Houston
OXY - Well File

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 25 2008

CONSERVATION DIVISION
WICHITA, KS

CONFIDENTIAL

CONFIDENTIAL

JAN 23 2008

KCC

Side Three

Operator Name: OXY USA Inc. Lease Name: Hoffman J Well #: 4

Sec. 1 Twp. 29 S. R. 37W East West County: Grant

Shots Per Foot	PERFORATION RECORD – Bridge Plugs Set/type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	
			Depth
2	2749-51, 2742-44, 2734-40, 2725-30, 2719-21, 2714-16, 2707-10, 2701-03 (old)		
1	2696-98, 2692-94, 2682-87, 2677-79, 2670-74, 2664-68(old)		

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 25 2008

CONSERVATION DIVISION
WICHITA, KS