THE ...

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # _32309	API No. 15 - 055-21861-0000
Name: Presco Western, LLC	County: Finney
Address: 1775 Sherman Street, Suite 2950	SW_NW_Sec. 30 Twp. 23 S. R. 33 East V West
City/State/Zip: Denver, CO 80203	2331 feet from S (N) (circle one) Line of Section
Purchaser: N/A	330 feet from E / W (circle one) Line of Section
Operator Contact Person: Richard J. Gray	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 864-1881 x.103 RECEIVED	(circle one) NE SE NW) SW
Contractor: Name: Cheyenne Drilling	Lease Name: GCC Well #: 1-530
License: 5382 FEB 0 7 2005	Field Name: Unnamed
Wellsite Geologist: Austin Garner KCC WICHITA	Producing Formation: DRY
Designate Type of Completion:	Elevation: Ground: 2917.8' Kelly Bushing: 2928'
New Well Re-Entry Workover	Total Depth: 4812' Plug Back Total Depth: 3100'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 1725' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
✓ Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	1 1 110 2
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan  (Data must he collected from the Reserve Pit)  A A A A A A A A A A A A A A A A A A A
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 3900 ppm Fluid volume 1800 bbls
Plug Back Plug Back Total Depth	Dewatering method used Dried and Filled
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
1/12/05 1/19/05 1/20/05	Lease Name: License No.:
1/12/05         1/19/05         1/20/05           Spud Date or         Date Reached TD         Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells  All requirements of the statices, rules and regulations promulgated to regulations.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
herein are complete anercorrect to the best of my knowledge.	
Signature:	KCC Office Use ONLY
Title: President Date 2/4/05	Letter of Confidentiality Received
Subscribed and sworn to before me this 44h day of Activating	If Denied, Yes Date:
	Wireline Log Received
20_05	Geologist Report Received
Notary Public: Dusa K. B/D 7 3	UIC Distribution
Date Commission Expires: 119-08	#02 E

Side Two

de se

Operator Name: Presco Western, LLC				Lease	e Name:	GCC		Well #: <u>1-530</u>			
	23 S. R. 33 East  West				County: Finney						
INSTRUCTIONS: Sho tested, time tool open temperature, fluid reco Electric Wireline Logs	and closed, flowing very, and flow rate	g and shut- s if gas to	in pressures, surface test, a	whether s along with	hut-in pre	essure reached	l static level, hydro	static pressu	res, bottom hole		
Drill Stem Tests Taken (Attach Additional St	heets)	<b></b> ✓ Ye	es 🗌 No		VL	og Format	tion (Top), Depth a	nd Datum	Sample		
Samples Sent to Geological Survey		s 🗹 No		Name Heebner			Top 3780'	Datum			
Cores Taken		☐ Ye			Lans			3820'			
Electric Log Run	117	✓ Ye	_		i	sas City		4065'			
(Submit Copy)						•		4305'			
List All E. Logs Run:		•			Marmaton		4000				
		(000	Morrow St. Genevieve				4705'				
Dual Induction,	, Compensate	ed Neu	tron/SSD		51. (	<b>Jenevieve</b>		4703			
	.4°										
		Danas		RECORD	✓ N	ew Used	otion ato				
Purpose of String	Size Hole		e Casing		eight	Setting	Type of	# Sacks	Type and Percent		
-	Drilled		(In O.D.)	<del>                                     </del>	. / Ft.	Depth	Cement	Used	Additives		
Surface	12 1/4"	8 5/8"		28		1725'	Lite	600	3%CC+1/4 Flosea		
	4						Common	150	3%CC		
	•					المستريضة عد المدا		•			
	*		ADDITIONAL	CEMENT	INC / SOI	LEEZE DECÓD	'D				
Purpose:	Depth	ADDITIONAL CEMENT									
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom	Type of Cement		#Sacks Used		Type and Percent Additives					
	*										
	<u> </u>										
Shots Per Foot PERFORATION RECORD - Bridge Plugs Se Specify Footage of Each Interval Perforate						Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
1	N/A RECEIVE										
					)						
	4		FEB (	n 7 200	5						
	*\$		FED	0 1 200	6						
			-KCC/	WICH	ITA_						
TUBING RECORD N/A	Size	Set At		Packer	At	Liner Run	Yes No				
Date of First, Resumerd	Production, SWD or E	Enhr.	Producing Me	thod	Flowin	ig Pump	oing 🔲 Gas Li	ft . Dot	ner (Explain)		
Estimated Production Per 24 Hours	Oil	Bbis.	Gas	Mcf	Wat	er	Bbls. (	Gas-Oil Ratio	Gravity		
Disposition of Gas	METHOD OF COMPLETION Production Interval										
							_	DRY			
Vented Sold (If vented, Sub	Used on Lease mit ACO-18.)		Open Hole Other (Spec	<b></b>	п	Dually Comp.	Commingled _				

## DRILLER'S LOG

PRESCO WESTERN, LLC GARDEN CITY COMPANY 1-530 FINNEY COUNTY, KANSAS

COMMENCED: 01-12-05 COMPLETED: 01-20-05

SURFACE CASING: 1708' OF 8 5/8" CMTD W/600 SKS PREMIUM PLUS LITE + 3% CC + 1/4#/SK FLOCELE. TAILED W/150 SKS COMMON + 3% CC.

FORMATION DEPTH

SURFACE HOLE 0 - 1725

RED BED 1725 - 2275

LIMESTONE & SHALE 2275 - 4642

MORROW 4642 - 4698

ST. GENEVIEVE 4698 - 4750

I DO HEREBY CERTIFY THAT THE FOREGOING STATEMENTS ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

CHEYENNE DRILLING, INC

WRAY VALENTINE

4750 - 4810 RTD

STATE OF KANSAS: ss:

ST. LOUIS

SUBSCRIBED AND SWORN TO BEFORE ME THIS 24<sup>TH</sup> DAY OF JANUARY, 2005.

JOLENE K. RUSSELL Notary Public - State of Kansas JOLENE K. RUSSELL

MOTARY PUBLIC

RECEIVED

## LIED CEMENTING CO., INC.

19885 Federal Tax I.D.# REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINT: Oakley RANGE CALLED OUT ON LOCATION 33W JOB START 3, 20 AN JOB FINISH Garden Cit 9:00 PM WELL# /~530 LOCATION HOLCOMB 1/2NE/S COUNTY OLD OR NEW (Circle one) CONTRACTOR Cheyenne Drlg
TYPE OF JOB
Supface **OWNER** Same HOLE SIZE T.D. **CEMENT CASING SIZE** DEPTH /722,36 AMOUNT ORDERED \_ **TUBING SIZE DEPTH** DRILL PIPE TOOL **DEPTH** PRES. MAX **MINIMUM** 150 skg @ 9,10 /36570 COMMON MEAS. LINE SHOE JOINT 45.32' POZMIX CEMENT LEFT IN CSG. GEL PERFS. CHLORIDE DISPLACEMENT 107 Bb/s **EQUIPMENT** PUMP TRUCK CEMENTER Dean #373-281 AndrewECEIVED HELPER **BULK TRUCK** 386 Mike FEB 07 2005 **BULK TRUCK** LOHN/EXCC WICHITA \_347 DRIVER HANDLING 1043,5 MILEAGE 54 2705.50 **REMARKS:** TOTAL 10853.0: Cemented cog w/6005Ks Lite ing and in the 39000 14 Delegge Plug + Dispit SERVICE down DEPTH OF JOB PUMP TRUCK CHARGE 1180.00 EXTRA FOOTAGE \_ Held on THE but \_\_@ MILEAGE 70 M. 1es @4.00 280.00 Cement did circulate Thank you MANIFOLD \_\_\_\_ CHARGE TO: Presco Western LLC STREET TOTAL <u>1460.00</u> CITY\_\_\_\_ \_\_\_ STATE \_ PLUG & FLOAT EQUIPMENT ruide shoe @ U Insar To Allied Cementing Co., Inc. @ Centralizers Basket You are hereby requested to rent cementing equipment @ 33.00 /32.00 and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent orcontractor. I have read & understand the "TERMS AND TOTAL 844.00 CONDITIONS" listed on the reverse side. TAX\_\_\_ TOTAL CHARGE \_ DISCOUNT

SIGNATURE LONG HOM

IF PAID IN 30 DAYS