



Sec. 28 Twp. 11 S. R. 18

East  West County: Ellis

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  Yes  No  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)  
 List All E. Logs Run:

Sonic, Dual Induction, Compensated Density  
 - Neutron & Cement Bond Log

Log Formation (Top), Depth and Datum  Sample

Name	Top	Datum
Anhydrite	1358'	702'
Topeka	3045'	985'
Heebner	3272'	1212'
Lansing	3317'	1257'
Base/KC	3551'	1491'
Arbuckle	3595'	1535'

CASING RECORD						
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used
Surface String (Used)	12 1/4"	8 5/8"	#19	257'	Common	250 sks.
Production String (New)	7 7/8"	5 1/2"	#14	3700'	ASC	200 sks.
(For Exact Details)						

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Protect Casing	1,352' to Surface	Common/Poz. Mix	350 Sks.	6% Gel, 1/4 lb. Floseal per sk.
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
1	3476' to 3478'	Acid 250 gal.--15% Mud Acid	
4	3600' to 3604'	Acid 250 gal.--15% Intensified Non-Swelling	

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 7/8"	3692'		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First Resumed Production, SWD or Ehh?	Producing Method	Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
11/04/04	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)	22	0	2		22.0	

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input checked="" type="checkbox"/> Used on Lease	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled	
(If vented, Submit ACO-18.) <input type="checkbox"/> Other (Specify)		



# ALLIED CEMENTING CO., INC.

18829

Federal Tax I.D. \_\_\_\_\_

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>10-22-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>Fisher</u>	WELL# <u>6</u>	LOCATION <u>Hayes 11N 24W 45 1/4 W</u>			COUNTY <u>Ellis</u>	STATE <u>K</u>	<u>5:45 PM</u>
<input checked="" type="radio"/> OLD OR <input type="radio"/> NEW (Circle one)				<u>1/4 N</u>			


CONTRACTOR L-D Drlg  
 TYPE OF JOB Prod String  
 HOLE SIZE 7 7/8" I.D. DEPTH 3700  
 CASING SIZE 5 1/2" DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL #56 DEPTH 1362  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_

DISPLACEMENT 14# 90 1/2 BBL  
 EQUIPMENT 343 Dave  
 PUMP TRUCK CEMENTER Steve  
 # \_\_\_\_\_ HELPER \_\_\_\_\_  
 BULK TRUCK \_\_\_\_\_  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_  
 BULK TRUCK \_\_\_\_\_  
 # 213 DRIVER Gary

REMARKS:  
plug Rot w/ 15 sk  
Float Held  
Landed @ 1100 psi

CHARGE TO: Kenmark Corp.  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE \_\_\_\_\_  


OWNER \_\_\_\_\_  
 CEMENT AMOUNT ORDERED 200 ASC 2% gel  
1/4 16 Flowseal per sk 3/4 of 1% CD-31  
Defoamer 500 gal WFR-2

COMMON	@		
POZMIX	@		
GEL	@	<u>4</u>	<u>11.00</u>
CHLORIDE	@		
ASC	@	<u>200</u>	<u>9.80</u>
Flow-SEAL	@	<u>50</u>	<u>1.40</u>
CD 31	@	<u>143</u>	<u>5.50</u>
DEFOAMER A	@	<u>50</u>	<u>5.25</u>
WFR-2	@	<u>500</u>	<u>1.00</u>
RECEIVED	@		
FEB 08 2005	@		
KCC WICHITA	@		
HANDLING	@	<u>204</u>	<u>1.35</u>
MILEAGE	@	<u>59/514 MILE</u>	<u>387.60</u>
TOTAL			<u>4286.00</u>

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>1180.00</u>
EXTRA FOOTAGE	@		
MILEAGE	@	<u>38</u>	<u>4.00</u>
MANIFOLD	@		
<u>5 1/2" plug</u>	@		<u>60.00</u>
TOTAL			<u>1392.00</u>

PLUG & FLOAT EQUIPMENT

<u>1 Guide Shoe</u>			<u>150.00</u>
<u>1 RFU Insert</u>	@		<u>235.00</u>
<u>2 Baskets</u>	@	<u>128.00</u>	<u>256.00</u>
<u>8 Cementizers</u>	@	<u>50.00</u>	<u>400.00</u>
<u>1 part collar</u>	@		<u>1750.00</u>
TOTAL			<u>2791.00</u>

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS  
 PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

18862

Federal Tax I.D.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: 2

DATE <u>10-15-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START <u>8:30pm</u>	JOB FINISH <u>8:00pm</u>
LEASE <u>FISHER</u>	WELL # <u>6</u>	LOCATION <u>HAYS 13 N 34 W 34 S</u>			COUNTY <u>ELLIS</u>	STATE <u>Ks</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR <u>L-D DRILL</u>	OWNER
TYPE OF JOB <u>SURFACE</u>	
HOLE SIZE <u>12 1/4</u>	T.D. <u>260</u>
CASING SIZE <u>8 5/8</u>	DEPTH <u>260</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG. <u>10-15'</u>	
PERFS.	
DISPLACEMENT <u>15 1/2 BBL</u>	

**EQUIPMENT**

PUMP TRUCK	CEMENTER <u>MARIC</u>
# <u>346</u>	HELPER <u>STEVE</u>
BULK TRUCK	
# <u>213</u>	DRIVER <u>Ralph</u>
BULK TRUCK	
#	DRIVER

**REMARKS:**

MIXED 250 SIL W/SHULLS CEMENT  
CIRC RELEASED PLUG HAD DIMENSIONAL  
RETURNS DESPLACED 15 1/2 BBL CELLUR  
STAYED FULL

CHARGE TO: KENMARK  
STREET \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment  
and furnish cementer and helper to assist owner or

CEMENT	
AMOUNT ORDERED <u>250 COM 38CC</u>	<u>290 GEL</u>

COMMON <u>250</u>	@ <u>7.85</u>	<u>1962.50</u>
POZMIX	@	
GEL <u>5</u>	@ <u>11.00</u>	<u>55.00</u>
CHLORIDE <u>7</u>	@ <u>33.00</u>	<u>231.00</u>
ASC	@	

**RECEIVED**

**FEB 08 2005**

**KCC WICHITA**

HANDLING <u>261</u>	@ <u>1.35</u>	<u>352.35</u>
MILEAGE <u>1.05/mi</u>		<u>522.00</u>
		<b>TOTAL <u>3,122.85</u></b>

**SERVICE**

DEPTH OF JOB		
PUMP TRUCK CHARGE	<u>570.00</u>	
EXTRA FOOTAGE	@	
MILEAGE <u>40 mi.</u>	@ <u>4.00</u>	<u>160.00</u>
MANIFOLD	@	
<del>_____</del>	@	
<del>_____</del>	@	
		<b>TOTAL <u>830.00</u></b>

**PLUG & FLOAT EQUIPMENT**

<u>8 5/8 wood plug</u>		<u>55.00</u>
	@	
	@	
	@	
	@	