

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 32309
Name: Presco Western, LLC
Address: 1775 Sherman Street, Suite 2950
City/State/Zip: Denver, CO 80203
Purchaser: Plains Marketing
Operator Contact Person: Richard J. Gray
Phone: (303) 864-1881 x.103
Contractor: Name: Cheyenne Drilling
License: 5382
Wellsite Geologist: N/A

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

12/11/04	12/19/04	1/21/05
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date


API No. 15 - 081-21560-0000
County: Haskell
S/2 SE NE Sec. 17 Twp. 30 S. R. 33 East West
2310 feet from S N (circle one) Line of Section
660 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Earlene Black Well #: 1-817
Field Name: Lemon Victory
Producing Formation: Lansing
Elevation: Ground: 2962.5' Kelly Bushing: 2968.5'
Total Depth: 5386' Plug Back Total Depth: 4275'
Amount of Surface Pipe Set and Cemented at 1759 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan *Alt. I KGR 3/4/08*
(Data must be collected from the Reserve Pit)
Chloride content 6500 ppm Fluid volume 1800 bbls
Dewatering method used Dried and Filled
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.
Signature: [Signature]
Title: President Date: 2/18/05
Subscribed and sworn to before me this 18th day of February
2005
Notary Public: Juan R. B. B.
Date Commission Expires: 11-9-08



KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
FEB 22 2005
KCC WICHITA

Operator Name: Presco Western, LLC Lease Name: Earlene Black Well #: 1-817
 Sec. 17 Twp. 30 S. R. 33 East West County: Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Compensated Neutron/Density, Dual Induction	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Heebner</td> <td>3993'</td> <td></td> </tr> <tr> <td>Lansing</td> <td>4144'</td> <td></td> </tr> <tr> <td>Kansas City</td> <td>4591'</td> <td></td> </tr> <tr> <td>Marmaton</td> <td>4749'</td> <td></td> </tr> <tr> <td>Pawnee</td> <td>4855'</td> <td></td> </tr> <tr> <td>Morrow</td> <td>5216'</td> <td></td> </tr> </table>	Name	Top	Datum	Heebner	3993'		Lansing	4144'		Kansas City	4591'		Marmaton	4749'		Pawnee	4855'		Morrow	5216'	
Name	Top	Datum																				
Heebner	3993'																					
Lansing	4144'																					
Kansas City	4591'																					
Marmaton	4749'																					
Pawnee	4855'																					
Morrow	5216'																					

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24	1759'	HLC PP	475	3%CC+1/4# Flocele
					Prem Plus	150	2%CC
Production	7 7/8"	4 1/2"	10.5	5124.74'	ASC	175	10% Salt, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD					500 Gals WFR-2
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives	
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input checked="" type="checkbox"/> Plug Off Zone	4986-93'	Common	250	2%CC	
	4856	A Service Lite	175	3%CC+1/4# Flocele	

(Continued on next page)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	
			Depth
4	4986-93'; reperf(4986-93'); set CIBP at 4960'	Acidize w/1000 gals 15% NEFE HCl	4986-93'
	4856; 4899-4906'; set CIBP at 4830'; 4629-4630';	Acidize w/1000 gals 15% NEFE HCl	4986-93'
	4600-4606'; set CIBP at 4435'; 4275-76'; cement retainer	Acidize w/1000 gals 15% NEFE HCl	4899-4906'
	at 4275'; 4153-64'; 4171-79'	Acidize w/1000 gals 15% NEFE HCl	4600-06'
		Acidize w/1000 gals 15% NEFE HCl	4153-79'

TUBING RECORD	Size Set At 2 3/4" 4230'	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	-----------------------------	-----------	---

Date of First, Resumerd Production, SWD or Enhr. First Production 1/22/05	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	--

Estimated Production Per 24 Hours	Oil Bbbls. 4 BOPD	Gas Mcf	Water Bbbls. 180 BWPD	Gas-Oil Ratio	Gravity
-----------------------------------	----------------------	---------	--------------------------	---------------	---------

Disposition of Gas Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval 4153-79'

RECEIVED
FEB 22 2005
KCC WICHITA

Operator: Presco Western, LLC
Sec. 17 Twp 30S R. 33W

Lease Name: Earlene Black Well#: 1-817
County: Haskell

Additional Cement/Squeeze Record

<u>Depth(Top-Bottom)</u>	<u>Type of Cement</u>	<u># Sacks Used</u>	<u>Type and Percent Additives</u>
4856-57'	Common	100	2%CC
4899-4906'	Common	150	2%CC
4629-30'	Common	150	N/A
4275-76'	Common	150	N/A

RECEIVED
FEB 22 2005
KCC WICHITA

DRILLER'S LOG

PRESKO WESTERN, LLC
EARLENE BLACK 1-817
SECTION 17-T30S-R33W
HASKELL COUNTY, KANSAS

COMMENCED: 12-11-04
COMPLETED: 12-19-04

SURFACE CASING: 1759' OF 8 5/8" CMTD
W/475 SKS ALC PREMIUM PLUS + 3% CC +
1/4#/SK FLOCELE. TAILED W/150 SKS
PREMIUM PLUS + 2% CC.

FORMATION

DEPTH

SURFACE HOLE	0 - 1770
RED BED	1770 - 3287
LIMESTONE & SHALE	3287 - 5380 RTD

I DO HEREBY CERTIFY THAT THE FOREGOING STATEMENTS ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

CHEYENNE DRILLING, INC.



WRAY VALENTINE


STATE OF KANSAS: ss:

SUBSCRIBED AND SWORN TO BEFORE ME THIS 20TH DAY OF DECEMBER, 2004.

JOLENE K. RUSSELL



NOTARY PUBLIC



RECEIVED
FEB 22 2005
KCC WICHITA

HALLIBURTON JOB SUMMARY

REGION Central Operations		NWA / COUNTRY Mid Continent/USA		SALES ORDER NUMBER 3444438	TICKET DATE 12/13/04
MBU ID / EMPL # MCIL 0110 / 217398		H.E.S. EMPLOYEE NAME Mickey Cochran		BDA / STATE MC/Ks	COUNTY HASKELL
LOCATION LIBERAL		COMPANY PRESCO WESTERN		PSL DEPARTMENT Cement	CUSTOMER REP / PHONE 328 RODNEY 303-229-6739
TICKET AMOUNT \$19,008.36		WELL TYPE 01 Oil		API/UMI #	
WELL LOCATION SATANTA, KS		DEPARTMENT ZI		SAP BOMB NUMBER 7521	Cement Surface Casing
LEASE NAME EARLENE BLACK		Well No. 1-817	SEC / TWP / RNG 17 - 30S - 33W	HES FACILITY (CLOSEST TO WELL SITE) LIBERAL, KS	

HES EMP NAME / EMP # / (EXPOSURE HOURS)	HRS	HRS	HRS	HRS
Cochran, M 217398	11.0			
Wiltshire, M 196811	11.0			
CARLOS	11.0			
ERIC	11.0			

H.E.S. UNIT #S / (R / T MILES)	R / T MILES	R / T MILES	R / T MILES	R / T MILES
10547690	76			
10251403	76			
10244148/10011590	30			
10010752/10286731	30			

Form. Name _____ Type: _____
 Form. Thickness _____ From _____ To _____
 Packer Type _____ Set At _____
 Bottom Hole Temp. _____ Pressure _____
 Retainer Depth _____ Total Depth _____

Date	Called Out	On Location	Job Started	Job Completed
	12/12/2004	12/13/2004	12/13/2004	12/13/2004
Time	2200	0100	0923	1023

Type and Size	Qty	Make
Float Collar INSERT	1	H
Float Shoe		O
Centralizers S-4	4	W
Top Plug	1	C
HEAD	1	H O
Limit clamp		O
Weld-A		W
Guide Shoe	1	C
BTM PLUG		O

	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing	NEW	24#	8 5/8		0	1,759	
Liner							
Liner							
Tubing							
Drill Pipe							
Open Hole			12 1/4				Shots/Ft.
Perforations							
Perforations							
Perforations							

Materials		
Mud Type	Density	Lb/Gal
Disp. Fluid	Density	Lb/Gal
Prop. Type	Size	Lb
Prop. Type	Size	Lb
Acid Type	Gal.	%
Acid Type	Gal.	%
Surfactant	Gal.	In
NE Agent	Gal.	In
Fluid Loss	Gal/Lb	In
Gelling Agent	Gal/Lb	In
Fric. Red.	Gal/Lb	In
Breaker	Gal/Lb	In
Blocking Agent	Gal/Lb	
Perpac Balls	Qty.	
Other		
Other		
Other		
Other		
Other		

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
12/13	11.0	12/13	1.0	Cement Surface Casing
Total	11.0	Total	1.0	

Ordered	Hydraulic Horsepower Avail.	Used
Treating	Average Rates in BPM Disp.	Overall
Feet 45	Cement Left in Pipe Reason	SHOE JOINT

Cement Data							
Stage	Sacks	Cement	Bulk/Sks	Additives	W/Rq.	Yield	Lbs/Gal
1	475	HLC PP		3% CC - 1/4# FLOCELE	11.45	2.07	12.30
2	150	PREM PLUS		2% CC	6.30	1.34	14.80
3							
4							

Summary					
Circulating	Displacement	Preflush:	BBI	Type:	
Breakdown	MAXIMUM	Load & Bkdn:	Gal - BBI	Pad: Bbl -Gal	
Lost Returns-	Lost Returns-	Excess /Return	BBI	Calc. Disp Bbl	
Cmt Rtrn#Bbl	Actual TOC	Calc. TOC:		Actual Disp.	108
Average	Frac. Gradient	Treatment:	Gal - BBI	Disp: Bbl	
Shut In: Instant	5 Min. 15 Min	Cement Slurry	BBI		
		Total Volume	BBI		211.0
					319.00

Frac Ring #1 _____ Frac Ring #2 _____ Frac Ring #3 _____ Frac Ring #4 _____

THE INFORMATION STATED HEREIN IS CORRECT

CUSTOMER REPRESENTATIVE *Rodney Gonzales* SIGNATURE

RECEIVED
FEB 22 2005
KCC WICHITA

HALLIBURTON JOB LOG

REGION Central Operations		NWA / COUNTRY Mid Continent/USA		TICKET # 3444438	TICKET DATE 12/13/04
MBU ID / EMPL # MCIL 0110 / 217398		H.E.S EMPLOYEE NAME Mickey Cochran		BDA / STATE MC/Ks	COUNTY HASKELL
LOCATION LIBERAL		COMPANY PRESCO WESTERN		PSL DEPARTMENT Cement	
TICKET AMOUNT \$19,008.36		WELL TYPE 01 Oil		CUSTOMER REP / PHONE RODNEY 303-229-6739	
WELL LOCATION SATANTA, KS		DEPARTMENT ZI		JOB PURPOSE CODE Cement Surface Casing	
LEASE NAME EARLENE BLACK		Well No. 1-817	SEC / TWP / RNG 17 - 30S - 33W	HES FACILITY (CLOSEST TO WELL S) LIBERAL, KS	

HES EMP NAME/EMP # (EXPOSURE HOURS)	HRS	HES EMP NAME/EMP # (EXPOSURE HOURS)	HRS	HES EMP NAME/EMP # (EXPOSURE HOURS)	HRS
Cochran, M 217398	11				
Wiltshire, M 195811	11				
CARLOS	11				
ERIC	11				

Chart No.	Time	Rate (BPM)	Volume (BBL/GAL)	Rate		Press (PSI)		Job Description / Remarks
				NZ	CSG	CSG	ISG	
12-12	2200							CALLED FOR JOB
12-13	0100							ARRIVE ON LOCATION
	0105							PRE-JOB SAFETY MEETING
	0600							START CASING
	0900							CASING ON BOTTOM, CIRCULATE W/ RIG
	0923					3000		PRESSURE TEST
	0925	6.0	175.0			100		START LEAD CEMENT 475 SKS @ 12.3#
	0951	6.0	36.0			130		START TAIL CEMENT 150 SKS @ 14.8#
	0958							SHUT DOWN & DROP PLUG
	0958	6.0	0			0		START DISPLACEMENT W/ FRESH H2O
	1005	6.0	15.0			75		DISPLACEMENT CAUGHT CEMENT
	1018	2.0	98.0			450		SLOW RATE
	1021	2.0	108.0			1200		BUMP PLUG
	1021					0		RELEASE — FLOAT HELD
	1022							END JOB
						500		PRESSURE BEFORE PLUG LANDED
								CIRCULATED CEMENT TO PIT

RECEIVED
FEB 22 2005
KCC WICHITA

ALLIED CEMENTING CO., INC. 19680

Federal Tax I.D.#

EMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>12-19-04</u>	SEC <u>77</u>	TWP. <u>30s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>10.15 AM</u>	JOB START <u>4.15 PM</u>	JOB FINISH <u>5.00 PM</u>
LEASE <u>Earlene Black</u>	WELL # <u>1-817</u>	LOCATION <u>Sublett 4 1/2 SW 1 S W/S</u>		COUNTY <u>Haskell</u>	STATE <u>KS</u>		
OLD OR (NEW) (Circle one)							

CONTRACTOR Cheyenne Prlg Rig 8

TYPE OF JOB 4 1/2 Production

HOLE SIZE 7 7/8 T.D. 3380'

CASING SIZE 4 1/2 DEPTH 5124.74'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL Port collar DEPTH

PRES. MAX 600# MINIMUM

MEAS. LINE SHOE JOINT 32.40

CEMENT LEFT IN CSG. 32.40'

PERFS.

DISPLACEMENT 81 Bbls

OWNER Squire

CEMENT

AMOUNT ORDERED

175 sks ASC 10% Salt 2% Gel

500 gals WFR-2

COMMON	@		
POZMIX	@		
GEL		<u>3 sks</u>	@ <u>11.00</u> <u>33.00</u>
CHLORIDE	@		
ASC		<u>175 KS</u>	@ <u>10.65</u> <u>1863.75</u>
Salt		<u>16 sks</u>	@ <u>15.00</u> <u>240.00</u>
WFR-2		<u>500 gals</u>	@ <u>1.00</u> <u>500.00</u>
	@		
	@		
	@		
	@		
	@		
	@		
HANDLING		<u>196 sks</u>	@ <u>1.35</u> <u>264.60</u>
MILEAGE		<u>5¢/sk/mile</u>	<u>343.00</u>
			TOTAL <u>3244.35</u>

EQUIPMENT

PUMP TRUCK CEMENTER Dean

373-281 HELPER Andrew

BULK TRUCK

218 DRIVER Alan

BULK TRUCK

DRIVER

REMARKS:

Mix 500gals WFR-2 followed w/
175sks ASC 10% Salt 2% Gel.
Wash trk + line. Disp 45 Bbls
lost circulate. slowed Rate about
2 1/2 BPM got it back shot + lost it.
Had 400# pump pressure landed.
Plug at 600#, float held.
Thank you

SERVICE

DEPTH OF JOB 5124.74'

PUMP TRUCK CHARGE 1180.00

EXTRA FOOTAGE @

MILEAGE 35 Miles @ 4.00 140.00

MANIFOLD @

TOTAL 1320.00

CHARGE TO: Presco Western

STREET

CITY STATE ZIP

PLUG & FLOAT EQUIPMENT

Guide shoe 125.00

AFU Insert @ 210.00

7 - Centralizers @ 40.00 280.00

1 Basket @ 116.00

Port collar @ 1600.00

4 1/2 Rubber Plug @ 50.00

TOTAL 2381.00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

RECEIVED

TAX

TOTAL CHARGE FEB 22 2005

DISCOUNT KCC WICHITA IF PAID IN 30 DAY

SIGNATURE Rodney Gonzalez

Rodney Gonzalez
PRINTED NAME

ALLIED CEMENTING CO., INC. 19689

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>12-27-04</u>	SEC. <u>17</u>	TWP. <u>30s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>8:50AM</u>	JOB START <u>9:30AM</u>	JOB FINISH <u>12:30PM</u>
LEASE <u>Earlene Black</u>		WELL # <u>1-817</u>	LOCATION <u>Sublette 1/2 SW 15 W/S</u>			COUNTY <u>Haskell</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR <u>Border Line Inc</u>	OWNER <u>Same</u>
TYPE OF JOB <u>Squeeze</u>	
HOLE SIZE _____ T.D. _____	CEMENT
CASING SIZE <u>4 1/2</u> DEPTH _____	AMOUNT ORDERED _____
TUBING SIZE <u>2 3/8</u> DEPTH <u>4775</u>	<u>250 SKS Com 4SK CC</u>
DRILL PIPE _____ DEPTH _____	
TOOL _____ DEPTH _____	
PRES. MAX <u>1500#</u> MINIMUM <u>500#</u>	COMMON <u>250 SKS @ 9.10 2275.00</u>
MEAS. LINE _____ SHOE JOINT _____	POZMIX _____ @ _____
CEMENT LEFT IN CSG. _____	GEL _____ @ _____
PERFS. <u>4986-4993'</u>	CHLORIDE <u>4SKS @ 33.00 132.00</u>
DISPLACEMENT _____	ASC _____ @ _____

EQUIPMENT

PUMP TRUCK CEMENTER <u>Dean</u>
<u>373-281</u> HELPER <u>Andrew Max</u>
BULK TRUCK
<u>386</u> DRIVER <u>Mike</u>
BULK TRUCK
_____ DRIVER _____

REMARKS:

pressure B. side 500#. Took
Inj Rate 2 BPM at 1000#. Had
Blow out 8 3/8. Mix 150 SKS
w/ 2% CC follow w/ 10 SKS
Wash line + Pump. Disp to Max
pressure 1500#. Reverse tub clean
pulled 4 joints Pressure up to 500#
Shut PM

Thank You

CHARGE TO: Presco Western

STREET _____

CITY _____ STATE _____ ZIP _____

HANDLING <u>254 SKS @ 1.35</u>	<u>342.90</u>
MILEAGE <u>5¢/SK/mile</u>	<u>444.50</u>
TOTAL	<u>3194.40</u>

SERVICE

DEPTH OF JOB <u>4775'</u>	
PUMP TRUCK CHARGE _____	<u>1245.00</u>
EXTRA FOOTAGE _____ @ _____	
MILEAGE <u>35 miles @ 4.00</u>	<u>140.00</u>
MANIFOLD _____ @ _____	
_____ @ _____	
_____ @ _____	
TOTAL	<u>1385.00</u>

PLUG & FLOAT EQUIPMENT

_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Rodney Gonzalez

RECEIVED TOTAL _____

TAX _____ **FEB 22 2005**

TOTAL CHARGE **KCC WICHITA**

DISCOUNT _____ IF PAID IN 30 DAYS

Rodney Gonzalez
PRINTED NAME

COMPANY

Date Dec. 31 2004
 Purchaser: Prasco Western
 Mailing Address: _____
 State Kansas County Haskell Sec. _____ Twp. _____ Range _____
 Lease: Earlene Black Field Lemon victory Well No. 1-817

No 55748

In Accordance with the terms and conditions specified on the reverse side hereof, which we hereby approve and accept, furnish the use and service of your men, material and equipment necessary to perform the services outlined below to the above well, under our direction and supervision.
 Open hole insurance protection authorization —
 By _____

Purchaser: Prasco Western
 By: Rodney Doyle

CASED HOLE SERVICES

LOGGING

- Casing
- Primary
- Pole Trk. (Specify) _____
- Computer/Laser log
- Log Distribution _____

PERFORATION

- Pressure eqmt. req'd (specify) None
- Max. Pressure encountered _____
- No. of runs under pressure _____
- Select Fire
- Tubing Gun
- Casing Gun
- Type Chg. 3/4 HSC

OPEN HOLE SERVICES

- Open Hole Logs
- Computer Logs
- Telecopier # _____

C. H. Service Charge

#	Description	NET PRICE
#1	Set. 4 1/2 CIBP @ 4960 CIBP Charge	800.00 1240.00 707.00
#2	perf Squeeze Holes 4 holes	1000.00
Book price (Fetched Est. only)		3747.00

FIELD ESTIMATE ONLY

Charges subject to correction by our Invoicing Dept. in accordance with latest price schedules

TOTAL CHARGES

Southern Office Supply, Inc. Form 34151

Purchaser: Prasco Western
Rodney Doyle

- Old New Well
- Tubing Size _____
- Casing Size 4 1/2
- Truck # 643
- Miles R. T. 80

Time Arriving 10:05 M
 Time of Leaving _____ M
 Engineer & Crew Rep Glen



INVOICE NO.
Date 12-31-04
Customer ID

Subject to Correction			
Lease EARLENE BLACK	Well # 1-817	Legal 17-30S-33W	
County HASKELL	State KS	Station LIBERAL	

FIELD ORDER 9354 ✓

CHARGE

PRESCO WESTERN	Depth 4856	Formation	Shoe Joint
	Casing 4 1/2	Casing Depth	TD
	Customer Representative RODNEY GONZALES	Treater Shawn FREDERICH	Job Type Squeeze (NW)

AFE Number	PO Number
------------	-----------

Materials Received by *X Rodney Gonzales*

Product Code	QUANTITY	MATERIAL, EQUIPMENT and SERVICES USED	UNIT PRICE	AMOUNT	ACCOUNTING	
					CORRECTION	AMOUNT
D200	100 SX	Common	-			
D206	175 SX	A SERV LITE (Common)	-			
C310	683 16	CALCIUM CHLORIDE	-			
C194	4216	CELLFLAKE	-			
E101	35 mi	P.O. mileage				
E100	35 mi	Units 1 miles 1-way				
E107	275 SX	CMT SERVICE charge				
E104	453 TM	Tons 13 miles 35				
R310	1 ea	CMT Pumper 4hrs				
		Discounted total				5236.44
		PLUS TAX				1



TREATMENT REPORT

Customer ID	Date				
Customer PRESCO WESTERN	12-31-04				
Lease EARLENE BLACK	Lease No.	Well #			
		1-817			
Field Order # 9354	Station LIBERAL	Casing 4 1/2	Depth 4856	County HASHELL	State KS

Type Job Squeeze (NW)	Formation	Legal Description 17-30S-33W
---------------------------------	-----------	--

PIPE DATA		PERFORATING DATA		FLUID USED		TREATMENT RESUME		
Casing Size 4 1/2	Tubing Size 2 3/8	Shots/Ft		Acid 175 SX A-SERU LITE		RATE	PRESS	ISIP
Depth 4856	Depth 4650	From	To	Rate-Per 100 SX COMMON		Max		5 Min.
Volume 3.3	Volume 18	From	To	Pad		Min		10 Min.
Max Press 1500	Max Press 1500	From	To	Frac		Avg		15 Min.
Well Connection 2 3/8	Annulus Vol.	From	To			HHP Used		Annulus Pressure
Plug Depth	Packer Depth 4650	From	To	Flush WATER		Gas Volume		Total Load

Customer Representative RODNEY GONZALES	Station Manager Jerry BENNETT	Treater Shawn FREDERICK
---	---	-----------------------------------

Service Units	114	226	338	470				
---------------	------------	------------	------------	------------	--	--	--	--

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
1330					ON LOCATION
1335					PRE-JOB SAFETY MEETING
1340					RIG UP P.T.
1405	500		8	1	LOAD ANNULAS TO 500 PSI
1408		750	7	2	INJECTION TEST / 2 BPM @ 750 PSI
1415		450	72	2	Pump 175 SX A-SERU LITE 4 3/8" CC
-		450	22		1/4" cell floater @ 12.2"
1445		450	22	2	Pump 1005X Common 4 2 1/2" CC @ 15"
1500		0	-	1	Pump Disp
1520		550	8	1	Disp Reached CRT
1530		1300	(19 in)		19 BBLs IN SHUT DOWN / WAIT 10min
1537		800	(19 in)	1	CONT DISP
1540		1500	(20 in)		20 BBLs Disp in / SHUT DOWN / SHUT IN
1550					WASH LINES TO PIT
1630					JOB COMPLETE

ALLIED CEMENTING CO., INC. 19699

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>1-7-05</u>	SEC <u>17</u>	TWP. <u>30s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>11:00 AM</u>	JOB START <u>11:30 AM</u>	JOB FINISH <u>2:00 PM</u>
LEASE <u>Earlene Black</u>		WELL # <u>1-817</u>		LOCATION <u>Sublette 4 1/2 sec 15 w 15</u>		COUNTY <u>Ataskell</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Border-Line Inc

TYPE OF JOB Squeeze

HOLE SIZE _____ T.D. _____

CASING SIZE 4 1/2 DEPTH _____

TUBING SIZE 2 3/8 DEPTH 4744'

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1500# MINIMUM 500#

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. 4906 - 4899

DISPLACEMENT _____

OWNER S.M.C.

CEMENT AMOUNT ORDERED 150 SK COM 1 SK CC

COMMON	<u>150 SKS</u>	@ <u>9.10</u>	<u>1365.00</u>
POZMIX		@	
GEL		@	
CHLORIDE	<u>1 SK</u>	@ <u>33.00</u>	<u>33.00</u>
ASC		@	
		@	
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>151 SKS</u>	@ <u>1.35</u>	<u>202.50</u>
MILEAGE	<u>59 / SK / mile</u>		<u>203.85</u>
TOTAL			<u>1866.10</u>

EQUIPMENT

PUMP TRUCK CEMENTER Dean

373-281 HELPER Andrew Max

BULK TRUCK

377 DRIVER Alan

BULK TRUCK

_____ DRIVER _____

REMARKS:

Pressure B. Side 500#. Took 7 1/2
Rate 4 1/2 BPM at 1000#. Mix 50 SKS
w/ 2 3/8 cc followed w/ 100 SK COM,
Wash Trk & Line. Disp 17 1/4 Bbls May
Pressure 1500#. Reverse Tub Clean.
Repressure TO 1500#

Thank you

CHARGE TO: Presco Western

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 1245.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 35.00 @ 4.00 140.00

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL 1385.00

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Redney Gonzalez

TAX _____ **RECEIVED**

TOTAL CHARGE FEB 22 2005

DISCOUNT KCC WICHITA PAID IN 30 DAYS

Redney Gonzalez

PRINTED NAME

Rosel

COMPANY

Home Office: 302 S. Clay, Liberal, KS
Field Offices: 217 S. Alliance Ct, Oklahoma City, OK
5621 B Sooner Trend Rd., Enid, OK

(620) 624-4941
(405) 495-0101
(580) 233-8994

No 56501

Date 1-12, 2004

Purchaser: PRESKO WESTERN

Mailing Address:

State KANSAS County HASKELL Sec. 17 Twp. 30S Range 33W

Lease: EARLENE BLACK Field VICTORY Well No. 6-817

In Accordance with the terms and conditions specified on the reverse side hereof, which we hereby approve and accept, furnish the use and service of your men, material and equipment necessary to perform the services outlined below to the above well, under our direction and supervision.

Open hole insurance protection authorization —
By _____

Purchaser: PRESKO WESTERN
By: [Signature]

CASED HOLE SERVICES

OPEN HOLE SERVICES

LOGGING

PERFORATION

Casing Tubing
Primary
Pole Trk. (Specify) _____
Computer/Laser log
Log Distribution _____

Pressure eqmt. req'd (specify) NONE
Max. Pressure encountered _____
No. of runs under pressure _____
Select Fire Casing Gun
Tubing Gun Type Chg. 3/8 HSC

Open Hole Logs
Computer Logs
Telecopier # _____ prints

	NET PRICE
* <u>RUN 1 SET 4 1/2" CIBP AT 4830</u>	<u>800.00</u>
<u>DEPTH CHARGE 4830 X-25</u>	<u>1207.00</u>
<u>CIBP COST</u>	<u>707.00</u>
<u>RUN 2 PERF 3/8 HSC AT 4629 TO 4630 4 HOLES</u>	<u>1000.00</u>
<u>FIRST 10 HOLES</u>	
<u>BOOK PRICE</u>	<u>3714.00</u>

[Signature]

FIELD ESTIMATE ONLY

TOTAL CHARGES

Charges subject to correction by our Invoicing Dept. in accordance with latest price schedules

Southern Office Supply, Inc. Form 34151

Purchaser: PRESKO WESTERN

Old New Well
Tubing Size _____
Casing Size 4 1/2"
Truck # 645

Time Arriving 10:30 A M
Time of Leaving 12:30 P M

[Signature]

ALLIED CEMENTING CO., INC. 19487

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>1/12/04</u>	SEC <u>17</u>	TWP <u>30S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>1:45 PM</u>	JOB START <u>2:15 PM</u>	JOB FINISH <u>4:30 PM</u>
LEASE <u>Earlance Block</u>		WELL # <u>1-817</u>		LOCATION <u>Sublette 4 1/2 SW 15 W15</u>		COUNTY <u>Haskell</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Border Line Inc
 TYPE OF JOB Squeeze
 HOLE SIZE _____ T.D. _____
 CASING SIZE 4 1/2 DEPTH 5100
 TUBING SIZE 2 3/4 DEPTH 4500
 DRILL PIPE _____ DEPTH _____
 TOOL PMR DEPTH 4500
 PRES. MAX 2000 MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. 4629
 DISPLACEMENT 19.96

OWNER Same
 CEMENT AMOUNT ORDERED _____
200 sks
used 150 sks
 COMMON 150 sk @ 9.10 1365.00
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 ASC _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING 200 sk @ 1.35 270.00
 MILEAGE 58 sk/mi 350.00
 TOTAL 1985.00

EQUIPMENT

PUMP TRUCK CEMENTER Max
 # 102 HELPER Walt
 BULK TRUCK _____
 # 38 DRIVER Jared
 BULK TRUCK _____
 # _____ DRIVER _____

REMARKS:

Test Pressure ANN. to 500 PSI
Take Injection Rate 200 L/min @
1400 Mix 150 sks cement Displace
17 1/4 ABL 2000 PSI squeeze
Reverse Hole Clean Pull 5 std
Pressure to 500 PSI

SERVICE

DEPTH OF JOB _____ 4629
 PUMP TRUCK CHARGE _____ 1180.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 35 mi @ 4.00 140.00
 MANIFOLD _____ @ _____
 _____ @ _____
 _____ @ _____
 TOTAL 1320.00

CHARGE TO: Presco Western
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Rodney Gonzalez

TAX _____
 TOTAL CHARGE FEB 22 2005
 DISCOUNT KCC WICHITA IF PAID IN 30 DAYS

Rodney Gonzalez
 PRINTED NAME



COMPANY

Home Office: 502 S. Gray, Liberal, KS
Field Offices: 217 S. Alliance Ct, Oklahoma City, OK
5621 B Sooner Trend Rd., Enid, OK

(020) 024-4041
(405) 495-0101
(580) 233-8994

No 56110

Date 1-17, 20 05

Purchaser: Presco Western

Mailing Address: 1775 Sherman St. Suite 2950 Denver, CO. 80203

State KS County Haskell

Sec. 17 Twp. 30 Range 33

Lease: EARLENE BLACK Field Loman Victory Well No. 1817

In Accordance with the terms and conditions specified on the reverse side hereof, which we hereby approve and accept, furnish the use and service of your men, material and equipment necessary to perform the services outlined below to the above well, under our direction and supervision.

Open hole insurance protection authorization —

By

Purchaser: Presco WESTERN

By: Rodney Douglas

CASED HOLE SERVICES

OPEN HOLE SERVICES

LOGGING

PERFORATION

Casing Tubing
Primary
Pole Trk. (Specify) _____
Computer/Laser log
Log Distribution _____

Pressure eqmt. req'd (specify) NG
Max. Pressure encountered _____
No. of runs under pressure _____
Select Fire Casing Gun
Tubing Gun Type Chg. HSC

Open Hole Logs
Computer Logs
Telecopier # _____ prints

		NET PRICE
Service Charge		806.00
#1 Run	Set CIBP At 4435 depth .25 per Foot 4 1/2 CIBP Price	1188 \$707.
#2 Run	Perf At 4275 1 Foot 4 shot First 10 shots	\$1000.00
#3 Run	Set Gun plug At 4275 Cement Retainer	\$1068.00
Book price		4683

FIELD ESTIMATE ONLY

TOTAL CHARGES

Charges subject to correction by our Invoicing Dept. in accordance with latest price schedules

Southern Office Supply, Inc. Form 34151

Purchaser Presco Western

Old New Well

Tubing Size _____

Time Arriving 809 A M

Casing Size _____

Time of Leaving _____ M

Truck # 643

Miles R. T. 60

By Rodney Douglas

Engineer T. F. Hart

ALLIED CEMENTING CO., INC. 18534

Federal Tax I.D.#

SHIP TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>1/17/05</u>	SEC. <u>17</u>	TWP. <u>30S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>1:30 PM</u>	JOB START <u>2:30 PM</u>	JOB FINISH
LEASE <u>Earlene Black</u>		WELL # <u>1-817</u>		LOCATION <u>Sublette 4 1/4 SW 1S W1S</u>		COUNTY <u>Haskell</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Border Line Inc
 TYPE OF JOB Square
 HOLE SIZE _____ T.D. _____
 CASING SIZE 4 1/2 DEPTH _____
 TUBING SIZE 2 3/8 DEPTH 4260
 DRILL PIPE _____ DEPTH _____
 TOOL CMT Retainer DEPTH 4260
 PRES. MAX 1500 MINIMUM 100
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. 4275
 DISPLACEMENT 16.48

OWNER Same
 CEMENT AMOUNT ORDERED 150 sks Com
 COMMON 150 sks @ 9.10 1365.00
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 ASC _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING 150 sks @ 1.35 202.50
 MILEAGE 58 1/2 sk/mi 262.50
 TOTAL 1830.00

EQUIPMENT

PUMP TRUCK CEMENTER Max
 # 191 HELPER Fuzzy
 BULK TRUCK
 # 377 DRIVER Jarrod
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

Pressure Ann to 500 PST Take
Injection Rate 2 BBL/min @ 500
Mix 150 sks cmt Washup Pump Lin
Displace 16 BBL 500 PSI on Top
Bullout of Retainer Reverse
Hole Clean

SERVICE

DEPTH OF JOB 4275
 PUMP TRUCK CHARGE 1180.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 35 mi @ 4.00 140.00
 MANIFOLD _____ @ _____
 _____ @ _____
 _____ @ _____
 TOTAL 1320.00

CHARGE TO: Presco Western
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

RECEIVED

TAX _____
 TOTAL CHARGE FEB 22 2005
 DISCOUNT KCC WICHITA IF PAID IN 30 DAYS

SIGNATURE Rodney Gonzales

Rodney Gonzales
 PRINTED NAME