

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 32309
Name: Presco Western, LLC
Address: 1775 Sherman Street, Suite 2950
City/State/Zip: Denver, CO 80203
Purchaser: Plains Marketing
Operator Contact Person: Richard J. Gray
Phone: (303) 864-1881 x.103
Contractor: Name: Val Energy
License: 5822
Wellsite Geologist: N/A

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____

Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>12/27/04</u>	<u>1/4/05</u>	<u>1/20/05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 081-21559-0000
County: Haskell
90°E 90°S NW NW Sec. 17 Twp. 30 S. R. 33 East West
750 feet from S / N (circle one) Line of Section
750 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: L.C. Black Well #: 1-417
Field Name: Lemon Victory

Producing Formation: Lansing
Elevation: Ground: 2959.7' Kelly Bushing: 2970.7'
Total Depth: 5273' Plug Back Total Depth: 4520'
Amount of Surface Pipe Set and Cemented at 1772 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit) *alt I KGR 3/4/08*
Chloride content 3500 ppm Fluid volume 1700 bbls
Dewatering method used Dried and Filled
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: President Date: 2/18/05

Subscribed and sworn to before me this 18th day of February
20 05

Notary Public: Josua R. B/B
Date Commission Expires: 11-9-08



KCC Office Use ONLY

Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

**RECEIVED
FEB 22 2005
KCC WICHITA**

Operator Name: Presco Western, LLC Lease Name: L.C. Black Well #: 1-417
 Sec. 17 Twp. 30 S. R. 33 East West County: Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Gamma Ray Neutron	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Heebner</td> <td>3988'</td> <td></td> </tr> <tr> <td>Lansang</td> <td>4134'</td> <td></td> </tr> <tr> <td>Kansas City</td> <td>4570'</td> <td></td> </tr> <tr> <td>Marmaton</td> <td>4733'</td> <td></td> </tr> <tr> <td>Pawnee</td> <td>4862'</td> <td></td> </tr> <tr> <td>Fort Scott</td> <td>4900'</td> <td></td> </tr> </table>	Name	Top	Datum	Heebner	3988'		Lansang	4134'		Kansas City	4570'		Marmaton	4733'		Pawnee	4862'		Fort Scott	4900'	
Name	Top	Datum																				
Heebner	3988'																					
Lansang	4134'																					
Kansas City	4570'																					
Marmaton	4733'																					
Pawnee	4862'																					
Fort Scott	4900'																					

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24	1772'	Lite	625	3%CC+1/2# Flocele
					Common	150	3%CC
Production	7 7/8"	4 1/2"	10.5	5273'	ASC	300	10% Salt, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD 10% Salt, 5# Gilsonite .30 F 1%				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	3010-5276 (Port Collar)	ALW	600	FL-160, 500 Gal WFR-2 Type and Percent Additives 60:40: 8+1/4# Flo-seal

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	
			Depth
4	4989-94'; set CIBP at 4850'; 4588-92'; set CIBP at 4520'; 4147-57'; 4164-72'	Acidize w/1000 gals 15% NEFE HCl	4989-94'
		Acidize w/1000 gals 15% NEFE HCl	4588-92'
		Acidize w/2000 gals 15% NEFE HCl	4147-72'
		Acidize w/1000 gals 15% NEFE HCl	4147-72'

TUBING RECORD		Size <u>2 3/4"</u>	Set At <u>4481'</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. First Production <u>2/17/05</u>		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. <u>6 BOPD</u>	Gas Mcf	Water Bbls. <u>138 BWPD</u>	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

4147-72' **RECEIVED**
FEB 22 2005

KCC WICHITA

Federal Tax I.D.:

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Ogkley

DATE <u>12-29-04</u>	SEC. <u>17</u>	TWP. <u>30s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>12:30 AM</u>	JOB START <u>9:50 AM</u>	JOB FINISH <u>11:30 AM</u>
LEASE <u>IC Bank</u>	WELL # <u>1-417</u>		LOCATION <u>Santa Fe 2 E 1/2 SESE PN</u>		COUNTY <u>Haskell</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Val Drlg

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 1772'

CASING SIZE 8 5/8 DEPTH 1772'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX 900 MINIMUM 100

MEAS. LINE SHOE JOINT 37.31'

CEMENT LEFT IN CSG. 37.31'

PERFS.

DISPLACEMENT 108 1/4 Bbls

OWNER same

CEMENT

AMOUNT ORDERED 150 sks com 390 cc
625 sks Lite 390 cc 1/2 Plo Seal

COMMON <u>150 sk</u>	@ <u>9.10</u>	<u>1365.00</u>
POZMIX	@	
GEL	@	
CHLORIDE <u>26 sks</u>	@ <u>33.00</u>	<u>858.00</u>
ASC	@	
<u>Lite weight 625</u>	@ <u>7.95</u>	<u>4968.75</u>
<u>Plo Seal 313#</u>	@ <u>1.40</u>	<u>438.20</u>
	@	
	@	
	@	
	@	
	@	
HANDLING <u>846</u>	@ <u>1.35</u>	<u>1142.10</u>
MILEAGE <u>54 / sk / mile</u>		<u>1490.50</u>
		TOTAL <u>10252.55</u>

EQUIPMENT

PUMP TRUCK CEMENTER Dean

373-281 HELPER Andrew

BULK TRUCK

347 DRIVER Lennie

BULK TRUCK

386 DRIVER Mike

REMARKS:

Cmt 8 5/8 Surface Csg with 625 sks Lite & 150 sks Tail Cmt Prep Plug Displace 108 BBL Land Plug Float Held Circulated 400L Cement to Pit

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE 1180.00

EXTRA FOOTAGE @

MILEAGE 3.5 miles @ 4.00 140.00

MANIFOLD @

TOTAL 1320.00

CHARGE TO: Presco Western

STREET

CITY STATE ZIP

8 5/8 PLUG & FLOAT EQUIPMENT

<u>Guide shoe</u>	@	<u>190.00</u>
<u>APU Insert</u>	@	<u>242.00</u>
<u>4-Centralizers</u>	@ <u>33.00</u>	<u>132.00</u>
<u>1-Basket</u>	@	<u>180.00</u>
<u>8 5/8 Rubber Plug</u>	@	<u>100.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

RECEIVED TOTAL 844.00

TAX FEB 22 2005

TOTAL CHARGE KCC WICHITA

DISCOUNT IF PAID IN 30 DAYS

SIGNATURE Rodney Gonzales

Rodney Gonzales
PRINTED NAME

ALLIED CEMENTING CO., INC. 18564

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
OAKLEY

DATE <u>1-5-05</u>	SEC. <u>17</u>	TWP. <u>30S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>5:30 PM</u>	JOB START <u>5:45 AM</u>	JOB FINISH <u>6:30 AM</u>
LEASE <u>L.C. BLACK</u>	WELL # <u>1-417</u>	LOCATION <u>SATANTA 2E-1/2S</u>	COUNTY <u>HASKELL</u>	STATE <u>KS</u>			
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR VAL DRILL RIG#
 TYPE OF JOB Production string
 HOLE SIZE 7 7/8" T.D. 5273'
 CASING SIZE 4 1/2" DEPTH 5273'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL PORT COLLAR DEPTH 3029'
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 42.60'
 CEMENT LEFT IN CSG. 42.60'
 PERFS. _____
 DISPLACEMENT 8 3/4 BBL

OWNER SAME

CEMENT
 AMOUNT ORDERED 300 SKS ASC 10% SALT
5# GELSONITE 2866L 130F/10 FL-160
500 GAL WFR-2

COMMON	@		
POZMIX	@		
GEL <u>6 SKS</u>	@	<u>11.00</u>	<u>66.00</u>
CHLORIDE	@		
ASC <u>300 SKS</u>	@	<u>10.65</u>	<u>3195.00</u>
<u>SALT 33 SKS</u>	@	<u>15.00</u>	<u>495.00</u>
<u>GELSONITE 1500#</u>	@	<u>1.50</u>	<u>750.00</u>
<u>FL-160 85#</u>	@	<u>8.00</u>	<u>680.00</u>
<u>WFR-2 500 GAL</u>	@	<u>1.00</u>	<u>500.00</u>
HANDLING <u>382 SKS</u>	@	<u>1.35</u>	<u>515.70</u>
MILEAGE <u>0.5¢ PER SK / MILE</u>			<u>668.00</u>
TOTAL			<u>6870.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER TERRY
 # 191 HELPER WAYNE MAX
 BULK TRUCK
 # 386 DRIVER LARRY
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

MAX 500 GAL WFR-2 300 SKS ASC
10% SALT 5# GELSONITE 2866L 130F
170 FL-160 + DISPLACE 8 3/4 GAL
WATER.
PLUG LANDED AT 1200 PSI.
FLOAT HELD
THANK YOU

SERVICE

DEPTH OF JOB 5273'
 PUMP TRUCK CHARGE 1180.00
 EXTRA FOOTAGE @ _____
 MILEAGE 35 MI @ 4.00 140.00
 MANIFOLD @ _____
 WAITING TIME 5 HRS @ 125.00 625.00
 TOTAL 1945.00

PLUG & FLOAT EQUIPMENT

4 1/2"

<u>1- GUIDE SHOE</u>	@	<u>125.00</u>
<u>1- AFU INSERT</u>	@	<u>210.00</u>
<u>7- CENTRALIZERS</u>	@	<u>40.00</u>
<u>1- PORT COLLAR</u>	@	<u>1600.00</u>
<u>1- BASKET</u>	@	<u>116.00</u>
<u>1- RUBBER PLUG</u>	@	<u>50.00</u>
TOTAL <u>2381.00</u>		

RECEIVED TOTAL 2381

TAX FEB 22 2005
 TOTAL CHARGE KCC WICHITA
 DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Rodney Gonzalez

Rodney Gonzalez
 PRINTED NAME

ALLIED CEMENTING CO., INC. 17751

Federal Tax I.D.#

SERVICE POINT:

Medicine LDG.

SHIP TO P.O. BOX 31
RUSSELL, KANSAS 67665

DATE	1-11-05	SEC.	17	TWP.	30S	RANGE	33W	CALLED OUT	4:00AM	ON LOCATION	9:00AM	JOB START	10:00AM	JOB FINISH	12:00PM	
LEASE	R.C. Beck	WELL #	#1	LOCATION				Sublette Hy 56 55H		COUNTY	Haskell	STATE	KS			
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)		1/25		5' into												

CONTRACTOR Eldredge W/S OWNER Presco Western

TYPE OF JOB Port collar

HOLE SIZE _____ T.D. _____

CASING SIZE 4 1/2 DEPTH 3010 - 5276

TUBING SIZE 2 3/8 DEPTH 3010

DRILL PIPE _____ DEPTH _____

TOOL Port Collar DEPTH 3010

PRES. MAX 1500 MINIMUM _____

MEAS. LINE _____ SHOE JOINT -

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT Fresh Water 11 BBLS

CEMENT

AMOUNT ORDERED 600sx 60' 40' 8"

1/4" Flo-seal

COMMON	@		
POZMIX	@		
GEL	@		
CHLORIDE	@		
ASC	@		
ALW 600 82	@	7.95	4770.00
Flo Seal 150 #	@	1.40	210.00
	@		
	@		
	@		
	@		
	@		
	@		
HANDLING 647	@	1.35	873.45
MILEAGE 35 x 647 x .05			1132.25
TOTAL			6985.70

EQUIPMENT

PUMP TRUCK CEMENTER David W.

302 HELPER Dwayne W.

BULK TRUCK

381 DRIVER Jerry C.

BULK TRUCK

356 DRIVER Denny S.

REMARKS:

PSI Tool to 1500 open tool
M.x 600sx 60' 40' 8" 1/4" # Flo seal
Displace w/ Fresh Water 11 BBLS
Close Tool PSI to 1500 Reverse
Out w/ 20 BBLS Fresh Water
Wash up Air Down

SERVICE

DEPTH OF JOB	<u>3010</u>		
PUMP TRUCK CHARGE			1180.00
EXTRA FOOTAGE		@	
MILEAGE	<u>35</u>	@	4.00 140.00
		@	
		@	
		@	
TOTAL			1320.00

CHARGE TO: Presco Western

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

MANIFOLD	<u>NO</u>	@	
		@	
		@	
		@	
		@	
TOTAL			

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

RECEIVED

FEB 22 2005

KCC WICHITA

TAX _____

TOTAL CHARGE ~~_____~~

DISCOUNT ~~_____~~ IF PAID IN 30 DAYS

SIGNATURE

Rodney Gonzalez Rodney Gonzalez

ANY APPLICABLE TAX
WILL BE CHARGED
UPON INVOICING

PRINTED NAME

Home Office: 302 S. Clay, Liberal, KS
 Field Offices: 217 S. Alliance Ct, Oklahoma City, OK
 5621 B Sooner Trend Rd., Enid, OK

(620) 624-4941
 (405) 495-0101
 (580) 233-8994

Kasel COMPANY

No 56107

Date 1-13, 2005

Purchaser: Prasco Western

Mailing Address: DENVER

State KS County Seward Sec. 17 Twp. 30 Range 33

Lease: L.C. Black Field _____ Well No. 1417

In Accordance with the terms and conditions specified on the reverse side hereof, which we hereby approve and accept, furnish the use and service of your men, material and equipment necessary to perform the services outlined below to the above well, under our direction and supervision.

Open hole insurance protection authorization —

Purchaser Prasco Western

By _____

By Kelly Mayala

CASED HOLE SERVICES

OPEN HOLE SERVICES

LOGGING
 Casing Tubing
 Primary
 Pole Trk. (Specify) _____
 Computer/Laser log
 Log Distribution _____

PERFORATION
 Pressure eqmt. req'd (specify) _____
 Max. Pressure encountered _____
 No. of runs under pressure P/O
 Select Fire Casing Gun
 Tubing Gun Type Chg. HSC

Open Hole Logs
 Computer Logs
 Telecopier # _____ prints

		NET PRICE
* <u>Service Charge</u>		<u>800.00</u>
<u>Run #1</u>	<u>Set Plug CIBP AT 4950</u>	
	<u>depth charge .25 per foot</u>	<u>1237.50</u>
	<u>4 1/2 CIBP Cost</u>	<u>707.00</u>
<u>Run #2</u>	<u>Perf From 4588 to 4592 4SPF</u>	
	<u>First 10 holes</u>	<u>1000.00</u>
	<u>6 EX. hole at \$3200 per hole</u>	<u>1920.00</u>
	<u>GAMMA 4 Gun Service Charge</u>	<u>420.00</u>
	<u>depth charge</u>	<u>964.00</u>
	<u>PACK OFF</u>	<u>200.00</u>
	<u>Book Price</u>	<u>3520.50</u>
TOTAL CHARGES		

RECEIVED
FEB 2
KCC WICHITA

FIELD ESTIMATE ONLY

Southern Office Supply, Inc. Form 34151

Charges subject to correction by our Invoicing Dept. in accordance with latest price schedules

Purchaser Prasco Western

Old New Well

Tubing Size _____

Time Arriving 1200 4 M

Casing Size 4 1/2

Time of Leaving 245 PM

Truck # 643

[Signature]

Call / Rob #



COMPANY

Field Offices: 217 S. Alliance Ct, Oklahoma City, OK
5621 B Sooner Trend Rd., Enid, OK

(620) 624-494
(405) 495-010
(580) 233-899

No 56112

Date 1-17, 2005

Purchaser: Presco Western

Mailing Address: 1775 Sherman St. Suite 2950 Denver, Co. 80203

State KS County Haskell

Lease: L.C. Black Field Victory Sec. 17 Twp. 30 Range 3
Well No. 1-417

In Accordance with the terms and conditions specified on the reverse side hereof, which we hereby approve and accept, furnish the use and service of your men, material and equipment necessary to perform the services outlined below to the above well, under our direction and supervision.

Open hole insurance protection authorization —
By _____

Purchaser Presco Western
By: Raymond Morales

CASED HOLE SERVICES

- LOGGING
- Casing Tubing
 - Primary
 - Pole Trk. (Specify) _____
 - Computer/Laser log
 - Log Distribution _____

- PERFORATION
- Pressure eqmt. req'd (specify) 90
 - Max. Pressure encountered _____
 - No. of runs under pressure _____
 - Select Fire
 - Tubing Gun
 - Casing Gun
 - Type Chg. HSL

OPEN HOLE SERVICES

Open Hole Logs
Computer Logs
Telecopier # _____ pri

Service Charge

NET PRICE

#1 Run	Set Plug at 4520 4 1/2 CIAP	\$ 800.00
	25' per foot	
	4 1/2 CIAP cost	\$ 1132.00
		\$ 707.00
#2	Perf from 4147 to 4157 First 10 Hole	\$ 1660.00
	30 Ex hole At 3200 per Hole	\$ 960.00
	Perf with Gamma Gun min	\$ 420.00
	depth charge for Gamma Gun .21 per foot	\$ 872.00
#3	Perf from 4164 to 4172 First 10 Hole	\$ 1000.00
	22 Ex hole At 3200 per hole	\$ 704.00
	Perf with GAMMA Gun min	\$ 420.00
	depth charge for Gamma Gun .21 per foot	\$ 872.00
	Book price	\$ 6308.00

RECEIVED

FEB 22 2005

FIELD ESTIMATE ONLY

TOTAL CHARGES

Charges subject to correction by our Invoicing Dept. in accordance with latest price schedules

KCC WICHITA

Southern Office Supply, Inc. Form 34151

Purchaser Presco Western
By Raymond Morales

Old New Well
Tubing Size _____
Casing Size 4 1/2
Truck # 643
Miles R. T. 60

Time Arriving 1:15 A.M.
Time of Leaving 3:30 P.M.
Engineer & Crew _____