

* CORRECTED

ORIGINAL

FORM MUST BE TYPED

SIDE ONE

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

API NO. 15- 091-227400000
County Johnson
-NE -SE - NE Sec. 3 Twp. 15 Rge. 24 E
W
3635 feet from N (circle one) Line of Section
330 feet from W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner
NE, SE, NW or SW (circle one)

Lease Name Foote Well # 2
* Field Name Stilwell

Producing Formation N/A

* Elevation: Ground 1072' KB

Total Depth 820' PBTD

Amount of Surface Pipe Set and Cemented at 20 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set N/A Feet

* If Alternate II completion, cement circulated from N/A

feet depth to N/A w/ N/A sx cmt.

Alt 2-Dlg-3/2/09

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)

Chloride content N/A ppm Fluid volume 80 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled offsite:

Operator Name

Lease Name License No.

Quarter Sec. Twp. S Rng. E/W

County Docket No.

*Operator: License # 32294

Name: OSBORN ENERGY L.L.C.

Address: 9401 Indian Creek Pkwy., #40, Suite 440

City/State/Zip Overland Park, KS 66210

*Purchaser: AKAWA Natural Gas, L.L.C.

*Operator Contact Person: Steve Allee

Phone (913) 327-1831

Contractor: Name: R.S.Glaze Drilling Co.

License: 5885

Wellsite Geologist: None

Designate Type of Completion

- New Well Re-Entry Workover
- Oil SWD SIOW Temp. Abd.
- Gas ENHR SIGW
- Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover: Operator:

Well Name:

Comp. Date Old Total Depth

Deepening Re-perf. Conv. to Inj/SWD

Plug Back PBTD

Commingled Docket No.

Dual Completion Docket No.

Other (SWD or Inj?) Docket No.

* 12/31/96 * 1/2/97 1/2/97 (D&A)
Spud Date Date Reached TD Completion Date

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature [Signature]

Title Geologist Date 11-10-98

Subscribed and sworn to before me this 10th day of November, 19 98.

Notary Public Susan Forward

Date Commission Expires 4-10-02

K.C.C. OFFICE USE ONLY
F Letter of Confidentiality Attached
C Wireline Log Received
C Geologist Report Received
Distribution
 KCC SWD/Rep NGPA
 KGS Plug Other
(Specify)

SUSAN L. FORWARD
Notary Public
State of Kansas
My Appt. Expires 4-10-02

SIDE TWO

Operator Name Osborn Energy, L.L.C. Lease Name Footo Well # 2
 Sec. 3 Twp. 15 Rge. 24 East County Johnson
 West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken (Attach Additional Sheets.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datums	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Drillers Log Attached		
Electric Log Run (Submit Copy.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
List All E.Logs Run:				

Casing Record <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	8 1/2"	7"	24.0	20'	Portland	6	None

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth		Type of Cement	#Sacks Used	Type and Percent Additives
	Top	Bottom			
Perforate					
Protect Casing					
Plug Back TD					
Plug Off Zone					

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Date of First, Resumed Production, SWD or Inj. N/A	Producing Method N/A <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)							
Estimated Production Per 24 Hours	Oil N/A	Bbl.	Gas N/A	Mcf	Water N/A	Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease
 METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled
 Production Interval _____
 (If vented, submit ACO-18.) Other (Specify) * D&A

CONSOLIDATED INDUSTRIAL SERVICES, INC.
 211 W. 14TH STREET, CHANUTE, KS 66720
 316-431-9210 or 800-467-8676

TICKET NUMBER 2679

LOCATION Ottawa

FOREMAN A. Made

TREATMENT REPORT

DATE	CUSTOMER ACCT #	WELL NAME	QTR/QTR	SECTION	TWP	RGE	COUNTY	FORMATION
1-2-97	3137	Foot #2		3	15	24	JO	
CHARGE TO <u>R.S. Glaze</u>				OWNER				
MAILING ADDRESS <u>22139 Victory Rd</u>				OPERATOR				
CITY <u>Springhill</u>				CONTRACTOR <u>A.G. Glaze</u>				
STATE <u>Kansas</u>		ZIP CODE <u>66083</u>		DISTANCE TO LOCATION <u>40 miles</u>				
TIME ARRIVED ON LOCATION				TIME LEFT LOCATION				

WELL DATA	
HOLE SIZE	<u>6 1/4</u>
TOTAL DEPTH	<u>340</u>
CASING SIZE	
CASING DEPTH	
CASING WEIGHT	
CASING CONDITION	
TUBING SIZE	
TUBING DEPTH	
TUBING WEIGHT	
TUBING CONDITION	
PACKER DEPTH	
PERFORATIONS	
SHOTS/FT	
OPEN HOLE	
TREATMENT VIA	

TYPE OF TREATMENT	
<input type="checkbox"/> SURFACE PIPE	<input type="checkbox"/> ACID BREAKDOWN
<input type="checkbox"/> PRODUCTION CASING	<input type="checkbox"/> ACID STIMULATION
<input type="checkbox"/> SQUEEZE CEMENT	<input type="checkbox"/> ACID SPOTTING
<input checked="" type="checkbox"/> PLUG & ABANDON	<input type="checkbox"/> FRAC
<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> FRAC + NITROGEN
<input type="checkbox"/> MISC PUMP	<input type="checkbox"/> FOAM FRAC
<input type="checkbox"/> OTHER	<input type="checkbox"/> NITROGEN

	PRESSURE LIMITATIONS	
	THEORETICAL	INSTRUCTED
SURFACE PIPE		
ANNULUS LONG STRING		
TUBING		

INSTRUCTIONS PRIOR TO JOB

JOB SUMMARY

DESCRIPTION OF JOB EVENTS
Spot 10sx Portland "A" 50/50 per 69 gal at 500' pull
drill steel to 350' fill to surface with cement. Pull rest
of drill steel out of hole, top off with more cement
62 SKS Total.

PRESSURE SUMMARY	
BREAKDOWN or CIRCULATING	psi
FINAL DISPLACEMENT	psi
ANNULUS	psi
MAXIMUM	psi
MINIMUM	psi
AVERAGE	psi
ISIP	psi
5 MIN SIP	psi
15 MIN SIP	psi

TREATMENT RATE	
BREAKDOWN BPM	
INITIAL BPM	
FINAL BPM	
MINIMUM BPM	
MAXIMUM BPM	
AVERAGE BPM	
HYD HHP = RATE x PRESSURE x 40.8	

AUTHORIZATION TO PROCEED _____ TITLE _____ DATE _____