

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

RECEIVED
OCT 01 2004
KCC WICHITA

Operator: License # 33052
Name: ConocoPhillips
Address: 25760 West 343rd Street
City/State/Zip: Paola, KS 66071
Purchaser: _____
Operator Contact Person: Joe Garrison
Phone: (913) 294-2166 Ext. 19
Contractor: Name: McLean's C P Installation, Inc.
License: 32775

Wellsite Geologist: _____
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expi., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
09-15-04 09-20-04
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 091-22995-0000
County: Johnson
SE SE SW Sec. 8 Twp. 13 S. R. 23 East West
50' feet from S N (circle one) Line of Section
2,960' feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Cathodic Protection MP 169.9 Well #: MP 169.9
Field Name: _____
Producing Formation: _____
Elevation: Ground: _____ Kelly Bushing: _____
Total Depth: 300' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 40' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

AH3-Dig - 2/26/09

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: Consolidated Oil Well Service
Lease Name: ConocoPhillips Paola Terminal License No.: 150075
Quarter _____ Sec. 5 Twp. 18S S. R. 23E East West
County: Miami Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

NOTARY PUBLIC
CINDY CAROL COWAN
State of Texas
Comm. Exp. 08-31-2008

Signature: [Signature]
Title: Operations Manager Date: 09-27-04
Subscribed and sworn to before me this 27th day of September
04
Notary Public: [Signature]
Date Commission Expires: 08-31-2008

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: ConocoPhillips Lease Name: Cathodic Protection MP 169.9 Well #: MP 169.9
 Sec. 8 Twp. 13 S. R. 23 East West County: Johnson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Electric Log Run <i>(Submit Copy)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No			
List All E. Logs Run:				

RECEIVED
OCT 01 2004
KCC WICHITA

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
	14 1/2"	8"		40'	Neat	85'	Portland w/water

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run		
						<input type="checkbox"/> Yes	<input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method				
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbbs.	Gas	Mcf	Water	Bbbs.	Gas-Oil Ratio
							Gravity

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease
 Open Hole Perf. Dually Comp. Commingled _____
(If vented, Submit ACO-18.)
 Other (Specify) _____




4520 State Hwy 136, Amarillo, TX 79108-7617 • tel. 806-383-5047 • fax 806-383-1110

RECEIVED
OCT 01 2004
KCC WICHITA

Deep Well GroundBed Data:		Date: 09/17/04
Job Number: PHC21-2004KS		Drilling Contractor: McLean's C P Installation, Inc.
Company Name: Conoco Phillips		Facility/Line: MP 169.9
Subject: Deep Well		State: Kansas
Well Depth: 240'		County: Johnson
Diameter: 8"		Other: Driller - MF
Casing: 40'		
Type of Backfill: Carbo 60	TEST VOLTAGE: 10	
Anode Type: (1) set of (10) 38"X84 Z		

Remarks: CUT WELL SHORT PER JOE GARRISON

Drilling Log			Electrical Log			Anode Log		
Depth:	Formation Type:	Material:	BEFORE BACKFILL			AFTER BACKFILL		
			Volt	Anode Depth	Anode #	Depth		Volt
0'	Top Soil	Cement/Casing						
5'	"	Cement/Casing						
10'	Limestone	Cement/Casing						
15'	"	Cement/Casing						
20'	Shale	Cement/Casing						
25'	"	Cement/Casing						
30'	"	Cement/Casing						
35'	Limestone	Cement/Casing						
40'	Shale	Cement/Casing						
45'	"	Cement						
50'	Limestone	Cement						
55'	"	Cement						
60'	"	Cement						
65'	"	Cement						
70'	"	Cement						
75'	"	Cement	0.7					
80'	Shale	Cement						
85'	"	Cement	0.2					
90'	"	Cement						
95'	"	Cement	0.3					
100'	"	Coke						
105'	"	Coke	0.2					
110'	"	Coke						
115'	"	Coke	0.5					
120'	"	Coke						
125'	"	Coke	1.1					
130'	"	Coke						
135'	Limestone	Coke	1.3	135'	10			
140'	"	Coke						
145'	Shale	Coke	1.1	145'	9			
150'	"	Coke						
155'	"	Coke	1.2	155'	8			
160'	"	Coke						
165'	"	Coke	1.2	165'	7			
170'	"	Coke						
175'	"	Coke	0.6	175'	6			
180'	"	Coke						
185'	"	Coke	1.1	185'	5			
190'	Limestone	Coke						
195'	& Shale Streaks	Coke	1.1	195'	4			
200'	"	Coke						
205'	"	Coke	1.0	205'	3			
210'	"	Coke						
215'	Shale	Coke	1.7	215'	2			
220'	"	Coke						
225'	"	Coke	1.2	225'	1			
230'	"	Coke	0.6					
235'	Limestone	Coke						
240'	"	Coke						



PENNY'S CONCRETE, INC.

23400 W. 82ND STREET
SHAWNEE MISSION, KANSAS 66227-2705
OFFICE: (913) 441-8781
DISPATCH: (913) 441-4197



An Equal Opportunity Employer

RECEIVED IN GOOD CONDITION BY		• WATER ADDED AT CUSTOMER'S REQUEST # OF GALLONS ADDED	LEAVE PLANT 11:00	FINISH UNLOAD 11:35
PRINTED NAME	TITLE	TEST CYLINDERS TAKEN <input type="checkbox"/> YES	ARRIVE JOB 11:10	LEAVE JOB
X <i>Gene Cleveland</i> CUSTOMER SIGNATURE		BEFORE H ₂ O ADDED <input type="checkbox"/> YES <input type="checkbox"/> NO	START UNLOAD 11:13	ARRIVE PLANT
NO WARRANTY IMPLIED OR EXPRESSED ON PRODUCT				

CAUTION! Cement powder or freshly mixed concrete, grout or mortar may cause skin injury. Avoid contact with skin and wash exposed areas promptly with water. If any cement powder or mixture gets into the eyes, rinse immediately and repeatedly with water and get prompt medical attention. Keep children away from cement powder and all freshly mixed cement products. WARNING! Ambient conditions may produce rapid evaporation of moisture from the concrete surface. As a result, plastic shrinkage cracking may occur. Precautions should be taken.

ANY WATER ADDED TO MIX ON THE JOB WILL BE AT THE PURCHASER'S RISK

In the event of delivery beyond curb line, this company will not assume liability for damage to sidewalk, driveway, utility lines, meters, septic systems or any other property. Materials hereby sold become property of purchaser at point of origin. The purchaser shall in no event accept deliveries of materials not in accord with the agreement of the parties, but such materials shall be refused by the purchaser and returned to the seller with a written statement of the reason for the refusal thereof. No cancellation accepted after concrete has been loaded in carrier's trucks at our plant.

DATE 09/20/04	CUSTOMER NO. CASHS	ORDER NO. 138179	CUSTOMER PO. OR JOB NO.	PLANT NO. 22	DELIVERY TICKET NO. 2131255
------------------	-----------------------	---------------------	-------------------------	-----------------	--------------------------------

CUSTOMER NAME
ZZ-CASH SALE-MCLEAN CP INSULATION

JOB ADDRESS
COLLEGE & 7 HWY - OLATHE


Additional Directions and/or Special Instructions
 PREPAID CREDIT CARD
 7 HWY SOUTH - 1 1/2 MILES WEST OF 7 HWY ON COLLEGE BLVD
 (WEST OF FIRE STATION & CLARE RD, ON NORTH SIDE OF COLLEGE)

CY THIS LOAD	CY BATCHED	CY ORDERED	DESCRIPTION	PRODUCT CODE
3.00	3.00	3.00	^FLOWABLE FILL SLURRY	SLURRYF
3.00	3.00	3.00	SHORT LOAD CHARGE	SLC
REQUESTED SLUMPS 3.00	TRUCK NO. 43	DRIVER SANDS, KEN		SUB TOTAL
TAX CODE DLTH	ZONE KC-XX25			TAX
THIS CONCRETE IS DESIGNED IN ACCORDANCE TO AMERICAN CONCRETE INSTITUTE STANDARDS. ANY WATER ADDED TO THIS DESIGN WILL BE AT PURCHASER'S RISK.				TOTAL AMOUNT

CUSTOMERS DELIVERY RECEIPT

RECEIVED
OCT 01 2004
KCC WICHITA

Phillips
 (KS)



PENNY'S

CONCRETE, INC.

23400 W. 82ND STREET
 SHAWNEE MISSION, KANSAS 66227-2705
 OFFICE: (913) 441-8781
 DISPATCH: (913) 441-4197



An Equal Opportunity Employer

RECEIVED IN GOOD CONDITION BY <i>Gene Cleveland</i>	TITLE	• WATER ADDED AT CUSTOMER'S REQUEST # OF GALLONS ADDED	LEAVE PLANT <i>3:42</i>	FINISH UNLOAD
PRINTED NAME		TEST CYLINDERS TAKEN <input type="checkbox"/> YES	ARRIVE JOB	LEAVE JOB
CUSTOMER SIGNATURE <i>x Gene Cleveland</i>		BEFORE H ₂ O ADDED <input type="checkbox"/> YES <input type="checkbox"/> NO	START UNLOAD	ARRIVE PLANT
NO WARRANTY IMPLIED OR EXPRESSED ON PRODUCT				

CAUTION! Cement powder or freshly mixed concrete, grout or mortar may cause skin injury. Avoid contact with skin and wash exposed areas promptly with water. If any cement powder or mixture gets into the eyes, rinse immediately and repeatedly with water and get prompt medical attention. Keep children away from cement powder and all freshly mixed cement products.
 WARNING! Ambient conditions may produce rapid evaporation of moisture from the concrete surface. As a result, plastic shrinkage cracking may occur. Precautions should be taken.
 ANY WATER ADDED TO MIX ON THE JOB WILL BE AT THE PURCHASER'S RISK
 In the event of delivery beyond curb line, this company will not assume liability for damage to sidewalk, driveway, utility lines, meters, septic systems or any other property. Materials hereby sold become property of purchaser at point of origin. The purchaser shall in no event accept deliveries of materials not in accord with the agreement of the parties, but such materials shall be refused by the purchaser and returned to the seller with a written statement of the reason for the refusal thereof. No cancellation accepted after concrete has been loaded in carrier's trucks at our plant.

DATE 09/16/04	CUSTOMER NO. CASHS	ORDER NO. 137853	CUSTOMER PO. OR JOB NO.	PLANT NO. 22	DELIVERY TICKET NO. 2130777
------------------	-----------------------	---------------------	-------------------------	-----------------	--------------------------------

CUSTOMER NAME
ZZ-CASH SALE-MCLEAN CP INSULATION

JOB ADDRESS
COLLEGE & 7 HWY

Additional Directions and/or Special Instructions
 PREPAID CREDIT CARD
 7 HWY SOUTH - 1 1/2 MILES WEST OF 7 HWY ON COLLEGE BLVD -
 (LOOK FOR RED TRUCKS)
 ENCASEMENT

Y THIS LOAD	C/Y BATCHED	C/Y ORDERED	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
2.00	2.00	2.00	FLOWABLE FILL SLURRY	SLURRYFF		
4.00	4.00	4.00	SHORT LOAD CHARGE	SLC		

REQUESTED SLUMP E.00	TRUCK NO. 3	DRIVER MYERS, BRYAN	SUB TOTAL
TAX CODE DLTH	ZONE KC-XX25		TAX
THIS CONCRETE IS DESIGNED IN ACCORDANCE TO AMERICAN CONCRETE INSTITUTE STANDARDS. ANY WATER ADDED TO THIS DESIGN WILL BE AT PURCHASER'S RISK.			TOTAL AMOUNT

CUSTOMERS DELIVERY RECEIPT

RECEIVED
 OCT 01 2004
 KCC WICHITA

SALES TICKET

CONSOLIDATED OIL WELL SERVICE, INC.

TRANSPORTS - VACUUM TRUCKS
PHONE (620) 431-9210
CHANUTE, KANSAS 66720

13163



Date 9-18 20 04

Charge To 2550 Conoco-Phillips ATT. Joe Carlison

Mailing Address 25760 West 343 St

City & State Paola, Ks. 66071

Well No. & Farm 11th & 7th Hwy 1/2 mile West ^{Deep Bed} County JO.

Type of Work Haul pit + mud Rain Out

SALES TICKET

CONSOLIDATED OIL WELL SERVICE, INC.

TRANSPORTS - VACUUM TRUCKS
PHONE (620) 431-9210
CHANUTE, KANSAS 66720

13162



Date 9-17, 20 04

Charge To 2550 Canoco. Phillips ATT: Joe Garlson

Mailing Address 25760 West 343 St.

City & State Paola, Ks. 66071

Well No. & Farm 111 1/2 Hwy 1 1/2 mile West County Decatur JO

Type of Work Haul Pit mud

RECEIVED
OCT 01 2004
KCC WICHITA

SALES TICKET

CONSOLIDATED OIL WELL SERVICE, INC.

TRANSPORTS - VACUUM TRUCKS
PHONE (620) 431-9210
CHANUTE, KANSAS 66720

②

13164

Date 9-20, 2004
Charge To 2550 Conoco-Phillips ATT: Joe Carlson
Mailing Address 25760 West 343 St
City & State Paola, Ks 66071
Well No. & Farm 11th & 2 Hwy 1 1/2 West Decatur County JO
Type of Work Haul pit med

RECEIVED
OCT 01 2004
KCC WICHITA