

Operator Name: Running Foxes Petroleum, Inc. Lease Name: Vogel Well #: 9-36D Inj
 Sec. 36 Twp. 24 S. R. 23 East West County: Bourbon

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Gamma Ray, Dual Induction, Density Neutron (previously sent in with Form U-1)	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Excello</td> <td>148</td> <td>720</td> </tr> <tr> <td>Upper Bartlesville</td> <td>364</td> <td>504</td> </tr> <tr> <td>Mississippian</td> <td>504</td> <td>364</td> </tr> </table>	Name	Top	Datum	Excello	148	720	Upper Bartlesville	364	504	Mississippian	504	364
Name	Top	Datum											
Excello	148	720											
Upper Bartlesville	364	504											
Mississippian	504	364											

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24 lbs	22'	Quickset	20	KolSeal
Production	6 1/4"	2 7/8"	6.5 lbs	496'	Quickset	65	KolSeal/Gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
		RECEIVED KANSAS CORPORATION COMMISSION JAN 09 2009 CONSERVATION DIVISION WICHITA, KS	

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbbs.	Gas Mcf	Water Bbbs. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

FED ID#
 MG ID # 165290
 Shop # 620 437-2681
 Cellular # 620 437-7582
 Office # 316 685-5908
 Office Fax # 316-685-5926
 Shop Address: 3613A Y Road
 Madison, KS 66860

Hurricane Services, Inc.
P.O. Box 782228
Wichita, KS 67278-2228

Cement, Acid or Tools
Service Ticket
02749

DATE 9-22-08

COUNTY BOLCO CITY _____

CHARGE TO Running Foxes
 ADDRESS _____ CITY _____ ST _____ ZIP _____
 LEASE & WELL NO. VOEFL 9-36A INT CONTRACTOR Hurricane Services
 KIND OF JOB Longstring SEC. _____ TWP. _____ RNG. _____
 DIR. TO LOC. _____ OLD NEW

Quantity	MATERIAL USED	Serv. Charge	
65 SKs	Quick Set cement		700.00
260 lbs	KOI-SEAL 4" PKG KOI-SEAL		936.00
			78.00
100 lbs	Gel Flush		20.00
2 Hrs	water Truck "88"		160.00
2 Hrs	water Truck "193"		160.00
	Rental on Swivel		50.00
3.75 Trks	BULK TRK. MILES		371.35
90	PUMP TRK. MILES		270.00
90	miles on Truck "107"		135.00
1	PLUGS 2 7/8" Top Rubber Plug		15.00
		6.3% SALES TAX	66.09
		TOTAL	2961.34

RECEIVED
 KANSAS CORPORATIO
 JAN 09 2009
 CONSERVATION DIV
 WICHITA

T.D. 510'
 SIZE HOLE 6 7/8"
 MAX. PRESS. _____
 PLUG DEPTH _____
 PLUG USED _____

CSG. SET AT _____ VOLUME _____
 TBG SET AT 492' VOLUME 2.8 Bbls
 SIZE PIPE 2 7/8" 8 1/2"
 PKER DEPTH _____
 TIME FINISHED _____

REMARKS: Rig up to 2 7/8" tubing - washed tubing to bottom Pumped 5 Bbl Gel Flush, circulate
Gel allowed to condition Water Rig up cement Head. Mixed 65 SKs Quick Set cement w/ 4" PKG KOI-SEAL
Shut down, wash out Pump & lines - Release Plug - Displace Plug with 2 3/4 Bbls water
Final Pumping at 250 PSI - Pumped Plug to 1000 PSI - close tubing w/ 1000 PSI
Good cement returns with 3 BH slurry "Thank you"

EQUIPMENT USED

NAME	UNIT NO.	NAME	UNIT NO.
<u>Kelly Kimbrell</u>	<u>185</u>	<u>Jerry Jasow "91" Chrysalis "193" Aho "88"</u>	
<u>Brad Butler</u>		<u>Called by Rick</u>	
HSI REP.		OWNER'S REP.	

FED ID#
 MCID # 165290
 Shop # 620 437-2661
 Cellular # 620 437-7582
 Office # 316 685-5908
 Office Fax # 316-685-5926
 Shop Address: 3613A Y Road
 Madison, KS 68800

Hurricane Services, Inc.
P.O. Box 782228
Wichita, KS 67278-2228

Cement, Acid or Tools
Service Ticket

02749

DATE 9-22-08

COUNTY BOWDO CITY _____

CHARGE TO Running Foxes

ADDRESS _____ CITY _____ ST _____ ZIP _____

LEASE & WELL NO. VOGEL '9-36D INT CONTRACTOR Hurricane Services

KIND OF JOB Longstem SEC. _____ TWP. _____ RNG. _____

DIR. TO LOC. _____ OLD NEW

Quantity	MATERIAL USED	Serv. Charge	
65 SKs	Quick Set cement		700.00
260 lbs	KOI-SEAL 4" P/BK KOI-SEAL		936.00
			78.00
100 lbs	Gel Flush		20.00
2 Hrs	Water Truck "88"		160.00
2 Hrs	Water Truck "193"		160.00
	Rental on Swivel		50.00
3.75 Trks	BULK TRK. MILES		371.25
90	PUMP TRK. MILES		270.00
90	miles on Truck "107"		135.00
1	PLUGS 2 7/8" Top Rubber Plug		15.00
		6.37 SALES TAX	66.07
		TOTAL	2961.34

RECEIVED
 KANSAS CORPORATION COMMISSION
 JAN 09 2009
 CONSERVATION DIVISION
 WICHITA, KS

T.D. 510'
 SIZE HOLE 6 1/4"
 MAX. PRESS. _____
 PLUG DEPTH _____
 PLUG USED _____

CSG. SET AT _____ VOLUME _____
 TBG SET AT 492' VOLUME 2.8 Bbls
 SIZE PIPE 2 7/8" 8 id
 PKER DEPTH _____
 TIME FINISHED _____

REMARKS: Rig up 2 7/8" tubing - washed tubing to bottom Pumped 5 Bbl Gel Flush circulate
Gel around to condition hole. Rig up cement head, mixed 65 SKs Quick Set cement w/ 4" P/BK KOI-SEAL
shut down - washed Pump down - Release Plug - Displace Plug with 2 3/4 Bbls water.
Final Pumping at 250 PSI - Pumped Plug to 1000 PSI - close tubing w/ 1000 PSI
Good cement returns with 3 Bbl slurry "Thank you"

EQUIPMENT USED

NAME UNIT NO.
Kelly Kimbrell 185
Brad Butler
 HSI REP.

NAME UNIT NO.
Jerry Jacob "91, Clayton "193, Aron "83
Called by Rick
 OWNER'S REP.

FED ID#
 MC ID # 165290
 Shop # 620 437-2661
 Cellular # 620 437-7582
 Office # 316 685-5908
 Office Fax # 316-685-5926
 Shop Address: 3613A Y Road
 Madison, KS 68860

Hurricane Services, Inc.
 P.O. Box 782228
 Wichita, KS 67278-2228

Cement, Acid or Tools
 Service Ticket
 02749

DATE 9-22-08

COUNTY BOHCO CITY _____

CHARGE TO Running Foxes
 ADDRESS _____ CITY _____ ST _____ ZIP _____
 LEASE & WELL NO. VOGEL # 9-360 INT CONTRACTOR Hurricane Services
 KIND OF JOB Longstring SEC. _____ TWP. _____ RNG. _____
 DIR. TO LOC. _____ OLD NEW

Quantity	MATERIAL USED	Serv. Charge	
65 SKs	Quick Set cement		700.00
260 lbs	KOI-SEAL 4" P/KOI-SEAL		936.00
			78.00
100 lbs	Gel Flush		20.00
2 Hrs	Water Truck "88"		160.00
2 Hrs	Water Truck "193"		160.00
	Rental on Swivel		50.00
3.75 Trks	BULK TRK. MILES		371.25
90	PUMP TRK. MILES		270.00
90	miles on Truck "107"		135.00
1	PLUGS 2 7/8" Top Rubber Plug		15.00
		6.37 SALES TAX	66.09
		TOTAL	2961.34

RECEIVED
 KANSAS CORPORATION COMMISSION
 JAN 09 2009
 CONSERVATION DIVISION
 WICHITA, KS

T.D. 510'
 SIZE HOLE 6 1/4"
 MAX. PRESS. _____
 PLUG DEPTH _____
 PLUG USED _____

CSG. SET AT _____ VOLUME _____
 TBG SET AT 492' VOLUME 2.8 Bbls
 SIZE PIPE 2 7/8" 8'0"
 PKER DEPTH _____
 TIME FINISHED _____

REMARKS: Rig set - 2 7/8" tubing - washed tubing to bottom. Pumped 5 Bbl Gel Flush, circulate
Gel slowed to condition hole. Rig up cement head. Mixed 65 SKs Quick Set cement w/ 4" P/KOI-SEAL
Shut down - wash out Pump lines - Release Plug - Displace Plug with 2.3 Bbls water.
Final Pumping at 250 PSI - Pumped Plug to 1000 PSI - close tubing w/ 1000 PSI
Good cement returns with 3 Bbl slurry "Thank you"

EQUIPMENT USED

NAME	UNIT NO.	NAME	UNIT NO.
<u>Kelly Kimbrell</u>	<u>185</u>	<u>Jerry Jacob "91" Clayton "193" Alan "88"</u>	
<u>Brad Butler</u>		<u>Called by Rick</u>	
HSI REP.		OWNER'S REP.	