## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 32710	API No. 15 - 207-27298 -00-00
Name: Laymon Oil II, LLC	County: Woodson
Address: 1998 Squirrel Road	se_sw_nw_nw_sec. 28_ Twp. 23_s. R. 16
City/State/Zip: Neosho Falls, KS 66758	3135 feet from $\mathscr{Q}$ / N (circle one) Line of Section
Purchaser: Coffeyville Resources	4455 feet from 🗐 / W (circle one) Line of Section
Operator Contact Person: Kenneth Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620_) 963-2495	(circle one) NE 🗱 NW SW
Contractor: Name: company tools	Lease Name: Sutherland Well #: 11-07
License: 32710	Field Name: Vernon
Wellsite Geologist: none	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: n/a Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1140 Plug Back Total Depth: 1133'
✓ Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 40' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 40'
Operator:	feet denth to surface w/ 10 sx cmt
Well Name:	Alt 2-Dlg-2/12/09
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan  (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
10/01/07	Lease Name: License No.:
10/24/07         10/26/07         10/31//07           Spud Date or         Date Reached TD         Completion Date or	Quarter Sec TwpS. R 🗌 East 🗌 West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 11 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.  All requirements of the statutes, rules and regulations promulgated to regulatherein are complete and correct to the best of my knowledge.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
Signature Lennett Zayma	KCC Office Use ONLY
Title: 01070 Date: 11/27/07	Letter of Confidentiality Attached
Subscribed and sworn to before me this 27 day of November	/ If Denied, Yes Date:
	Wireline Log Received RECEIVED
<u> </u>	Geologist Report Recklands CORPORATION COMMISSION
Notary Public: Legense Jaymo MOTARY PUBLIC State of	Kansas UIC Distribution
Date Commission Expires:  REGINA LAYM  My Appt. Expires 0.7	ON DEC 0 3 2001

#### Side Two

T .

Operator Name: Laymon Oil II, LLC		Leas	Lease Name: Sutherland			Well #: 11-07				
Sec28 Twp	23 <sub>S. R.</sub> 16	_ <b>✓</b> Eas	st West		ty: Woo					
ested, time tool ope emperature, fluid re	how important tops on and closed, flowin covery, and flow rate is surveyed. Attach	g and shues if gas to	it-in pressures, o surface test, a	whether solong with	shut-in pr	essure reached	static level, hydro	ostatic pressure	es, bottom hole	)
Orill Stem Tests Take			∕es ☑ No		Σſ	og Formati	on (Top), Depth a	and Datum	Sample	Э
Samples Sent to Ge	ological Survey		∕es <b></b> ✓ No		Nam	ne		Тор	Datum	
Cores Taken Electric Log Run (Submit Copy)		<b>∑</b> `								
List All E. Logs Run:										
		Repo		RECORD		ew Used	tion etc.			
Purpose of String	Size Hole Drilled	Si	ze Casing et (In O.D.)	We	eight / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Per Additives	
Surface	10 1/4"	8 5/8"	( 0.0.)	17#		40'	common	10	Additives	
Production	6 1/8"	2 7/8"		6.7#		1133'	portland	160		
Tubing		1"		1.8#		1079'				
			ADDITIONAL	CEMENT	ING / SQL	JEEZE RECORD	)			
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Тур	e of Cement	#Sack	s Used		Type and F	Percent Additives		
Shots Per Foot	PERFORATI Specify	ION RECOI Footage of	RD - Bridge Plug Each Interval Pert	s Set/Type forated	•		cture, Shot, Cement mount and Kind of Ma			pth
3 1080 - 1090					200 gal 30%	6 HCL acid;fra	c w/60 sks s	and 1085	-1109	
3	1096 - 1109									
TUBING RECORD	Size	Set At		Packer	At .	Liner Run	Yes No			
Date of First, Resumed	Production, SWD or E	nhr.	Producing Metho	od	Flowing	y ✓ Pumpir	ng Gas Lif	t Othe	r (Explain)	
Estimated Production Per 24 Hours	Oil <b>1</b>	Bbls.	Gas	Mcf	Wate	er B	bls. G	as-Oil Ratio	Grav	ity
Disposition of Gas	METHOD OF C	COMPLETIC	ON Open Hole	☐ Per	f. 🗀 r	Production Inter	val	KANSAS (	RECEIVED CORPORATION C	
	umit ACO-18.)		Other (Specif			adily comp.			DEC 0 3 20	07

CONSERVATION DIVISION WICHITA, KS

"Courtesy" - "Quality" - "Service"

P.O. No.

# THE NEW KLEIN LUMBER CO., INC.

**MADISON & WALNUT** 

0	OLA, KANSAS,			, 20
SOLD TO SOLD	Mmon UU Billing Address			
Delivered To	Loaded By	Hauled By		
QUANTITY	DESCRIPTION	FEET	PRICE	TOTAL
			B	
200	Sarlo Planer	200	8-11	1798 00
		tax		13154
		'	<b>~</b>	
	LEIN LUMBER YARD			195754
			Y r	
	The second secon		a Si	: 1
				AND THE REAL PROPERTY OF THE PERSON NAMED IN COLUMN TO THE PERSON
	:			. bu
NOTICE: AC	COUNTS ARE DUE BY THE 10th OF THE MONTH. PAST DUE ARE SUBJECT TO FINANCE CHARGE COMPUTED AT 1-1/2%			
ACCOUNTS A	ARE SUBJECT TO FINANCE CHARGE COMPUTED AT 1-1/2% On the Balance, annual percentage rate of 18%.			
		No. 11502	2	· · · · · · · · · · · · · · · · · · ·
XRECEIVED ABOVE IN GOOD O	PRDER	140. TTOO	<b>- (-</b>	The state of the s

RECEIVED KANSAS CORPORATION COMMISSION

DEC 0 3 2007

CONSERVATION DIVISION WICHITA, KS

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, self-er assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER 802 N. Industrial Rd. P.O. Dox 664 Iola, Kansas 66749 Payless Con #30 11/S/07 Phone: (620) 365-5588 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract. SOLD TO: SHIP TO: LA005 LA2/ LAYMON DIL, L.L.C. LAYMON OIL 1998 SQUIRREL RD. 54 W TO WILLOW N TO 200TH RD W 4 MI TO SQUIRREL RD S 1 MI NEOSHO FALLS KS TO 190TH E TO CATTLE GARD S SD <u>66758</u> NEOSHO FALLS KS 66758 YARDS ORDERED PLANT/TRANSACTION # TIME **FORMULA** LOAD SIZE DRIVER/TRUCK % CAL BC % AIR 12:26:39p DO yd 16. ØØ yd 17. 1717 35 M. MM LOAD# YARDS DEL. BATCH# DATE WATER TRIM SLUMP TICKET NUMBER o Date 13 104.50 yd 10-26-07 8.00 vd 3610 4.00 in 19597 PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Excessive Water is Detrimental to Concrete Performance WARNING (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CLIRB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage, to the premises and/or adjacent
properly if It places the material in this load, where you desire lit, it is
our wish to help you in every way that we can, but in order to do this
he driver is requesting that you sign this RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewass,
chriviwarys, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arism out of delivery of this code. H<sub>2</sub>0 Added By Request/Authorized By IRRITATING TO THE SKIN AND EYES
Contains Portland Gement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY. WEIGHMASTER CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANTE ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annual Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. arisin out of delivery of this order. A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. QUANTITY CODE DESCRIPTION UNIT PRICE **EXTENDED PRICE** 8.00 WELL WELL (10 SACKS PER UNIT) 8.00 66.00 528.00 TRUCKING 1.75 TRUCKING CHARGE 1.75 45.00 78.75 RETURNED TO PLANT **LEFT JOB** FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED SubTotal \$ 606.75 JOB NOT READY 6. TRUCK BROKE DOWN SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN 7. ACCIDENT 8. CITATION Tax % 6.300 38.23 9. OTHER LEFT PLANT ARRIVED JOB START UNLOADING Total \$ 644.98 TIME DUE ADDED WATER Order \$ 644.98 **ADDITIONAL CHARGE 1** 

TOTAL ROUND TRIP

TOTAL AT VOB

UNLOADING TIME

RECEIVED KANSAS CORPORATION COMMISSION

**ADDITIONAL CHARGE 2** 

GRAND TOTAL

**DELAY TIME** 

DEC 0 3 2007

CONSERVATION DIVISION WICHITA, KS

802 N. Industrial Rd. P.O. Fox 664 Iola, Kansas 66749 Phone: (620) 365-5588

SOLD TO:



EXTENDED PRICE

LA005 LAYMON DIL. L.L.G. 1998 SQUIRREL RD.

NEDSHO FALLS KS

DESCRIPTION

LA2/ LAYMON OIL

54 W TO WILLOW N TO 200TH RD W 4 MI TO SQUIRREL RD S 1 MI TO 190TH E TO CATTLE GARD S SD

		66758		NEOSHO	FALLS KS 66	75A	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
		100		% CAL.	BC	% AIR	
12:38:040	WELL	8.00 yd	16,00 yd	0.00	35	0,00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	14	112.50 yd		'X		
10-26-07	Today		16.00 yd	3611	<u> </u>	4.00 in	19598

**WARNING** 

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable atto any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per all

Not Responsible for Reactive Aggregate or Cotor Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be Excess Delay Time Charged @ \$50/HR. CODE

QUANTITY

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his Dear Customer-The other of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly, cause damage to the premises and/or, adjacent, properly-if it places the material in; this load where your desire it. It is; "our wish? to help you'll in every wey that we can, but in order to do it has the other is requesting that you sign this RELEASE relieving him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalls, othroways, corts, etc. by the delivery of this material, and that you also agree to help him remove mud from the wheels of his wehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnily and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to the premises and/or adjacent property which may be claimed by anyone to the premises and/or adjacent property which may be claimed by anyone to the **Excessive Water is Detrimental to Concrete Performance** H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

8.00 WELL WELL (10 SACKS PER UNIT) 16.00 66.00 528.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
451	209		1. JOB NOT READY 8. TRUCK BROKE DOWN 2.4 SLOW POUR OR PUMP 7. ACCIDENT 8. CITATION 8. CITATION	1	ubTotal \$ 528.00 ax % 6.300 33.26
LEFT PLANT	ARRIVED JOB	START UNLOADING	4: CONTRACTOR BROKE DOWN 9: OTHER 5. ADDED WATER	TIME DUE T	ptal \$ 561.26
1261	124	136		0	rder \$ 1206.24 ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL

RECEIVED KANSAS CORPORATION COMMISSION

DEC 0 3 2007

CONSERVATION DIVISION WICHITA, KS

### Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS 66758

### 620-963-2495

fax 620-963-2921

Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS 66758

> Sutherland #11-07 API: 15-207-27298 Spud Date10/24/07 Comp Date: 10/26/07 28/23/16 WO CO

Formation	From	То
Soil & Clay	0	16
Shale	16	85
Lime	85	98
Lime & Shale	98	1060
Black Shale	; 1060	1063
Lime 5'	1063	1069
Black Shale	1069	1074
Sand Upper	1074	1115
Cap Rock 1 <sup>st</sup>	1115	1116
Shale	1116	1118
Cap Rock 2 <sup>nd</sup>	1118	1119
Sand Lower	1119	1129
Shale	1129	1140
Total Depth		1140

Set 40' of 8 5/8" surface, cemented w/10 sks. Ran 1133' of 2 7/8" pipe. Seating nipple @ 1074'.

RECEIVED KANSAS CORPORATION COMMISSION

DEC 0 3 2007

CONSERVATION DIVISION