KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 3728	API No. 15 - 001-29650-0000
Name: Roger Kent dba R.J. Enterprises	County: Allen
Address: 1203 East 4th Avenue	SW_SW_NE_SE_Sec. 3 Twp. 24 S. R. 21 Fast West
City/State/Zip: Garnett, KS 66032	1365 feet from N (circle one) Line of Section
Purchaser: Plains Marketing, L.P.	1165 feet from E) W (circle one) Line of Section
Operator Contact Person: Roger Kent	Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 448-6995 or 448-7725	(circle one) NE SE NW SW
Contractor: Name: E.K. Energy, LLC	Lease Name: Norman Well #: 5
License: 33977	Field Name: Davis-Bronson
Wellsite Geologist: n/a	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: n/a Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 720 ft. Plug Back Total Depth:
SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 0
Operator:	feet depth to 720 ft. w/ 80 sx cmt.
Well Name:	feet depth to 720 ft. w/ 80 A 1 + 2 - D Q - 1 29 09
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content none ppm Fluid volume 140 bbls
Plug Back Plug Back Total Depth	Dewatering method used Drilled with fresh water - air dry
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
October 24, 2007 October 29, 2007 October 29, 2007 Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	Lease Name: License No.: Quarter Sec Twp S. R East West County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of	n the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-3 and geologist well report shall be attached with this form. ALL CEMENTING S. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements KCC Office Use ONLY
Signature: KOC, V \ V \ Com C	
Title: Agent for Roger Kent Date: February 26, 2008	Letter of Confidentiality Received
Subscribed and sworn to before me this 26th day of Julius	If Denied, Yes Date:
20 08 .	A D C O C C C C C C C C C C C C C C C C C
Notary Public: Wonna Thanda Start	Geologist Report Received WIC Distribution CANSAS CORPORATION COMMISSION
Date Commission Expires harch 16 20 11 My Spiler	ANDAD CURFURNION COMMISSION

Operator Name: Roge	er Kent dba R.J. E	nterprises	Lease N	Name: Norman		_ Well #: _5	19-11-1
Sec3 Twp24	S. R 21	✓ East	County:		(-M)		
INSTRUCTIONS: She tested, time tool open temperature, fluid reco Electric Wireline Logs	and closed, flowin	g and shut-in pressure es if gas to surface test	es, whether shu t, along with fin	it-in pressure reach	ed static level, hydro	static pressure	es, bottom hole
Drill Stem Tests Taken		☐ Yes 📝 No		✓ Log Form	nation (Top), Depth a	nd Datum	Sample
Samples Sent to Geol	ogical Survey	☐ Yes 🗸 No	ļ	Name		Тор	Datum
Cores Taken		Yes 🗸 No					
Electric Log Run (Submit Copy)		✓ Yes No		See attached			
List All E. Logs Run:							
Gamma Ray/N	leutron/CCL						
			NG RECORD et-conductor, surf	New Used ace, intermediate, pro			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigh	t Setting	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10-1/4"	7"	n/a	20'	Portland	10 sx	Additivos
Tubing	5-5/8"	2-7/8"	n/a	713'	oil well cement	80 sx	
		ADDITION	LAL OFMENTING	2 / 20 UEST PEO			
Purpose:				#Sacks Used Type and Percent Additives			
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			, , po una re	Joseph Additives	
					400		
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			Acid,	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
		-					
TUBING RECORD .	Size	Set At	Packer At	Liner Run	☐ Yes ☐ No		
Date of First, Resumerd Production, SWD or Enhr. Producing Metho		· · · · ·	Flowing Pu	mping Gas Lift	Othe	τ (Explain)	
Estimated Production Per 24 Hours	Oil	Bbis. Gas	Mcf	Water	Bbls. Ga	as-Oil Ratio	Gravity
Disposition of Gas	METHOD OF (COMPLETION		Production I	nterval		
Vented Sold	Used on Lease	Open Hol		Dually Comp.	Commingled	<u> </u>	



REMIT TO

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346 MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

R. J. ENTERPRISE % ROGER KENT R. #1 GARNETT KS 66032 (785)448-6995

NORMAN UNIT #5

12867 10-29-07

Part Number Description Oty Unit Price Tota] 1126 OIL WELL CEMENT 80.00 15.4000 1232.06 1110A KOL SEAL (50# BAG) 320.00 .3800 121.66 S-5 GEL/ BENTONITE (50#) 1118A 200.00 .1500 30.06 1105 COTTONSEED HULLS 25.00 .3600 9.06 2 1/2" RUBBER PLUG 4402 1.00 20.0000 20.06 1123 CITY WATER 3000.00 .0128 38.46 Description Hours Unit Price Total 436 80 BBL VACUUM TRUCK (CEMENT) 4.00 90.00 360.06 485 CEMENT PUMP 1.00 840.00 840.06 485 EQUIPMENT MILEAGE (ONE WAY) 60.00 3.30 198.06 515 TON MILEAGE DELIVERY 264.00 1.10 290.46

RECEIVED KANSAS CORPORATION COMMISSIO

FEB 2 7 2008

						i	CONSERVATION DIVISION WICHITA, KS
======= Parts: Labor: Sublt:	.00	Freight: Misc: Supplies:	.00	Tax: Total: Change:	91.42 3230.82		3230.82
====== Signed			= = = = = = = = = = = = = = = = = = =				
BARTLESVILLE 918/338-080		EUREKA, Ks 620/583-7664	GILLETTE, WY 307/686-4914	McAlester, OK 918/426-7667	OTTAWA, Ks 785/242-4044	THAYER, Ks 620/839-5269	Worland, Wy 307/347-4577

R.J. Enterprise Norman Unit #5

8	soil	8		
122	lime	130		
155	shale	285		
31	lime	316		
67	shale	383		
33	lime	416		
40	shale	456		start 10-24-07
17	lime	473		finish 10-29-07
6	shale	479		
6	lime	485		
142	shale	627		
4	bk sand	631	show	
12	bk sand	643	good show	
2	sand	645	lite show	
1	shale	646		set 20' 7"
14	oil sand	660	good show	ran 713' of 2 7/8
34	dk sand	694		cement to surface
26	shale	720	T.D.	

RECEIVED KANSAS CORPORATION COMMISSION

FEB 2 ? 2008

CONSERVATION DIVISION WICHITA, KS