

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISIONForm ACO-1  
September 1999  
Form Must Be TypedWELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32740 32955  
 Name: Kenneth & Regina Laymon, LLC  
 Address: 1998 Squirrel Road  
 City/State/Zip: Neosho Falls, KS 66758  
 Purchaser: Coffeyville Resources  
 Operator Contact Person: Kenneth Laymon  
 Phone: ( 620 ) 963-2495  
 Contractor: Name: Kelly Down Drilling Co., Inc.  
 License: 5661 **KANSAS CORPORATION COMMISSION**  
 Wellsite Geologist: none

DEC 17 2008

Designate Type of Completion:

☒ New Well ☐ Re-Entry ☐ Workover  
☒ Oil ☐ SWD ☐ SLOW ☐ Temp. Abd.  
☐ Gas ☐ ENHR ☐ SIGW  
☐ Dry ☐ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
☐ Deepening ☐ Re-perf. ☐ Conv. to Enhr./SWD  
☐ Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
☐ Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
☐ Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
☐ Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

10/15/2008 10/20/2008 12/05/2008  
 Spud Date or Date Reached TD Completion Date or  
 Recompletion Date Recompletion Date

API No. 15 - 15-207-27451-0000  
 County: Woodson  
ne se se ne Sec. 10 Twp. 24 S. R. 16 ☒ East ☐ West  
3135 feet from S / N (circle one) Line of Section  
165 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name: Oakes Well #: 17-08  
 Field Name: Vernon

Producing Formation: Squirrel  
 Elevation: Ground: 1039 Kelly Bushing: 1044  
 Total Depth: 1100 Plug Back Total Depth: 1090  
 Amount of Surface Pipe Set and Cemented at 42.4 Feet  
 Multiple Stage Cementing Collar Used? ☐ Yes ☒ No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from 42.4  
 feet depth to surface w/ 10 sx cmt.

## Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
 Dewatering method used \_\_\_\_\_

Location of fluid disposal if hauled offsite:

Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ ☐ East ☐ West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Kenneth LaymonTitle: Owner Date: 12/17/08Subscribed and sworn to before me this 12<sup>th</sup> day of December

2008.

Notary Public: Regina Laymon

Date Commission Expires: \_\_\_\_\_



## KCC Office Use ONLY

Letter of Confidentiality Attached

If Denied, Yes ☐ Date: \_\_\_\_\_

Wireline Log Received

Geologist Report Received

UIC Distribution

Side Two

Operator Name: **Keneth & Regina Laymon, LLC**Lease Name: **Oakes**Well #: **16-08**Sec. **10** Twp. **24** S. R. **16** ☒ East ☐ WestCounty: **Woodson**

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken

☐ Yes ☒ No

(Attach Additional Sheets)

Samples Sent to Geological Survey

☐ Yes ☒ No

Cores Taken

☐ Yes ☒ No

Electric Log Run

☒ Yes ☐ No

(Submit Copy)

List All E. Logs Run:

**Gamma Ray//Neutron/CCL**☒ Log

Formation (Top), Depth and Datum

Sample

Name

Top

Datum

See attached

CASING RECORD ☐ New ☐ Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	42.9'	portland	10	n/a
Production	6 1/2"	2 7/8"	6.7#	1122'	common	160	n/a
Tubing		1"	1.8#	1028'			

## ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
Perforate Protect Casing Plug Back TD Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	1031 - 1037	75 sks 15% HCL acid; 50 sks sand	1031-1037

TUBING RECORD	Size	Set At	Packer At	Liner Run
				<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.	Producing Method			
12/06/2008	<input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf
	.5			
			Water	Bbls.
			Gas-Oil Ratio	Gravity

Disposition of Gas

METHOD OF COMPLETION

Production Interval

☐ Vented ☐ Sold ☐ Used on Lease  
(If vented, Submit ACO-18)

☐ Open Hole ☐ Perf. ☐ Dually Comp. ☐ Commingled ...  
☐ Other (specify)

THE NEW KLEIN LUMBER COMPANY  
201 W. MADISON  
P.O. BOX 885  
IOLA, KS 66749  
PHONE: (620) 365-2281

PAGE NO 1

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLEAR	DATE	TIME
3447				NET 10TH OF MONTH	BE	12/16/08	9:39

S  
O  
L  
D  
T  
O

LAYMON OIL II  
1998 SQUIRREL RD  
NEOSHO FALLS KS 66758

S  
H  
I  
P  
T  
O

FOR Cakes  
# 15-08  
# 16-08  
# 17-08 - 10 sh

TERM 2

DOCH 100930  
\*\*\*\*\*  
\* INVOICE \*  
\*\*\*\*\*

TAX : 001 IOLAL IOLA

QUANTITY		UM	SKU	DESCRIPTION	SUB	UNITS	PRICE / PER	EXTENSION
SHIPPED	ORDERED							
29		EA	PC	PORTLAND CEMENT		29	8.99 /EA	260.71
X				** AMOUNT CHARGED TO STORE ACCOUNT **		279.74	TAXABLE	260.71
							NON-TAXABLE	0.00
							SUBTOTAL	260.71
							TAX AMOUNT	19.03
							TOTAL AMOUNT	279.74
RECEIVED BY								

RECEIVED  
KANSAS CORPORATION COMMISSION

DEC 17 2008

CONSERVATION DIVISION  
WICHITA, KS

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



## CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

## NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SC 1010

SC 1010

LA005

LA1/23

LAYMON OIL, L.L.C.  
1908 SQUIRREL RD.

LAYMON OIL

54 W TO WILLOW N TO 200TH RD  
W 4 MI TO SQUIRREL RD 0.3 MI  
TO 170TH

NEEDSHO FALLS KS

66758

NEEDSHO FALLS, KS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
09:56:42a	WELL	8.00 yd	16.00 yd	3 CAL 0.99	ST 34	% WTR 0.00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10-20-00	To Date, Today	5 1	40.00 yd 8.00 yd	7102		4.00	22191

## WARNING

### IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

## PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and the supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED

X

## Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER

DAR #17-08

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)	69.00	552.00
2.00	TRUCKING	TRUCKING CHARGE	50.00	100.00
1.75				57.50

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
12:00	11:39	11:27	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	Subtotal 652.00 Tax % 5.27340.29.41.00 Total 693.00 Order 693.00
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
10:13	10:43	10:59		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
1.75				
				ADDITIONAL CHARGE 1
				ADDITIONAL CHARGE 2
				GRAND TOTAL 1,179.79

RECEIVED  
KANSAS CORPORATION COMMISSION

DEC 17 2008

CONSERVATION DIVISION  
WICHITA, KS

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS**  
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.  
**NOTICE TO OWNER**  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO

LA005  
LAYMON OIL, L.L.C.  
1990 SQUIRREL RD.

NEEDSHO FALLS KS  
66759

LA1723  
LAYMON OIL  
56 W TO WILLIAM N TO 200TH RD  
N 4 MI TO SQUIRREL RD S 3 MI  
TO 170TH  
NEEDSHO FALLS, KS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	PLANT/TRANSACTION #
10:04:34a	WELL	8.00 yd	16.00 yd	0.00	BT 34	5-AIR 0.00
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	TICKET NUMBER
10-20-08	To Date Today	6 2	48.00 yd 16.00 yd	7193		22192

## WARNING

### IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

### PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is your wish to help in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED  
X

### Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY	REL CODE	DESCRIPTION	SACKS PER UNIT	UNIT PRICE	EXTENDED PRICE
800		WELL (10 SACKS PER UNIT)		19.00	56.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
12:00	11:39	11:27	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	16.00
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
10:13	10:43	10:59		19.00
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

Subtotal	552.00
Tax @ 6.30%	34.78
Total	586.78
Order	586.78
ADDITIONAL CHARGE 1	
ADDITIONAL CHARGE 2	
GRAND TOTAL	586.78

RECEIVED  
KANSAS CORPORATION COMMISSION

DEC 17 2008

CONSERVATION DIVISION  
WICHITA, KS

Kelly Down Drilling Co. Inc  
1998 Squirrel Road  
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Kenneth & Regina Laymon, LLC  
1998 Squirrel Road  
Neosho Falls, KS 66758

Oakes # 17-08  
API: 15-207-27451  
Spud Date 10/15/08  
Comp Date: 10/20/08  
10/24/16 WO CO

Formation	From	To
Soil & Clay	0	19
Shale	19	158
Lime & Shale	158	580
Lime	580	640
Big Shale	640	810
Lime & Shale	810	1005
Cap Rock	1005	1006
Sand Lower	1006	1018
Shale	1018	1100
Total Depth		1100

Set 42.4' of 8 5/8" surface, cemented w/10 sks.  
Ran 1090' of 2 7/8" pipe.  
Seating nipple @ 1005'.

RECEIVED  
KANSAS CORPORATION COMMISSION

DEC 17 2008

CONSERVATION DIVISION  
WICHITA, KS