

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

*Per telecon -
w/ oper. on
12/17/08
KCR*

*KCR
12/17/08*

Operator: License # 32710-32955
Name: Kenneth & Regina Laymon, LLC
Address: 1998 Squirrel Road
City/State/Zip: Neosho Falls, KS 66758
Purchaser: Coffeyville Resources
Operator Contact Person: Kenneth Laymon
Phone: (620) 963-2495
Contractor: Name: Kelly Down Drilling Co., Inc
License: 5661

API No. 15 - 15-207-27450-0000
County: Woodson
SW SE SE NE Sec. 10 Twp. 24 S. R. 16 East West
2805 feet from S / N (circle one) Line of Section
495 feet from E / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Oakes Well #: 16-08
Field Name: Vernon

Wellsite Geologist: none
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

DEC 17 2008

CONSERVATION DIVISION
WICHITA, KS

If Workover/Re-entry: Old Well Info as follows:
Operator: _____

Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

10/13/2008 10/15/2008 12/05/2008
Spud Date or Date Reached TD Completion Date or Recompletion Date

Producing Formation: Squirrel
Elevation: Ground: 1050 Kelly Bushing: 1055
Total Depth: 1130 Plug Back Total Depth: 1122
Amount of Surface Pipe Set and Cemented at 42.9 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 42.9
feet depth to surface w/ 10 ^{sx cmt}

A1+2-Dig-1/29/09

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Kenneth Laymon
Title: Owner Date: 12/12/08
Subscribed and sworn to before me this 12th day of December, 2008
Notary Public: Regina Laymon
Date Commission Expires: _____

NOTARY PUBLIC - State of Kansas
REGINA LAYMON
My Appt. Exp. 2-21-09

KCC Office Use ONLY
 Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Side Two

Operator Name: **Keneth & Regina Laymon, LLC**

Lease Name: **Oakes**

Well #: **17-08**

Sec. **10** Twp. **24** S. R. **16** East West

County: **Woodson**

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
(Submit Copy)

List All E. Logs Run:

Gamma Ray//Neutron/CCL

Log Formation (Top), Depth and Datum Sample
Name Top Datum
See attached

CASING RECORD

New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	42.4'	portland	10	n/a
Production	6 1/2"	2 7/8"	6.7#	1090'	common	160	n/a
Tubing		1"	1.8#	1005'			

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
Perforate Protect Casing Plug Back TD Plug Off Zone				

PERFORATION RECORD - Bridge Plugs Set/Type
Specify Footage of Each Interval Perforated

Acid, Fracture, Shot, Cement Squeeze Record
(Amount and Kind of Material Used)

Shots Per Foot	Footage	Material	Depth
2	1031 - 1037	75 sks 15% HCL acid; 50 sks sand	1031-1037

TUBING RECORD

Size Set At Packer At Liner Run Yes No

Date of First, Resumed Production, SWD or Enhr.
12/06/2008

Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours
Oil Bbls. **.5** Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

Disposition of Gas **METHOD OF COMPLETION**

Production Interval

Vented Solid Used on Lease
(If vented, Sumit ACO-18.)

Open Hole Perf. Dually Comp. Commingled
 Other (Specify)

THE NEW KLEIN LUMBER COMPANY
 201 W. MADISON
 P.O. BOX 885
 IOLA, KS 66749
 PHONE: (620) 365-2201

PAGE NO 1

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447				NET 10TH OF MONTH		12/16/88	9:39

SOLD TO
 LAYMON OIL II
 1998 SQUIRREL RD
 NEOSHO FALLS KS 66758

SHIP TO
 FOR OAKES
 # 15-08
 # 16-08 - 10 als
 # 17-08

TERM 2
 DOCH 100930

 * INVOICE *

TAX : 001 IOLA IOLA

QUANTITY SHIPPED	QUANTITY ORDERED	UM	SKU	DESCRIPTION	PRICE / PER	EXTENSION
29		EA	PC	PORTLAND CEMENT	8.99 /EA	260.71

** AMOUNT CHARGED TO STORE ACCOUNT ** 279.74
 TAXABLE 260.71
 NON-TAXABLE 0.00
 SUBTOTAL 260.71
 TAX AMOUNT 19.83
 TOTAL AMOUNT 279.74

X
 RECEIVED BY

RECEIVED
 KANSAS CORPORATION COMMISSION

DEC 17 2008

CONSERVATION DIVISION
 WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road under truck's own power. Due to delivery at owner's or intermediary's direction seller assumes no responsibility for damages in any manner to sidewalk, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005
LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

LA1/23
LAYMON OIL
54 W TO WILLOW N TO 200TH RD
W 4 MI TO SQUIRREL RD S 3 MI
TO 170TH
NEOSHO FALLS, KS

NEOSHO FALLS KS
66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL.	DRIVE SHAFT	PLANT/TRANSACTION #
09:42:51a	WELL	8.00 yd	16.00 yd	0.00	BT 34	
DATE	LOAD #	YARDS DEL.	BATCH#	WATER/ADM.	SLUMP	TICKET NUMBER
10-15-08	To Date Today	3 1	24.00 yd 8.00 yd	7072	4.00 in	22169

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(To be signed if delivery to be made inside curb line)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in the load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of the material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public streets. Under no additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be caused by anyone to have arisen out of delivery of this order.

SIGNED _____

X

Excessive Water Is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By _____

GAL X

WEIGHT WATER _____

Oakes #16-08

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN USING INSIDE CURB LINE.

LOAD RECEIVED BY: _____

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)	8.00	69.00
2.00	TRUCKING	TRUCKING CHARGE	2.00	50.00
				552.00
				100.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/ORDER TEST TAKEN	TIME ALLOWED
		11:16	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
10:05	10:27	10:42		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

SubTotal \$ 552.00
Tax % 6.300 41.00
Total \$ 593.00
Order \$ 693.00

ADDITIONAL CHARGE 1 _____
ADDITIONAL CHARGE 2 _____

GRAND TOTAL ▶

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 17 2008
CONSERVATION DIVISION
WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA003
LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

LA1/23
LAYMON OIL
54 W TO WILLOW N TO 200TH RD
W 4 MI TO SQUIRREL RD S 3 MI
TO 170TH
NEOSHO FALLS, KS

NEOSHO FALLS KS
66750

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL.	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
09:51:18a	WELL	8.00 yd	16.00 yd	0.00	BT 34	0.00	
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
10-16-08	4	32.00 yd	7073		4.00 in	22170	

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality, No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for damage that may occur to the premises and/or adjacent property, including sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the bottom of his vehicle so that he will not litter the public street. For your additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN PLACING INSIDE CURB LINE.

LOAD RECEIVED BY: *John Smith*

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)	69.00	552.00

005 # 16-08

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
		11:16	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		
10:05	10:27	10:42	6. TRUCK BROKE DOWN 7. ACCIDENT 8. OTHER	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

SubTotal \$ 552.00
Tax % 6.300 34.78
Total \$ 586.78
Order \$ 1279.86

ADDITIONAL CHARGE 1 _____
ADDITIONAL CHARGE 2 _____
GRAND TOTAL ▶

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 17 2008
CONSERVATION DIVISION
WICHITA, KS

Kelly Down Drilling Co. Inc
1998 Squirrel Road
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Kenneth & Regina Laymon, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

Oakes # 16-08
API: 15-207-27450
Spud Date 10/13/08
Comp Date: 10/15/08
10/24/16 WO CO

Formation	From	To
Soil & Clay	0	19
Shale	19	143
Lime & Shale	143	630
Lime	630	650
Big Shale	650	810
Lime & Shale	810	1028
Cap Rock	1028	1029
Sand Lower	1029	1040
Shale	1040	1130
Total Depth		1130

Set 42.9' of 8 5/8" surface, cemented w/10 sks.
Ran 1122' of 2 7/8" pipe.
Seating nipple @ 1028'.

RECEIVED
KANSAS CORPORATION COMMISSION

DEC 17 2008

CONSERVATION DIVISION
WICHITA, KS