## Kansas Corporation Commission Oil & Gas Conservation Division

ORIGINAS Form ACO-1 Form Must Be Typed

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 31280	API No. 15 - 207-27278-0000
Name: Birk Petroleum	County: Woodson
Address: 874 12th Rd SW	<u>SE_SW_NE_Sec. 28Twp, 23S. R. 16</u>
City/State/Zip; Burlington, Ks 66839	2440 feet from S /(N)(circle one) Line of Section
Purchaser: Coffeyville Resources	1485 feet from E / W (circle one) Line of Section
Operator Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner;
RECEIVED	(circle and) (NE) SE NW SW
Contractor: Name: Company Tools (ANSAS CORPORATION COMMISSIO	Lease Name: McNett Well #: 10
License: 31280 FEB 0 6 2008	Field Name: Vernon
Wellsite Geologist: None	Producing Formation: Squirrel
CONSERVATION DIVISION Designate Type of Completion: WICHITA, KS	Elevation: Ground: N/A Kelly Bushing: N/A
✓ New Well Re-Entry Workover	Total Depth: 1101' Plug Back Total Depth: 1090'
OilSWDTemp. Abd.	Amount of Surface Pipe Set and Cemented at 40' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 40'
Operator:	feet depth to Surface w/ 14 sx cmt.
Well Name:	Drilling Fluid Management Plan AIT II NOR 1-30-09
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug BackPlug Back Total Depth	Dewatering method used Evaporate
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	·
Other (SWD or Enhr.?) Docket No	Operator Name:
10/01/2007 10/03/2007 10/03/2007	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec Twp S. R East West County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with t Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.  All requirements of the statutes, rules and regulations promulgated to regulations.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply months if requested in writing and submitted with the form (see rule 82-3-ind geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	
Signature: Sinda K. Dush	KCC Office Use ONLY
Title: Agent Date: ///8/2008	Letter of Confidentiality Received
18th Tanuary	/ If Denied, Yes Date:
	Wireline Log Received
20 08	Geologist Report Received
Notary Public: 1000	UIC Distribution
Date Commission Expires: January 22, 2012	

LAURA C. BIRK

A LAURA C. BIRK

Notary Public - State of Kansas

My Appt. Expires 01/22/2012

Operator Name: Birk Petroleum  Sec. 28 Twp. 23 S. R. 16			Lease N	_ Lease Name: McNett			Well #: 10		
			County:	County: Woodson					
ested, time tool open emperature, fluid rec	and closed, flowing overy, and flow rate	and base of formations p g and shut-in pressures, s if gas to surface test, inal geological well site	, whether shu along with fin	ut-in pres	sure reached	static level, hydro	static pressur	es, botto	m hole
Orill Stem Tests Taker (Attach Additional S		☐ Yes 📝 No		<b>√</b> Log	g Format	ion (Top), Depth a	and Datum		Sample
Samples Sent to Geo	logical Survey	☐ Yes ☐ No		Name			Тор		Datum
Cores Taken		☐ Yes 🗸 No		Kansas	s City		182'		
Electric Log Run		✓ Yes		Upper	Squirrel	998'			
(Submit Copy)  ist All E. Logs Run:				Lower	Squirrel		1038'		
Gamma Ray/N	Neutron/CCL								
		CASING Report all strings set	RECORD	New		ction, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigl Lbs. / I		Setting Depth	Type of Cement	# Sacks Used		and Percent dditives
Surface Casing	9 7/8"	7"		40'		Portland	14	Calciur	m
Long String	6"	2 7/8"			1090'	Portland	150		
		ADDITIONA	L CEMENTIN	IG / SQUE	EEZE RECOR	D			
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Şacks \		Type and Percent Additives				
Charles Bar Fara	PERFORAT	ON RECORD - Bridge Plu	ugs Set/Type		Acid, Fr	acture, Shot, Cemer	t Squeeze Reco	ord	
Shots Per Foot		Footage of Each Interval P			(Amount and Kind of Material Used) Depth				
3 shots/foot 2" DML RTG, 25 perfs 1000-1008; 31 perfs 1			fs 1038-1048	B'				1000-1048	
		,			uu.	KANSAS CORP	CEIVED ORATION COM	MISSION	
						FEB	0 6 2008	•	
	•••					CONSER	VATION DIVISIO	N	
TUBING RECORD 1"	Size	Set At 1090	Packer At	t	Liner Run	Yes No	CHITA, KS		
Date of First, Resumero	d Production, SWD or	Enhr. Producing M	ethod	Flowing	Pump	oing Gas L	ift 🗌 Oti	ner (Explair	n)
Estimated Production	Oil	Bbls. Gas	Mcf	Water 5	r	Bbls.	Gas-Oil Ratio		Gravity
Per 24 Hours	2	1	1	9		Production Interval			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



SOLD TO

BB001

B & B COOPERATIVE VENTURES 900 S. FÖURTH ST.

BURLINGTON KS

CONDITIONS
Concrete to be delivered to the nearest-accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for streight or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Fallure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

B19/20 ----BAB COOP, VENTURES/BIRK OIL 54 W TO QUAIL, N TO 2000TH RD W 5 MI TO ROCK RD N 374 MI W SD/ 1/4 PAST TANKS HEDNONIZYOTER PENTED KE SE

			VENIMIN THIES CENTERS TO TOO				
TIME -	FORMULA	LOAD SIZE	YARDS ORDERED ;		DRIVER/TRUCK	COME VE	PLANT/TRANSACTION #
25.	WELL	7.50 yd	15.00 yd	% CAL \$20,00	34 BT	% AIR 0.00 🌞	
DATE	THE PARTY OF THE PARTY	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10-03-07	To Date Today	2. 2.	15.00 yd 15.00 yd	3349		4.00 in	19413

WARNING

IRRITATING TO THE SKIN AND SYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY.

CAUSE BURNS, Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of

Contact With Skin or Eyes, Flush Thoroughly With Water, if Imitation Persists, Get Medical

Attention. KEEP CHILDREN AWAY.

A \$25 Service Charge and Loss of the Cash Disc

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY-TO BE MADE: INSIDE CURB LINE) (TO BE SIGNED IF-DELIVERY-TO 86 MADE-INSIDE CURB UNE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
ituat may possibly cause damage to the premises and/or adjacent
property if it places the material in this load where you desire it. It is
our wish to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE retwing him and
this supplier form any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
orthways, cuts, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheles of his wehick so
that he will not littler the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premiser's
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.
SIGNED Excessive Water is Detrimental to Concrete Performance H20 Added By Request/Authorized By

Excess Delay Time Charged @ \$50/HR. QUANTITY

EXTENDED PRICE

WELL (10 SACKS PER UNIT)

RECEIVED 15100 KANSAS CORPORATION COMMISSION 56.00

495.00

FEB 0 6 2008

CONSERVATION DIVISION

			WICHITA	KS	
RETURNED TO PLANT	LEFT JOB	- FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	subTotal \$ 495.00
4:20	3:51	3:45	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		ubTotal \$ 495.00 ax % 6.300 31.19 otal \$ 526.19
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN     OTHER     ADDED WATER	TIME DUE	1148.05
2/13	2:50	3:16			ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
			Service of the servic		GRAND TOTAL

02 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's kik. The maximum allotted time for unleading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength test when water is radical at the description of the strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SOLDIC

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

> BURLINGTON KS 66839

MCNett B19/20 B&B COOP. VENTURES/BIRK OIL 54 W TO QUAIL, N TO 2000TH RD W 5 MI TO ROCK RD N 3/4 MI W SD/ 1/4 PAST TANKS

VERNON/YATES CENTER, KS 66758 TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # % CAL BT % AIR 01:50:15p WELL 7.50 yd 15.00 yd 34 0.00 DATE . LOAD # YARDS DEL. BATCH# WATER TRIM SLUMP TICKET NUMBER o Date 7.50 yd 1 10-03-07 roday 7.50 yd 1 4.00 in 19412

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Books and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Intitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% ner annum Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Defivered.

A \$25 Service Charge and Loss of the Cash Discourt will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
properly if I places the material in this load where you desire it. It is
our wish to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving hand
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property. buildings, Sidewalks,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove must from the wheels of his vehicle so
that he will not littler the public server. Liruther, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order. Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

. .... QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE

7.50

WELL TRUCKING WELL (10 SACKS PER UNIT) RECEIVED TRUCKING CHARGE

7,50 KANSAS CORPORATION COMMISSION AND

66,00 45.100

495,00

FEB 0 6 2008

CONSERVATION DIVISION

			WICHITA KS	KJKJ.	
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	7 596.
4:20	3:51	3:45	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BOKE DOWN 9. OTHER		SubTotal \$ 585.00 Тах % 6.300 <b>6</b> 36.80
C:10	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN     OTHER     ADDED WATER	TIME DUE	Total \$ 375 G21-85 Order \$ 621-85
2.13	2:50	3.16			ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
9.03	3.3	روان الماس ا	the production of the second s	S.	GRAND TOTAL D / 23 S